

REPORT OF CHANNEL CONDITIONS
400 FEET WIDE OR GREATER

To: Navigation Interests		From: U.S. Army Corps of Engineers - Charleston 69A Hagood Avenue Charleston, SC 29403						
RIVER/HARBOR NAME AND STATE GEORGETOWN HARBOR SOUTH CAROLINA					MINIMUM DEPTHS IN EACH 1/4 WIDTH OF CHANNEL ENTERING FROM SEAWARD			
NAME OF CHANNEL	DATE OF SURVEY	AUTHORIZED PROJECT			LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER
		WIDTH (feet)	LENGTH (miles)	DEPTH (feet)	(feet)	(feet)	(feet)	(feet)
Entrance Channel 0+00 to 144+70	06-02-2015	600	2.70	27	24.0	23.0	17.5	13.0
Range B 144+70 to 196+47	06-02-2015	600	1.00	27	24.0	27.4	28.3	23.7
South Island Bend Tang. 1 196+47 to 233+53	06-02-2015	600 A	0.70	27	26.5	21.6	18.9	20.8
South Island Bend Tang. 2 233+53 to 262+26	06-02-2015	600	0.50	27	32.8	31.0	24.4	20.6
Range C 262+26 to 354+91	06-02-2015	600	1.80	27	18.9	20.2	20.2	23.0
Steel Mill Channel 964+72 to 982+69	06-02-2015	300 610	0.30	27	5.2	3.2	5.3	4.4
PaperMill Channel 0+00 to 12+70	06-02-2015	400 780	0.20	27	14.8	20.3	21.5	21.0
PaperMill Turning Basin 12+70 to 25+37	06-02-2015	400 800	0.20	27	14.9	17.6	21.7	12.2
<p>1. All depths refer to local mean lower low water (MLLW) 2. The information shown represents the results of surveys made on the dates indicated and reflects the general conditions at that time 3. The right and left sides of the channel refer to travel in the general direction when entering from seaward 4. Only minimum depths based on survey lines listed A. Limited soundings due to severe shoaling, USCG buoys mark navigable water in this area</p>								

