



AIWW C-P 1

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 2

USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List






| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 3

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 4

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 5

USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List

| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |




**US Army Corps
Of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO





Notes:

- Soundings are expressed in positive feet and tenths and are referenced to the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List





US Army Corps of Engineers®
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps Of Engineers® Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 8

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 9

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced to the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 10

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List





**US Army Corps
Of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List

| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 12

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps of Engineers®
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 13

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List






US Army Corps of Engineers
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




**US Army Corps of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 16

USDA, FSA, APFO




Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List





**US Army Corps of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |



Notes:

- Soundings are expressed in positive feet and tenths and are referenced to the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps Of Engineers® Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 19

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 20

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 21

USDA, FSA, APFO




Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List

| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |




| | |
|---|----------------------------|
| SURVEY AREA: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List


| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 25

USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List






| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps of Engineers®
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 27

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 28

USDA, FSA, APFO



Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




**US Army Corps of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 30

USDA, FSA, APFO




Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps of Engineers
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 32

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 33

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps of Engineers®
Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 34

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List






| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 35


USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List


| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 38

USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 39

USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 40

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




**US Army Corps of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 41

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps Of Engineers® Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List


| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |



AIWW C-P 45


USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List

| | |
|-------------------|---------------|
| | Channel Area |
| Depth MLLW | |
| | 0.03 - 6 |
| | 6.01 - 8 |
| | 8.01 - 10 |
| | 10.01 - 12 |
| | 12.01 - 49.01 |




| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




AIWW C-P 46

USDA, FSA, APFO



Notes:


- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |




USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List





**US Army Corps of Engineers®
Charleston District**

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




US Army Corps Of Engineers® Charleston District

| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





AIWW C-P 49

USDA, FSA, APFO



Notes:


- Soundings are expressed in positive feet and tenths and are referenced to the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced to the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



| | |
|---|----------------------------|
| Survey Area: Atlantic Intracoastal Waterway - Charleston to Port Royal | |
| Survey Date: | July 2013 |
| Survey Crew: | USACE Survey Team |
| Survey File Name: | 20130700_ICW_ALL_CPR_SB_CS |
| Imagery/Background: | 2011 NAIP |
| Mapped By: | |