




USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 2




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	



AIWW L_B 3



USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	


AIWW L_B 4



USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 5





USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	



AIWW L_B 6



USDA, FSA, APFO




Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 7





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 8




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	


AIWW L_B 9

Barefoot Resort Bridge


G 21A



USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List





Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 10

Veterans Hwy

USDA, FSA, APFO

Atlantic Intracoastal Waterway



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List


Channel Area	
Depth FT MLLW	
	Less Than 6
	6.1 - 8
	8.1 - 10
	10.1 - 12
	Greater Than 12




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 11

Veterans Hwy




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 12



Grande Dunes Blvd

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 13

Grande Dunes Blvd



G21B

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 14


Robert M Grissom Pkwy

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	



AIWW L_B 15



USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 16





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 17


Edward E Burroughs Highway

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 18




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 19





USDA, FSA, APFO




Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 20




USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List



Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 21




Benjamin E Thrillkill Bridge

Highway 544



Duck Pond Rd Bridge

USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List




Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	

AIWW L_B 22





USDA, FSA, APFO



Notes:

- Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
- Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
- Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
- Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
- Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
- Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
- Aids to Navigation obtained from the U.S. Coast Guard Light List





Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	



AIWW L_B 23



USDA, FSA, APFO



Notes:
 - Soundings are expressed in positive feet and tenths and are referenced the Mean Lower Low Water (MLLW) datum
 - Project surveyed with USACE survey vessels equipped with GPS positioning and hydrographic survey equipment that meets USACE Navigation and Dredging standards for soft bottom hydrographic surveys.
 - Soundings are calibrated to tide gauges that are set to MLLW and referenced to published benchmarks
 - Horizontal Datum: State Plane NAD-83 SC-3900 Intl Feet
 - Project was designed by the Charleston District of the U.S. Army Corps of Engineers. The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment by ER 1110-1-8152
 - Maps and associated information represents the result of surveys made on the date indicated and can only be considered as indicating the general condition existing at that time. These conditions are subject to rapid change due to shoaling events. A prudent mariner should not rely exclusively on the information provided here
 - Aids to Navigation obtained from the U.S. Coast Guard Light List



Survey Area: Atlantic Intracoastal Waterway - Little River to Bucksport	
Survey Date:	Oct. 2013
Survey Crew:	USACE Hydro Survey Team
Survey File Name:	20131000_ICW_LRWB_SB_CS
Imagery/Background:	2011 NRCS NAIP Imagery RGB
Mapped By:	