#### APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# **SECTION I: BACKGROUND INFORMATION**

REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 4/27/2018

B.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 1 of 4; SAC-2018-00583 Midlands Solar, LLC. 2.0
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Calhoun City: St. Matthews Center coordinates of site (lat/long in degree decimal format): Lat. 33.6537° N, Long. 80.9509° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Limestone Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: North Fork Edisto River  Name of watershed or Hydrologic Unit Code (HUC): 0305020303 Lower North Fork Edisto River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 4/18/2018  Field Determination. Date(s): 10/20/2017 Site visit for PJD SAC-2017-01505 with a project boundary and review area which includes the project boundary and review area documented on this form.
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):   TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters:  Tributary 1 (perennial) = 548 linear feet by 5-15 feet wide  Tributary 2 (perennial) = 1,121 linear feet by 10-15 feet wide  Tributary 3 (seasonal) = 258 linear feet by 5-10 feet wide  Wetlands:
	Wetland 1 (directly abutting Tributary 1) = 0.44 acres Wetland 2 (directly abutting Tributary 2) = 1.97 acres

Wetland 11 (directly abutting Tributary 2) = 3.58 acres Wetland 10 (directly abutting Tributary 3) = 1.31 acres

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

	c	Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Elevation of established OHWM (if known):
	2.	Non-regulated waters/wetlands (check if applicable): Including potentially jurisdictional features that upon assessment are NOT waters or wetlands Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:
SEC	CTIO	N III: CWA ANALYSIS
A.	TN	Ws AND WETLANDS ADJACENT TO TNWs
	Sec	e agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete tion III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 Section III.D.1.; otherwise, see Section III.B below.
	1.	TNW Identify TNW:
		Summarize rationale supporting determination:
	2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":
В.	СН	ARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):
		s section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps ermine whether or not the standards for jurisdiction established under <i>Rapanos</i> have been met.
	The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.	
	EP/ rela	vetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and A regions will include in the record any available information that documents the existence of a significant nexus between a atively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even ugh a significant nexus finding is not required as a matter of law.
	If the waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if th waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD reques the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both ons and offsite. The determination whether a significant nexus exists is determined in Section III.C below.	
	1.	Characteristics of non-TNWs that flow directly or indirectly into TNW
		(i) General Area Conditions: Watershed size: 154,502 Acres Drainage area: 802 Acres Average annual rainfall: 47.23 inches Average annual snowfall: 0.4 inches
		<ul> <li>(ii) Physical Characteristics:</li> <li>(a) Relationship with TNW:</li> <li>☐ Tributary flows directly into TNW.</li> <li>☐ Tributary flows through 2 tributaries before entering TNW.</li> </ul> Project waters are 5-10 river miles from TNW.

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.
<sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Project waters are 1 (or less) river miles from RPW.
	Project waters are 5-10 aerial (straight) miles from TNW.
	Project waters are 1 (or less) aerial (straight) miles from RPW.  Project waters cross or serve as state boundaries. Explain:
	Troject waters cross of serve as state obuildaries. Explain.
	Identify flow route to TNW <sup>5</sup> : <b>Tributary 3 flows to Limestone Creek which flows to the Edisto River.</b> Tributary stream order, if known:
(b)	General Tributary Characteristics (check all that apply):
(0)	Tributary is: Natural
	Artificial (man-made). Explain:
	Manipulated (man-altered). Explain:
	Tributour managing with magnest to tan of healt (actimate)
	<b>Tributary</b> properties with respect to top of bank (estimate):  Average width: feet
	Average depth: feet
	Average side slopes: Pick List.
	Primary tributary substrate composition (check all that apply):
	Silts Sands □ Concrete
	☐ Cobbles         ☐ Gravel         ☐ Muck           ☐ Bedrock         ☐ Vegetation. Type/% cover:
	☐ Other. Explain: These tributaries are located on a site mapped by the soil survey that is comprised
primarily of	Dothan, Ailey, Totness, Fuquay, and Troup soils. Ailey, Dothan, and Fuquay are "well drained" soil, Troop is a
	xcessively drained" soil, and Totness is categorized a "poorly drained."
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:
	Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Relatively straight.
	Tributary gradient (approximate average slope):
	Thouary gradient (approximate average slope).
(c)	Flow:
	Tributary provides for: Seasonal flow
	Estimate average number of flow events in review area/year: <b>Pick List</b>
7571 * 4 *1 4	Describe flow regime: Tributary 3 is seasonal and flows 3 months out of the year during normal conditions.
and LiDAR r	y is shown as a blue line on the topographical and soil survey maps, tributary is also located and shown on the NWI
and LiDAK i	Other information on duration and volume: .
	Carlo mornanon on autanon and votano
	Surface flow is: <b>Discrete and confined.</b> Characteristics: <b>Tributary flows in channel during normal conditions.</b>
	Subsurface flow: Unknown. Explain findings:
	Tributary has (check all that apply):
	Bed and banks
	OHWM <sup>6</sup> (check all indicators that apply):
	☐ clear, natural line impressed on the bank ☐ the presence of litter and debris
	changes in the character of soil destruction of terrestrial vegetation
	shelving the presence of wrack line
	<ul> <li>□ vegetation matted down, bent, or absent</li> <li>□ sediment sorting</li> <li>□ leaf litter disturbed or washed away</li> <li>□ scour</li> </ul>
	sediment deposition multiple observed or predicted flow events
	water staining abrupt change in plant community
	other (list):
	Discontinuous OHWM. <sup>7</sup> Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):
	High Tide Line indicated by:  Mean High Water Mark indicated by:
	☐ oil or scum line along shore objects ☐ survey to available datum; ☐ fine shell or debris deposits (foreshore) ☐ physical markings;
	☐ The shell of debtis deposits (foreshore) ☐ physical markings;

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

	<ul> <li>□ physical markings/characteristics</li> <li>□ tidal gauges</li> <li>□ other (list):</li> <li>□ vegetation lines/changes in vegetation types.</li> </ul>
roads	nemical Characteristics: naracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).  Explain: Based on the consultant photos and prior site visit water color is clear. According to the South Carolina  Department of Health and Environmental Control's (SCDHEC) Watershed Water Quality Assessment (WWQA), land use/land cover in the watershed includes: 36.4% agricultural land, 34.4% forested land, 18.4% forested  wetland (swamp), 9.7% urban land, 0.8% water, and 0.3% nonforested wetland (marsh). There is a low to  moderate potential for growth in this watershed, which contains the Towns of Edisto and Cordova and the City of  Orangeburg. The existing infrastructure of the US 178 out of Orangeburg may encourage some growth. US 601  connects Orangeburg to the Towns of Bamberg and St. Matthews. The US 21 corridor runs from Orangeburg to  Rowesville and is paralleled by a rail line. I-26 bisects the watershed and includes four interchanges near St.  Matthews.  entify specific pollutants, if known: This site has potential pollutants from surrounding agricultural activities, and
	Characteristics. Channel supports (check all that apply):  Riparian corridor. Characteristics (type, average width): Mixed hardwoods and pine community.  Wetland fringe. Characteristics:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings: The tributary provides breeding grounds for aquatic species.  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings: The tributary provides habitat for wildlife in the area.
(	ysical Characteristics:  General Wetland Characteristics: Properties: Wetland size: Wetland 10 = 1.31 acres Wetland type. Explain: Forested Palustrine PFO Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: Wetland flows directly into and after heavy rain events  Surface flow is: Overland sheetflow Characteristics:  Subsurface flow: Unknown. Explain findings: □ Dye (or other) test performed:  Wetland Adjacency Determination with Non-TNW: □ Directly abutting. Wetland 10 is directly abutting Tributary 3. □ Not directly abutting □ Discrete wetland hydrologic connection. Explain: □ Ecological connection. Explain: □ Separated by berm/barrier. Explain:
	Proximity (Relationship) to TNW Project wetlands are 5-10 river miles from TNW. Project waters are 5-10 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters. Estimate approximate location of wetland as within the Pick List floodplain.
(	nemical Characteristics: naracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed

aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Based on the consultant photos and prior site visit water color is clear. According to the South Carolina Department of Health and Environmental Control's (SCDHEC) Watershed Water Quality Assessment (WWQA), land use/land cover in the watershed includes: 36.4% agricultural land, 34.4% forested land, 18.4% forested wetland (swamp), 9.7% urban land, 0.8% water, and 0.3% nonforested wetland (marsh). There is a low to moderate potential for growth in this watershed, which contains the Towns of Edisto and Cordova and the City of Orangeburg. The existing infrastructure of the US 178 out of Orangeburg may encourage

some growth. US 601 connects Orangeburg to the Towns of Bamberg and St. Matthews. The US 21 corridor runs from Orangeburg to Rowesville and is paralleled by a rail line. I-26 bisects the watershed and includes four interchanges near St. Matthews.

Identify specific pollutants, if known: This site has potential pollutants from surrounding agricultural activities and roads.

	☐ Vegetation type/percent cov ☐ Habitat for: ☐ Federally Listed species ☐ Fish/spawn areas. Expla ☐ Other environmentally-	stics (type, average ver. Explain: . Explain findings: . in findings: <b>Wetlar</b> sensitive species. E	width): Mixed hardwoods a  ds provide breeding groun	ds for aquatic species
3.	Characteristics of all wetlands adja All wetland(s) being considered Approximately (7.3) acres in tota For each wetland, specify the following	in the cumulative an al are being conside	nalysis: 4	s=
	Directly abuts? (Y/N)  Wetland 1(Y)  Wetland 2(Y)  Wetland 11(Y)  Wetland 10(Y)	0.44 acres 1.97 acres 3.58 acres 1.31 acres	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed: These wetlands provide biodiversity support by offering habitat for various amphibian, avian, and mammal species. These wetlands also provide some level of biogeochemical soil functions valuable for maintaining water quality, such as sediment trapping and nutrient removal through processes such as denitrification. Additionally, wetlands experience slower soil organic matter decomposition rates than upland ecosystems, allowing for natural carbon storage through soil organic matter accumulation. These wetlands also collectively perform flow maintenance functions, including retaining runoff inflow and temporarily storing floodwater.

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:

- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: These seasonal tributaries and wetlands abutting seasonal tributaries provide biodiversity support by offering habitat for various plant, amphibian, avian, and mammal species. These systems provide ecosystem functions valuable for maintaining local water quality, such as sediment trapping and nutrient removal through processes like denitrification. Additionally, these wetlands and tributaries collectively act to temporarily attenuate flood waters during large precipitation events.

	ter quality, such as sediment trapping and nutrient removal through processes like denitrification. Additionally, these clands and tributaries collectively act to temporarily attenuate flood waters during large precipitation events.
	TERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL AT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  ☐ TNWs: linear feet width (ft), Or, acres.  ☐ Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Tributary 1 and Tributary 2 are perennial tributaries that have a clear ordinary high water mark, a distinct channel, clearly defined bed and bank, and sediment sorting. Tributary 1 and Tributary 2 had flow at the time of the consultant's site visit and the Corps' site visit. Tributary 1 and Tributary 2 are clearly visible on the Calhoun County LiDAR digital elevation model GIS data layer and depicted as Limestone Creek a named blue line stream on USGS topo. Available data led this office to conclude that Tributary 1 and Tributary 2 have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Tributary 3 is a seasonal tributaries with clearly defined bed, water staining, leaf litter disturbed or washed away, and bank and sediment sorting. Available data led this office to conclude that this tributary has a seasonal flow regime.
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters:
	Tributary 1 (perennial) = 548 linear feet Tributary 2 (perennial) = 1,121 linear feet Tributary 3 (seasonal) = 258 linear feet Total =1,927 linear feet
	Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 1 is directly abutting to Tributary 1. Wetland 2 and Wetland 11 are directly abutting to Tributary 2. These wetlands are directly abutting because they each have uninterrupted flow that

connects directly to the base flow of the perennial tributary.

D.

<sup>&</sup>lt;sup>8</sup>See Footnote # 3.

		uninterrupted flow that connects directly to the base flow of the seasonal tributary.
		Provide acreage estimates for jurisdictional wetlands in the review area: 7.3 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
		Impoundments of jurisdictional waters.9  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
Е.	DEC SUC 	CLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Ide	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
F.	NO	N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	fact	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional gment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .

Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 10 is directly abutting to Tributary 3. This wetland is directly abutting because it has

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>&</sup>lt;sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	Wetlands: acres.
	rovide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
SECT	ION IV: DATA SOURCES.
	Data sheets prepared/submitted by or on behalf of the applicant/consultant.  ☐ Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets.  ☐ Office does not concur with data sheets/delineation report.  Data sheets prepared by the Corps:  Corps navigable waters' study: 1977 Navigability Survey.  U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.  ☐ USGS NHD data.  ☐ USGS 8 and 12 digit HUC maps. 0305020303 Lower North Fork Edisto River  U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Staley Crossroads  USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO soil data: Dothan, Ailey, Totness, Fuquay, and roup  National wetlands inventory map(s). Cite name: USFWS NWI 1994.  State/Local wetland inventory map(s):  FEMA/FIRM maps:  100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)  Photographs: ☐ Aerial (Name & Date): Google Earth image 09/06/2016.  or ☐ Other (Name & Date): Consultant provided photos 1-80 of 80 dated 09/07/2017.
	Applicable/supporting case law: Applicable/supporting scientific literature:
D A D	DITIONAL COMMENTS TO SUPPORT ID. TH' ID C

B. ADDITIONAL COMMENTS TO SUPPORT JD: This JD form documents the jurisdictional status of two perennial RPWs, one seasonal RPW, three wetlands directly abutting to a perennial RPW, and one wetland directly abutting to a seasonal RPW. Based on guidance provided, RPWs and abutting wetlands are jurisdictional, however, the significant nexus findings for the record are included for the seasonal RPW as required by Rapanos Guidance. Based on the documentation provided in Section III.C. of this form, the nexus between the seasonal RPW with its directly abutting wetland and the downstream TNW is significant. The RPWs and wetlands documented on this form are waters of the U.S. and within jurisdiction of the Clean Water Act.

## APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# **SECTION I: BACKGROUND INFORMATION**

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 4/27/2018

B.	DISTRICT OFFICE.	FILE NUMBER.	FILE NAME:	JD Form 2 of 4:	: SAC-2018-00583 Midla	ands Solar, LLC, 2.0
----	------------------	--------------	------------	-----------------	------------------------	----------------------

B.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 2 of 4; SAC-2018-00583 Midlands Solar, LLC. 2.0
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Calhoun City: St. Matthews Center coordinates of site (lat/long in degree decimal format): Lat. 33.6537° N, Long. 80.9509° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Limestone Creek
	Name of nearest Traditional Navigable Water (TNW) Into which the aquatic resource flows: North Fork Edisto River  Name of watershed or Hydrologic Unit Code (HUC): 0305020303 Lower North Fork Edisto River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 4/18/2018  Field Determination. Date(s): 10/20/2017 Site visit for PJD SAC-2017-01505 with a project boundary and review area which includes the project boundary and review area documented on this form.
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters <sup>2</sup> (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters  Isolated (interstate or intrastate) waters, including isolated wetlands
	<ul> <li>b. Identify (estimate) size of waters of the U.S. in the review area:         Non-wetland waters:         Tributary 4 (seasonal) = 173 linear feet by 5-10 feet wide     </li> </ul>
	Wetlands:  Wetland 9 (directly abutting Tributary 4) = 0.33 acres  Wetland 8 (directly abutting off-site perennial tributary) = 0.95 acres  Wetland 7 (directly abutting off-site perennial tributary) = 1.70 acres

<sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

Elevation of established OHWM (if known):

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM.,

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

	2.	Non-regulated waters/wetlands (check if applicable): Including potentially jurisdictional features that upon assessment are NOT waters or wetlands.  Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:
SEC	CTIO	N III: CWA ANALYSIS
A.	TN	Ws AND WETLANDS ADJACENT TO TNWs
	Sec	e agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete tion III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 Section III.D.1.; otherwise, see Section III.B below.
	1.	TNW Identify TNW:
		Summarize rationale supporting determination: .
	2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":
В.	СН	ARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):
		s section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps ermine whether or not the standards for jurisdiction established under <i>Rapanos</i> have been met.
	wat moi (pei	e agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent ters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 nths). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round rennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, to to Section III.D.4.
	EP/ rela	retland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and A regions will include in the record any available information that documents the existence of a significant nexus between a utively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even ugh a significant nexus finding is not required as a matter of law.
		he waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the erbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must

consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### Characteristics of non-TNWs that flow directly or indirectly into TNW

# **General Area Conditions:** Watershed size: 154,502 Acres Drainage area: 247 Acres Average annual rainfall: 47.23 inches Average annual snowfall: **0.4 inches** (ii) Physical Characteristics: Relationship with TNW: ☐ Tributary flows directly into TNW. ☑ Tributary flows through 2 tributaries before entering TNW. Project waters are 5-10 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Project waters are 5-10 aerial (straight) miles from TNW.

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Project waters are 1 (or less) aerial (straight) miles from RPW.  Project waters cross or serve as state boundaries. Explain:	
	Identify flow route to TNW <sup>5</sup> : <b>Tributary 4 flows to Limestone Creek which flows to the Edisto River.</b> Tributary stream order, if known:	
(b)	General Tributary Characteristics (check all that apply):	
(0)	Tributary is:  Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:	
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List.	
Dothan, Aile	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: This tributary is located on a site mapped by the soil survey that is comprised primarily of y, Totness, Fuquay, and Troup soils. Ailey, Dothan, and Fuquay are "well drained" soil, Troop is a "somewhat"	
	rained" soil, and Totness is categorized a "poorly drained."	
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Relatively straight.  Tributary gradient (approximate average slope): %	
(c) Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: Pick List Describe flow regime: Tributary 4 is seasonal and flows 3 months out of the year during normal conditions. This tributary is shown as a blue line on the topographical and soil survey maps, tributary is also located and shown on the NW and LiDAR maps.  Other information on duration and volume:		
	Surface flow is: Discrete and confined. Characteristics: Tributary flows in channel during normal conditions.	
	Subsurface flow: <b>Unknown</b> . Explain findings:  Dye (or other) test performed:	
	Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list):  Discontinuous OHWM. <sup>7</sup> Explain:	
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:	

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

			other (list):
roi	(iii)	Cha	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).  Explain: Based on the consultant photos and prior site visit water color is clear. According to the South Carolina Department of Health and Environmental Control's (SCDHEC) Watershed Water Quality Assessment (WWQA), land use/land cover in the watershed includes: 36.4% agricultural land, 34.4% forested land, 18.4% forested wetland (swamp), 9.7% urban land, 0.8% water, and 0.3% nonforested wetland (marsh). There is a low to moderate potential for growth in this watershed, which contains the Towns of Edisto and Cordova and the City of Orangeburg. The existing infrastructure of the US 178 out of Orangeburg may encourage some growth. US 601 connects Orangeburg to the Towns of Bamberg and St. Matthews. The US 21 corridor runs from Orangeburg to Rowesville and is paralleled by a rail line. I-26 bisects the watershed and includes four interchanges near St. Matthews.  https://doi.org/10.1001/10.1
(iv) Bio	ologica		Aracteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Mixed hardwoods and pine community. Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: The tributary provides breeding grounds for aquatic species. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: The tributary provides habitat for wildlife in the area.
2.	Cha	racto	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	<b>(i)</b>		Sical Characteristics:  General Wetland Characteristics:  Properties:  Wetland size: Wetland 9 = 0.33 acres  Wetland type. Explain: Forested Palustrine PFO  Wetland quality. Explain:  Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: Wetland flows directly into and after heavy rain events.  Surface flow is: Overland sheetflow Characteristics:  Subsurface flow: Unknown. Explain findings:  Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting. Wetland 9 is directly abutting Tributary 4  ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are 5-10 river miles from TNW. Project waters are 5-10 aerial (straight) miles from TNW. Flow is from: Wetland to pavigable waters

#### (ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Based on the consultant photos and prior site visit water color is clear. According to the South Carolina Department of Health and Environmental Control's (SCDHEC) Watershed Water Quality Assessment (WWQA), land use/land cover in the watershed includes: 36.4% agricultural land, 34.4% forested land, 18.4% forested wetland (swamp), 9.7% urban land, 0.8% water, and 0.3% nonforested wetland (marsh). There is a low to moderate potential for growth in this watershed, which contains the Towns of Edisto and Cordova and the City of Orangeburg. The existing infrastructure of the US 178 out of Orangeburg may encourage some growth. US 601 connects Orangeburg to the Towns of Bamberg and St. Matthews. The US 21 corridor runs

Estimate approximate location of wetland as within the Pick List floodplain.

# from Orangeburg to Rowesville and is paralleled by a rail line. I-26 bisects the watershed and includes four interchanges near St. Matthews.

Identify specific pollutants, if known: This site has potential pollutants from surrounding agricultural activities and roads.

(iii) Biological Characteristics. W	'etland supports (ch	eck all that apply):	
Riparian buffer. Character	ristics (type, average	width): Mixed hardwoods a	nd pine community.
☐ Vegetation type/percent co	over. Explain:		
☐ Habitat for: .44			
☐ Federally Listed specie	es. Explain findings:		
Fish/spawn areas. Expl	ain findings: Wetlar	nds provide breeding groun	ds for aquatic species
Other environmentally	-sensitive species. E	xplain findings: .	
Aquatic/wildlife divers	ity. Explain findings	s: Wetlands provide habitat	for wildlife in the area
All wetland(s) being considered Approximately ( <b>6.32</b> ) acres in t	d in the cumulative are total are being consid	nalysis: 3	is=
Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Wetland 9(Y) Wetland 8(Y)	0.33 acres 0.95 acres		
	Riparian buffer. Character Vegetation type/percent co Habitat for: .44 Federally Listed specie Fish/spawn areas. Expl Other environmentally Aquatic/wildlife divers  Characteristics of all wetlands adj All wetland(s) being considered Approximately (6.32) acres in t For each wetland, specify the for	Riparian buffer. Characteristics (type, average Vegetation type/percent cover. Explain: Habitat for: .44  Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Wetlar Other environmentally-sensitive species. E Aquatic/wildlife diversity. Explain findings  Characteristics of all wetlands adjacent to the tributar All wetland(s) being considered in the cumulative at Approximately (6.32) acres in total are being consid For each wetland, specify the following:  Directly abuts? (Y/N) Size (in acres)  Wetland 9(Y) 0.33 acres	Vegetation type/percent cover. Explain:  Habitat for: .44  □ Federally Listed species. Explain findings: □ Fish/spawn areas. Explain findings: Wetlands provide breeding ground: □ Other environmentally-sensitive species. Explain findings: □ Aquatic/wildlife diversity. Explain findings: Wetlands provide habitat  Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: 3 Approximately (6.32) acres in total are being considered in the cumulative analysis. For each wetland, specify the following:  Directly abuts? (Y/N)  Size (in acres)  Directly abuts? (Y/N)  Wetland 9(Y)  0.33 acres

Summarize overall biological, chemical and physical functions being performed: These wetlands provide biodiversity support by offering habitat for various amphibian, avian, and mammal species. These wetlands also provide some level of biogeochemical soil functions valuable for maintaining water quality, such as sediment trapping and nutrient removal through processes such as denitrification. Additionally, wetlands experience slower soil organic matter decomposition rates than upland ecosystems, allowing for natural carbon storage through soil organic matter accumulation. These wetlands also collectively perform flow maintenance functions, including retaining runoff inflow and temporarily storing floodwater.

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:

- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: These seasonal tributaries and wetlands abutting seasonal tributaries provide biodiversity support by offering habitat for various plant, amphibian, avian, and mammal species. These systems provide ecosystem functions valuable for maintaining local water quality, such as sediment trapping and nutrient removal through processes like denitrification. Additionally, these wetlands and tributaries collectively act to temporarily attenuate flood waters during large precipitation events.

we	tlands and tributaries collectively act to temporarily attenuate flood waters during large precipitation events.
	TERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL IAT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: A perennial tributary that is an RPW is located off-site and outside of the review area. This off-site tributary flows directly into Limestone Creek, is shown on the USFWS NWI map as a stream, is shown on the Calhoun County LiDAR map with typical strong geomorphic characteristics, and is shown on the USGS topographic map as 1st order blue line stream. Available data led this office to conclude that this off-site tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Tributary 4 is a seasonal tributary with clearly defined bed, water staining, and bank and sediment sorting. This stream had signs of intermittent flow, and it is observable on the Calhoun County LiDAR map. Available data led this office to conclude that this tributary has a seasonal flow regime.
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters:
	Tributary 4 (seasonal) = 173 linear feet
	Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale

- Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 8 and Wetland 7 are directly abutting an off-site perennial tributary, this off-site perennial tributary is shown on the topographic map as a blue line, NWI map, and Calhoun County LiDAR map. These wetlands are directly abutting because they each have uninterrupted flow that connects directly to the base flow of the perennial tributary.
- Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly

D.

<sup>&</sup>lt;sup>8</sup>See Footnote # 3.

## abutting an RPW: Wetland 9 is directly abutting to Tributary 4. This wetland is directly abutting because it has uninterrupted flow that connects directly to the base flow of the seasonal tributary.

Provide acreage estimates for jurisdictional wetlands in the review area: 2.98 acres.

6. Wetlan  Wein win construction  Provide  7. Impour As a ge De De Explain  E. ISOLATED DEGRADA SUCH WAT Which ar Interstate Other factor of the construction of the c	[INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, TION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY ITERS (CHECK ALL THAT APPLY): <sup>10</sup> The or could be used by interstate or foreign travelers for recreational or other purposes.
Provide  7. Impour As a ge De Explain  E. ISOLATED DEGRADA SUCH WAT which ar from wh which ar Interstate Other far Identify wat Provide estir Tributar; Other no Ident Wetland  F. NON-JURIS	etlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and the similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this inclusion is provided at Section III.C.  e estimates for jurisdictional wetlands in the review area: acres.  Indments of jurisdictional waters.  nearl rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Semonstrate that impoundment was created from "waters of the U.S.," or semonstrate that water meets the criteria for one of the categories presented above (1-6), or semonstrate that water is isolated with a nexus to commerce (see E below).  INTERSTATE OR INTRA-STATE WATERS, INCLUDING ISOLATED WETLANDS, THE USE, TION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY TERS (CHECK ALL THAT APPLY): 10  The or could be used by interstate or foreign travelers for recreational or other purposes.
7. Impour As a ge De De Explain  E. ISOLATED DEGRADA SUCH WAT which ar from wh hich ar Interstate Other fac Identify wat  Provide estir Tributar Other no Ident Wetland  F. NON-JURIS	ndments of jurisdictional waters.9  neral rule, the impoundment of a jurisdictional tributary remains jurisdictional.  temonstrate that impoundment was created from "waters of the U.S.," or  temonstrate that water meets the criteria for one of the categories presented above (1-6), or  temonstrate that water is isolated with a nexus to commerce (see E below).  INTERSTATE OR INTRA-STATE WATERS, INCLUDING ISOLATED WETLANDS, THE USE,  TION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY  TERS (CHECK ALL THAT APPLY): 10  The or could be used by interstate or foreign travelers for recreational or other purposes.
As a ge De De Explain  E. ISOLATED DEGRADA SUCH WAT which ar from wh hich ar Interstate Other fac Identify wat  Provide estir Tributar Other no Ident Wetland  F. NON-JURIS	neral rule, the impoundment of a jurisdictional tributary remains jurisdictional.  emonstrate that impoundment was created from "waters of the U.S.," or  emonstrate that water meets the criteria for one of the categories presented above (1-6), or  emonstrate that water is isolated with a nexus to commerce (see E below).  :  [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE,  TION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY  IERS (CHECK ALL THAT APPLY):  The or could be used by interstate or foreign travelers for recreational or other purposes.
DEGRADA SUCH WAT  which ar from wh which ar Interstate Other fac  Identify wat  Provide estin Tributar Other no Ident Wetland  F. NON-JURIS If poten	TION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY TERS (CHECK ALL THAT APPLY): <sup>10</sup> re or could be used by interstate or foreign travelers for recreational or other purposes.
Provide estin  Tributar  Other no  Ident  Wetland  F. NON-JURIS  If poten	ich fish or shellfish are or could be taken and sold in interstate or foreign commerce. re or could be used for industrial purposes by industries in interstate commerce. re isolated waters. Explain: ctors. Explain:
Tributar Other no Ident Wetland  F. NON-JURIS If poten	ter body and summarize rationale supporting determination:
If poten	ify type(s) of waters:  acres.  acres.
Review Pri "N Waters	SDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): tital wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers d Delineation Manual and/or appropriate Regional Supplements. area included isolated waters with no substantial nexus to interstate (or foreign) commerce. ior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the digratory Bird Rule" (MBR). do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: (explain, if not covered above):
factors (i.e., judgment (chapter Non-weighter)  Lakes/p	on-wetland waters: acres. List type of aquatic resource: .

To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

		Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SE(	<u>CTIO</u>	N IV: DATA SOURCES.
<b>A.</b> \$	SUPI	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
		requested, appropriately reference sources below):
	$\bowtie$	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: <b>Terracon Consultants, Inc.</b>
	$\boxtimes$	Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets.
		Office does not concur with data sheets/delineation report.
		Data sheets prepared by the Corps:
	$\boxtimes$	Corps navigable waters' study: 1977 Navigability Survey.
	$\boxtimes$	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
		USGS NHD data.
		USGS 8 and 12 digit HUC maps. 0305020303 Lower North Fork Edisto River
	$\boxtimes$	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Staley Crossroads  USDA Network Recovered Conservation Service Soil Survey Citation: SSURCO soil date: Dethon Ailey Tetrogg France and
	Tro	USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO soil data: Dothan, Ailey, Totness, Fuquay, and
		National wetlands inventory map(s). Cite name: <b>USFWS NWI 1994.</b>
		State/Local wetland inventory map(s):
		FEMA/FIRM maps:
		100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
	$\boxtimes$	Photographs: Aerial (Name & Date): Google Earth image 09/06/2016.
	$\boxtimes$	or \( \subseteq \text{ Other (Name & Date): Consultant provided photos 1-80 of 80 dated 09/07/2017.} \) Previous determination(s). File no. and date of response letter: SAC-2017-01505 dated 11/3/2017
	$\exists$	Applicable/supporting case law: . SAC-2017-01303 tated 11/3/2017
		Applicable/supporting scientific literature: .
		Other information (please specify): The PJD SAC-2017-01505 referenced above has a project boundary and review area that
		udes the project boundary and review area documented on this form. The recipient of the PJD reduced the project boundary
	and	review area and requested an AJD that is the subject of this form.

B. ADDITIONAL COMMENTS TO SUPPORT JD: This JD form documents the jurisdictional status one seasonal RPW, one wetland directly abutting to a seasonal RPW, two wetlands directly abutting to a perennial RPW where the perennial RPW is located off-site and not in the review area. As the perennial RPW is off-site and not in the review area, its jurisdictional status is not addressed on this form. It is only noted to document the flow and connectivity of the two wetlands in the review area to the downstream TNW. Based on guidance provided, RPWs and abutting wetlands are jurisdictional, however, the significant nexus findings for the record are included for the seasonal RPW as required by Rapanos Guidance. Based on the documentation provided in Section III.C of this form, the nexus between the seasonal RPW and TNW is significant. The RPWs and wetlands documented on this form are waters of the U.S. and within jurisdiction of the Clean Water Act.

## APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

## **SECTION I: BACKGROUND INFORMATION** REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 4/27/2018

B.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 3 of 4; SAC-2018-00583 Midlands Solar, LLC. 2.0
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Calhoun City: St. Matthews Center coordinates of site (lat/long in degree decimal format): Lat. 33.6537° N, Long. 80.9509° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Limestone Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: North Fork Edisto River  Name of watershed or Hydrologic Unit Code (HUC): 0305020303 Lower North Fork Edisto River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 4/18/2018  Field Determination. Date(s): 10/20/2017 Site visit for PJD SAC-2017-01505 with a project boundary and review area which includes the project boundary and review area documented on this form.
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):   TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters:
	Wetlands: Wetland 6 (directly abutting off-site perennial tributary) = 2.76 acres Wetland 5 (directly abutting off-site perennial tributary) = 2.53 acres Wetland 4 (directly abutting off-site perennial tributary) = 0.43 acres
	c. Limits (houndaries) of jurisdiction based on: 1987 Delineation Manual

Elevation of established OHWM (if known):

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

	2.	asse	regulated waters/wetlands (check if applicable): <sup>3</sup> [Including potentially jurisdictional features that upon essment are NOT waters or wetlands]  Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.
			Explain: .
SEC	CTIO	N III:	CWA ANALYSIS
A.	TN	Ws A	ND WETLANDS ADJACENT TO TNWs
	Sec	tion 1	ncies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 ion III.D.1.; otherwise, see Section III.B below.
	1.	TNV Iden	W tify TNW:
		Sun	nmarize rationale supporting determination:
	2.		tland adjacent to TNW marize rationale supporting conclusion that wetland is "adjacent":
B.	СН	ARA	CTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):
			tion summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps ne whether or not the standards for jurisdiction established under <i>Rapanos</i> have been met.
	wat mor (per	ters" nths). renni	ncies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3. A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round al) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, ection III.D.4.
	EP.	A reg tively	d that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and ions will include in the record any available information that documents the existence of a significant nexus between a y permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even a significant nexus finding is not required as a matter of law.
	wat con ana the the	terboo sider lytica tribu tribu	aterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the dy has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for all purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is stary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for stary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite te. The determination whether a significant nexus exists is determined in Section III.C below.
	1.	Cha	racteristics of non-TNWs that flow directly or indirectly into TNW
		(i)	General Area Conditions: Watershed size: Drainage area: Average annual rainfall: Average annual snowfall:
		(ii)	Physical Characteristics:  (a) Relationship with TNW:  Tributary flows directly into TNW.  Tributary flows through _ tributaries before entering TNW.
			Project waters are <b>Pick List</b> river miles from TNW.  Project waters are <b>Pick List</b> river miles from RPW.
			Project waters are <b>Pick List</b> aerial (straight) miles from TNW.
			Project waters are <b>Pick List</b> aerial (straight) miles from RPW.

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.
<sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Project waters cross or serve as state boundaries. Explain:
	Identify flow route to TNW <sup>5</sup> : Tributary stream order, if known:
(b)	General Tributary Characteristics (check all that apply):  Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List.
	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Pick List.  Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
	Surface flow is: Pick List. Characteristics:  Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil destruction of terrestrial vegetation the presence of wrack line vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition multiple observed or predicted flow events abrupt change in plant community other (list):  Discontinuous OHWM. <sup>7</sup> Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
	emical Characteristics:  aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).  Explain:

(iii)

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

Identify specific pollutants, if known: (iv) Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW **Physical Characteristics:** General Wetland Characteristics: Properties: Wetland size: Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain: General Flow Relationship with Non-TNW: Flow is: **Pick List**. Explain: Surface flow is: Pick List Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed: (c) Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting. ☐ Not directly abutting Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: Separated by berm/barrier. Explain: (d) Proximity (Relationship) to TNW Project wetlands are **Pick List** river miles from TNW. Project waters are **Pick List** aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the **Pick List** floodplain. (ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known: (iii) Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: ☐ Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: Approximately () acres in total are being considered in the cumulative analysis= For each wetland, specify the following: Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: There are no seasonal tributaries and/or wetlands abutting seasonal tributaries documented on this form.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL

TH	AT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Three similarly situated tributaries are located off-site and outside of the review area. These off-site tributaries flow directly into Caw Caw Swamp, are shown on the USFWS NWI map as streams, and are shown on the Calhoun County LiDAR map with typical strong geomorphic characteristics. Two of the three off-site tributaries are shown on the USGS topographic map as 2nd order blue line streams. Available data led this office to conclude that these off-site tributaries have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are

jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows

Provide estimates for jurisdictional waters in the review area (check all that apply):

Tributary waters:

seasonally:

	Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 6, Wetland 5, and Wetland 4 are directly abutting and have uninterrupted flow that connects directly to the base flow of the off-site perennial tributaries. These wetlands are depicted on the USFWS NWI map as being bisected off-site by and having a direct connection to the off-site perennial tributaries
	■ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: 5.72 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
SUC	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
Ide	ntify water body and summarize rationale supporting determination:
Pro	vide estimates for jurisdictional waters in the review area (check all that apply):

E.

 <sup>8</sup>See Footnote # 3.
 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	☐ Tributary waters: linear feet width (ft).  ☐ Other non-wetland waters: acres.  ☐ Identify type(s) of waters:  ☐ Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
<b>A.</b>	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Terracon Consultants, Inc.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets.  Office does not concur with data sheets/delineation report.  Data sheets prepared by the Corps:
	<ul> <li>Corps navigable waters' study: 1977 Navigability Survey.</li> <li>U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.</li> <li>☐ USGS NHD data.</li> <li>☐ USGS 8 and 12 digit HUC maps. 0305020303 Lower North Fork Edisto River</li> </ul>
	<ul> <li>U.S. Geological Survey map(s). Cite scale &amp; quad name: 1:24,000 Staley Crossroads</li> <li>USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO soil data: Dothan, Ailey, Totness, Fuquay, and Troup</li> <li>National wetlands inventory map(s). Cite name: USFWS NWI 1994.</li> <li>State/Local wetland inventory map(s):</li> <li>FEMA/FIRM maps:</li> <li>100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)</li> <li>Photographs:</li></ul>
	or Solution Office (Name & Date): Consultant provided photos 1-80 of 80 dated 09/07/2017.  Previous determination(s). File no. and date of response letter: SAC-2017-01505 dated 11/3/2017  Applicable/supporting case law:  Applicable/supporting scientific literature:  Other information (please specify): The PJD SAC-2017-01505 referenced above has a project boundary and review area that includes the project boundary and review area documented on this form. The recipient of the PJD reduced the project boundary and review area and requested an AJD that is the subject of this form.
	·

B. ADDITIONAL COMMENTS TO SUPPORT JD: This JD form documents the jurisdictional status three wetlands directly abutting to three similarly situated off-site perennial tributaries which are RPWs. As the three perennial tributaries are off-site and outside of the review area, their jurisdictional status is not addressed on this form. They are only noted to document the flow and connectivity of the three wetlands in the review area to the downstream TNW. Based on guidance provided, wetlands directly abutting RPWs are jurisdictional by definition. All of the wetlands documented on this form are waters of the U.S. and within jurisdiction of the Clean Water Act.

#### APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# **SECTION I: BACKGROUND INFORMATION** REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 4/27/2018 B. DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 4 of 4; SAC-2018-00583 Midlands Solar, LLC. 2.0 C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Calhoun City: St. Matthews Center coordinates of site (lat/long in degree decimal format): Lat. 33.6537° N, Long. 80.9509° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Limestone Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: North Fork Edisto River Name of watershed or Hydrologic Unit Code (HUC): 0305020303 Lower North Fork Edisto River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 4/18/2018 Field Determination. Date(s): 10/20/2017 Site visit for PJD SAC-2017-01505 with a project boundary and review area which includes the project boundary and review area documented on this form. SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters:

4. 1

Wetlands:

Wetland 3 (directly abutting off-site perennial tributary) = 1.78 acres

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual,

Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable): Including potentially jurisdictional features that upon

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

		assessment are NOT waters or wetlands] Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:
SEC	CTIO	N III: CWA ANALYSIS
A.	TNV	Ws AND WETLANDS ADJACENT TO TNWs
	Sect	agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete ion III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 Section III.D.1.; otherwise, see Section III.B below.
	1.	TNW Identify TNW:
		Summarize rationale supporting determination: .
	2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":
B.	CH	ARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):
		s section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps rmine whether or not the standards for jurisdiction established under <i>Rapanos</i> have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody<sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i)	General Area Conditions:
	Watershed size:
	Drainage area:
	Average annual rainfall:
	Average annual snowfall:
(ii)	Physical Characteristics:
	(a) Relationship with TNW:
	☐ Tributary flows directly into TNW.
	☐ Tributary flows through _ tributaries before entering TNW.
	Project waters are <b>Pick List</b> river miles from TNW.
	Project waters are <b>Pick List</b> river miles from RPW.
	Project waters are <b>Pick List</b> aerial (straight) miles from TNW.
	Project waters are <b>Pick List</b> aerial (straight) miles from RPW.
	Project waters cross or serve as state boundaries. Explain:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

		Identify flow route to TNW <sup>5</sup> : Tributary stream order, if known:
	(b)	General Tributary Characteristics (check all that apply):  Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
		Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List.
		Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Pick List.  Tributary gradient (approximate average slope): %
	(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:  Surface flow is: Pick List. Characteristics:
		Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
		Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list):  Discontinuous OHWM. <sup>7</sup> Explain:
		If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
(iii)	Cha	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: https://example.com/racteristics/racte

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

(iv)	Bio	logica	al Ch	aracteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
	2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
		<b>(i)</b>		sical Characteristics:  General Wetland Characteristics: Properties: Wetland size: Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
			(b)	General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
				Surface flow is: Pick List Characteristics:
				Subsurface flow: Pick List. Explain findings:  Dye (or other) test performed:
			(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting. ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
			(d)	Proximity (Relationship) to TNW  Project wetlands are Pick List river miles from TNW.  Project waters are Pick List aerial (straight) miles from TNW.  Flow is from: Pick List.  Estimate approximate location of wetland as within the Pick List floodplain.
		(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: tify specific pollutants, if known:
		(iii)		logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
	3.	Cha	All App	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: proximately () acres in total are being considered in the cumulative analysis= each wetland, specify the following:
				Directly abuts? (Y/N) Size (in acres) Directly abuts? (Y/N) Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

2.

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: There are no seasonal tributaries and/or wetlands abutting seasonal tributaries documented on this form.

# D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

<b>TNWs and Adjacent Wetlands.</b> Check all that apply and provide size estimates in review area:
TNWs: linear feet width (ft), Or, acres.
Wetlands adjacent to TNWs: acres.
RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: An off-site perennial tributary that is an RPW and its impoundment are shown on the USFWS NWI map, are shown on the Calhoun County LiDAR map with typical strong geomorphic characteristics, and are shown on the USGS topographic map. In addition, aerial photography shows a full pool being maintained in the impoundment indicating strong inflow. Available data led this office to conclude that the off-site tributary which flow through the impoundment has a perennial flow regime.
Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters:
Other non-wetland waters: acres.

	Identify type(s) of waters:				
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.				
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .				
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 3 is directly abutting an off-site perennial tributary that is an RPW with an impoundment. The wetland has uninterrupted flow that connects to the base flow of the off-site perennial tributary that flows through the impoundment.				
	■ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:				
	Provide acreage estimates for jurisdictional wetlands in the review area: <b>5.72 acres.</b>				
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.				
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.				
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.				
	Provide estimates for jurisdictional wetlands in the review area: acres.				
7.	Impoundments of jurisdictional waters. <sup>9</sup> As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:				
SUC SUC C	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:				
Ide	Identify water body and summarize rationale supporting determination:				
	vide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.				

E.

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	Identify type(s) of waters:  ☐ Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
SE	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Terracon Consultants, Inc.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets.  Office does not concur with data sheets/delineation report.  Data sheets prepared by the Corps:  Corps navigable waters' study: 1977 Navigability Survey.  U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.  USGS NHD data.  USGS 8 and 12 digit HUC maps. 0305020303 Lower North Fork Edisto River
	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Staley Crossroads USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO soil data: Dothan, Ailey, Totness, Fuquay, and Troup National wetlands inventory map(s). Cite name: USFWS NWI 1994. State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: Aerial (Name & Date): Google Earth image 09/06/2016. or Other (Name & Date): Consultant provided photos 1-80 of 80 dated 09/07/2017. Previous determination(s). File no. and date of response letter: SAC-2017-01505 dated 11/3/2017 Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): The PJD SAC-2017-01505 referenced above has a project boundary and review area that includes the project boundary and review area documented on this form. The recipient of the PJD reduced the project boundary and review area and requested an AJD that is the subject of this form.

B. ADDITIONAL COMMENTS TO SUPPORT JD: This JD form documents the jurisdictional status one wetland that is directly abutting to an off-site perennial tributary which is an RPW on which an impoundment was constructed. As the perennial tributary and its impoundment are off-site and outside of the review area, their jurisdictional status is not addressed on this form. They are only noted to document the flow and connectivity of the wetland in the review area to the downstream TNW. Based on guidance provided, wetlands directly abutting RPWs are jurisdictional by definition. The wetland documented on this form is a water of the U.S. and within jurisdiction of the Clean Water Act.