APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 14-February-2017 B. DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 1 of 2; SAC-2016-01794 Laurens County-Powers South C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Laurens City: Grav Court Center coordinates of site (lat/long in degree decimal format): Lat. 34.6361° N, Long. 82.1491 ° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Unnamed Tirbutary of North Rabon Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Saluda River Name of watershed or Hydrologic Unit Code (HUC): 03050109-05 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 14-February-2017 Field Determination. Date(s): **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: **SRPW 4=145 linear feet and SRPW 5=595** linear feet: width (ft) and/or acres. Wetlands: acres.

2. Non-regulated waters/wetlands (check if applicable):³

Elevation of established OHWM (if known):

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: There are 2 non-jurisdictional features above the SRPWs. These features have no OHWM or signs of relatively permanent flow. These features are not waters of the US or jurisdictional under the Clean Water Act.

c. Limits (boundaries) of jurisdiction based on: Established by OHWM., Pick List, Pick List

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

General Area Conditions:

Watershed size: 81,531 acres; 03050109-05 Drainage area: SRPW 4=8.54 acres, SRPW 5=24.74 acres Average annual rainfall: 46.46 inches Average annual snowfall: 2.4 inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 5 tributaries before entering TNW. Project waters are Proje

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Tributary stream order, if known: first. General Tributary Characteristics (check all that apply): ⊠ Natural Tributary is: Artificial (man-made). Explain: Manipulated (man-altered). Explain: **Tributary** properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List. Primary tributary substrate composition (check all that apply): ☐ Silts ☐ Sands Concrete ☐ Cobbles ☐ Gravel Muck Bedrock ☐ Vegetation. Type/% cover: ☑ Other. Explain: According to the soil survey, the tributaries are surrounded by Cecil soils. Cecil soils are formed in clayey or loamy material and are well drained. Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Photos provided by consultant show some eroding banks. Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope): (c) Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: Pick List Describe flow regime: Seasonal tributaries have flow typically 3 months each year under normal conditions. Other information on duration and volume: SRPW 4 and SRPW 5 have clear OHWMs and distinct channels. Surface flow is: Discrete and confined. Characteristics: Tributaries flow in channel during normal conditions. Subsurface flow: Unknown. Explain findings: Dye (or other) test performed: Tributary has (check all that apply): Bed and banks $\overline{\boxtimes}$ OHWM⁶ (check all indicators that apply): □ Clear, natural line impressed on the bank □ the presence of litter and debris changes in the character of soil \boxtimes destruction of terrestrial vegetation shelving the presence of wrack line vegetation matted down, bent, or absent sediment sorting leaf litter disturbed or washed away scour sediment deposition multiple observed or predicted flow events water staining abrupt change in plant community other (list): ☐ Discontinuous OHWM.⁷ Explain: If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: Mean High Water Mark indicated by: oil or scum line along shore objects survey to available datum; fine shell or debris deposits (foreshore) physical markings; physical markings/characteristics vegetation lines/changes in vegetation types. tidal gauges other (list): (iii) Chemical Characteristics:

Identify flow route to TNW⁵: Unnamed Tributary which flows to North Rabon Creek which flows to Rabon Creek which flows to Reedy River which flows to Lake Greenwood which flows to the Saluda River (Traditional

Navigable Water).

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Tibid.

land, 2.3% forested wetland (swamp), 1.4% water, and 0.7% barren land. Aquatic life uses are fully supported; however, there is a significant increasing trend in five-day biochemical oxygen demand. There is a significant increasing rend in pH. Recreational uses are not supported due to fecal coliform bacteria excursions. Identify specific pollutants, if known: Pollutants are possible from nearby roadways, railroad, and development. (iv) Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): **75-100 feet**. Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: **Possible breeding grounds for aquatic species**. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Possible habitat for wildlife in the area. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW **Physical Characteristics:** (a) General Wetland Characteristics: Properties: Wetland size: Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain: (b) General Flow Relationship with Non-TNW: Flow is: **Pick List**. Explain: Surface flow is: Pick List Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed: (c) Wetland Adjacency Determination with Non-TNW: Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain: (d) Proximity (Relationship) to TNW Project wetlands are **Pick List** river miles from TNW. Project waters are **Pick List** aerial (straight) miles from TNW. Flow is from: **Pick List.** Estimate approximate location of wetland as within the **Pick List** floodplain. (ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known: (iii) Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): ☐ Vegetation type/percent cover. Explain: ☐ Habitat for: Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: Pick List) acres in total are being considered in the cumulative analysis.

Approximately (

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: Land use/land cover in the watershed includes 52.7% forested land, 35% agricultural land, 7.9% urban For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: The seasonal RPWs documented on this form sre performing a variety of functions that relate to the biological, chemical, and physical integrity of the TNW. These tributaries are less than one mile from the perennial RPW and have a forested riparian area. The biological characteristics include providing breeding grounds for aquatic species in the area and providing habitat for wildlife in the area. The chemical characteristics include filtering pollutants from run-off associated with the nearby roads, development, and railroad. The physidcal charicteristics include helping to store flood water during times of heavy rain and during the wetter months. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the traditional navigable water of the Saluda River, it has been determined that there is a significant nexus between the relevant reach of the tributary to the downstream TNW..

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 4 and SRPW 5 are seasonal tributaries. Both have clear OHWMs and distinct channels. These tributaries are not shown as blue lines on the topo map, but there are topographic drainage signatures shown. Available data led this office to conclude the tributaries have a seasonal flow regime.
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: SRPW 4=145 linear feet and SRPW 5=595 linear feet Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	■ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:

 $^{^8} See$ Footnote # 3. 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

Е.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
	which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: . Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
A. :	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Terracon. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study. U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990. USGS NHD data. USGS 8 and 12 digit HUC maps. 03050109-05 U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Fountain Inn. USDA Natural Resources Conservation Service Soil Survey. Citation: Laurens County Soil Map 35, Appling, Cecil, Cartecay-Toccoa. National wetlands inventory map(s). Cite name: U21, U43. State/Local wetland inventory map(s): FEMA/FIRM maps:
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

\boxtimes	Photographs: Aerial (Name & Date): 11195:105, 1999 .
	or Other (Name & Date): Photos 1-20 of 20 taken by Terracon dated 14-September-2016.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 2 seasonal RPWs. Seasonal RPWs are jurisdictional according to guidance provided, however, the significant nexus findings for the record are included as required by Rapanos Guidance. The waters documented on this form are waters of the US and jurisdictional under the Clean Water Act.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 14-February-2017 DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 2 of 2; SAC-2016-01794 Laurens County-Powers South C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Laurens City: Grav Court Center coordinates of site (lat/long in degree decimal format): Lat. 34.6361° N, Long. 82.1491 ° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Unnamed Tributary of North Rabon Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Saluda River Name of watershed or Hydrologic Unit Code (HUC): 03050109-05 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 14-February-2017 Field Determination. Date(s): **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: SRPW 1=1,994 linear feet, SRPW 2=356 linear feet, and SRPW 3=350 linear feet: width (ft) and/or Wetlands: Wetland 1=0.14 acre and Wetland 2=0.23 acres. c. Limits (boundaries) of jurisdiction based on: Established by OHWM., 1987 Delineation Manual, Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 81,531 acres; 03050109-05 Drainage area: SRPW 1=170.78 acres, SRPW 2=14.19 acres, SRPW 3=20.8 acres Average annual rainfall: 46.46 inches Average annual snowfall: 2.4 inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 5 tributaries before entering TNW. Project waters are 1 (or less) river miles from TNW. Project waters are 30 (or more) aerial (straight) miles from TNW. Project waters are 1 (or less) aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: (i) General Area Conditions: (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows through 5 tributaries before entering TNW.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Identify flow route to TNW5: Unnamed Tributary which flows to North Rabon Creek which flows to Rabon Creek which flows to the Reedy River which flows to Lake Greenwood which flows to the Saluda River (Traditional Navigable Water). Tributary stream order, if known: SRPW 2 and SRPW 3 are first. General Tributary Characteristics (check all that apply): ⊠ Natural Tributary is: Artificial (man-made). Explain: Manipulated (man-altered). Explain: **Tributary** properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List. Primary tributary substrate composition (check all that apply): ☐ Sands ☐ Silts Concrete Gravel Cobbles Muck Bedrock ☐ Vegetation. Type/% cover: ☑ Other. Explain: According to the soil survey, the tributaries are surrounded by Cartecay-Toccoa, Cecil, and Colfax soils. Cartecay-Toccoa soils are moderately well drained to somewhat poorly drained. Cecil soils are formed in clavey or loamy material and are well drained. Colfax soils are somewhat poorly drained to moderately well drained. Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Photos provided by the consultant show some eroding banks. Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope): Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: **Pick List** Describe flow regime: Seasonal tributaries have flow typically 3 months each year under normal conditions. Other information on duration and volume: SRPW 1, SRPW 2, and SRPW 3 have clear OHWMs and distinct channels. Surface flow is: Discrete and confined. Characteristics: Tributaries flow in channel during normal conditions. Subsurface flow: Unknown. Explain findings: Dye (or other) test performed: Tributary has (check all that apply): Bed and banks OHWM⁶ (check all indicators that apply): clear, natural line impressed on the bank the presence of litter and debris changes in the character of soil destruction of terrestrial vegetation shelving the presence of wrack line vegetation matted down, bent, or absent sediment sorting leaf litter disturbed or washed away scour sediment deposition multiple observed or predicted flow events water staining abrupt change in plant community other (list):

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

☐ Discontinuous OHWM.⁷ Explain:

oil or scum line along shore objects

fine shell or debris deposits (foreshore)
physical markings/characteristics

High Tide Line indicated by:

☐ tidal gauges ☐ other (list):

If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

Mean High Water Mark indicated by:

vegetation lines/changes in vegetation types.

survey to available datum; physical markings;

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Tibid.


	(iii)		mical Characteristics:
			racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: Land use/land cover in the watershed includes 52.7% forested land, 35% agricultural land, 7.9% urban land, 2.3% forested wetland (swamp), 1.4% water, and 0.7% barren land. Aquatic life uses are fully supported; however, there is a significant increasing trend in five-day biochemical oxygen demand. There is a significant increasing rend in pH. Recreational uses are not supported due to fecal coliform bacteria excursions.
		Iden	tify specific pollutants, if known: Pollutants are possible from nearby roadways, railroad, and development.
	(iv)		ogical Characteristics. Channel supports (check all that apply):
			Riparian corridor. Characteristics (type, average width): 75-100 feet . Wetland fringe. Characteristics:
			Habitat for:
			Federally Listed species. Explain findings:
			☐ Fish/spawn areas. Explain findings: Possible breeding grounds for aquatic species. ☐ Other environmentally-sensitive species. Explain findings:
			Aquatic/wildlife diversity. Explain findings: Possible habitat for wildlife in the area .
2.	Cha	racte	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Phys	sical Characteristics:
			General Wetland Characteristics:
			Properties: Wetland size: Wetland 1=0.14 acre and Wetland 2=0.23 acres
			Wetland type. Explain: Forested.
			Wetland quality. Explain: Fair, the wetlands are forested, but there are cleared areas nearby . Project wetlands cross or serve as state boundaries. Explain:
			·
			General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: Wetlands flow to SRPW 1 during times of heavy rain and during wetter
mon	ths.		2 io 1 io
			Surface flow is: Overland sheetflow Characteristics: Wetlands are abutting SRPW 1.
			Subsurface flow: Unknown. Explain findings:
		(c)	Wetland Adjacency Determination with Non-TNW:
			☐ Not directly abutting
			☐ Discrete wetland hydrologic connection. Explain:
			Ecological connection. Explain:
			Separated by berm/barrier. Explain: .
		(d)	Proximity (Relationship) to TNW
			Project wetlands are 30 (or more) river miles from TNW. Project waters are 30 (or more) aerial (straight) miles from TNW.
			Flow is from: Wetland to navigable waters.
			Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)		mical Characteristics:
		Chai	racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Land use/land cover in the watershed includes 52.7% forested land, 35%
			agricultural land, 7.9% urban land, 2.3% forested wetland (swamp), 1.4% water, and 0.7% barren land. Aquatic life uses are fully supported; however, there is a significant increasing trend in five-day biochemical oxygen demand. There is a significant increasing rend in pH. Recreational uses are not supported due to fecal coliform
			bacteria excursions
		Iden	tify specific pollutants, if known: Pollutants are possible from nearby roadways, railroad, and development.
	(iii)		ogical Characteristics. Wetland supports (check all that apply):
		\vdash	Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain:
			Habitat for:
			Federally Listed species. Explain findings:
			☐ Fish/spawn areas. Explain findings: Possible breeding grounds for aquatic species. ☐ Other environmentally-sensitive species. Explain findings:

Aquatic/wildlife diversity. Explain findings: **Possible habitat for wildlife in the area**.

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 2
Approximately (0.37) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: Wetland 1 and Wetland 2 sre performing a variety of functions that relate to the biological, chemical, and physical integrity of the TNW. These wetlands are abutting a seasonal RPW that is less than one mile from the perennial RPW and are forested. The biological characteristics include providing breeding grounds for aquatic species in the area and providing habitat for wildlife in the area. The chemical characteristics include filtering pollutants from run-off associated with the nearby roads, development, and railroad. The physidcal charicteristics include helping to store flood water during times of heavy rain and during the wetter months.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: The seasonal RPWs and abutting wetlands documented on this form sre performing a variety of functions that relate to the

biological, chemical, and physical integrity of the TNW. These tributaries are less than one mile from the perennial RPW and have a forested riparian area. The wetlands are abutting a seasonal tributary and are forested. The biological characteristics include providing breeding grounds for aquatic species in the area and providing habitat for wildlife in the area. The chemical characteristics include filtering pollutants from run-off associated with the nearby roads, development, and railroad. The physidcal charicteristics include helping to store flood water during times of heavy rain and during the wetter months. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the traditional navigable water of the Saluda River, it has been determined that there is a significant nexus between the relevant reach of the tributaries and their wetlands to the downstream TNW..

D.		TERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL AT APPLY):
	1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
	2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:
		Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 1, SRPW 2, and SRPW 3 are seasonal tributaries. Both have clear OHWMs and distinct channels. SRPW 1 is shown as a blue line on the topo map, but the consultant observed seasonal flow during the site visit. SRPW 1 is ahown as intermittent on the soil survey. SRPW 2 and SRPW 3 are not shown as blue lines on the topo map, but there are topographic drainage signatures shown. Available data led this office to conclude the tributaries have a seasonal flow regime.
		Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: SRPW 1=1,994 linear feet, SRPW 2=356 linear feet, and SRPW 3=350 linear feet Other non-wetland waters: acres. Identify type(s) of waters: .
	3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland 1 and Wetland 2 are abutting SRPW 1.
		Provide acreage estimates for jurisdictional wetlands in the review area: Wetland 1=0.14 acre and Wetland 2=0.23 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

acres.

Provide acreage estimates for jurisdictional wetlands in the review area:

Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

⁸See Footnote # 3.

	Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
	7. Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SE	CTION IV: DATA SOURCES.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Terracon.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook. ¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

\boxtimes	Data sheets prepared/submitted by or on behalf of the applicant/consultant.		
	Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets.		
	Office does not concur with data sheets/delineation report.		
	Data sheets prepared by the Corps:		
$\overline{\boxtimes}$	Corps navigable waters' study: 1977 Navigability Study.		
\boxtimes	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.		
_	USGS NHD data.		
	☐ USGS 8 and 12 digit HUC maps. 03050109-05		
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Fountain Inn.		
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Laurens County Soil Map 35, Appling, Cecil, Cartecay-		
Toccoa.			
\boxtimes	National wetlands inventory map(s). Cite name: U21, U43.		
	State/Local wetland inventory map(s): .		
	FEMA/FIRM maps:		
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)		
\boxtimes	Photographs: Aerial (Name & Date): 11195:105, 1999 .		
	or 🔀 Other (Name & Date): Photos 1-20 of 20 taken by Terracon dated 14-September-2016.		
	Previous determination(s). File no. and date of response letter: .		
	Applicable/supporting case law: .		
	Applicable/supporting scientific literature: .		
	Other information (please specify):		

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 3 seasonal RPWs and 2 abutting wetlands. RPWs and abutting wetlands are jurisdictional according to guidance provided, however, the significant nexus findings for the record are included as required by Rapanos Guidance. The waters documented on this form are waters of the US and jurisdictional under the Clean Water Act..