APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): July 26, 2018

DISTRICT OFFICE, FILE NUMBER, FILE NAME: CESAC-RD-NE, JD Form 1 of 1; SAC-2018-01171 Emory Edwards Jr.

Tra	ct
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Dillon County City: Sellers Township Center coordinates of site (lat/long in degree decimal format): Lat. 34.3079° N, Long79.4411 ° W. Universal Transverse Mercator: Name of nearest waterbody: Catfish Canal
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Great Pee Dee River Name of watershed or Hydrologic Unit Code (HUC): 03040201-11 Catfish Creek Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☐ Office (Desk) Determination. Date: July 24, 2018 ☐ Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В. (CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 0.30 (Wetland 1) + 1.03 (Wetland 2) = 1.33 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Pick List, Pick List Elevation of established OHWM (if known):
	 Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain: On-site are a 0.10 acre pond and 1,283 liner-foot ditch, both excavated out of uplands with no jurisdictional

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.
² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

characteristics of flow under normal climatic conditions. The upland ditch is depicted on USGS topographic maps as a solid blue line and can be identified on aerial imagery by the vegetative growth around the bank edges.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

TNW

Identify TNW: Great Pee Dee River.

Summarize rationale supporting determination: The Great Pee Dee River is a major river system. According to the USACE Navigability Study Report No. 11, the Great Pee Dee River's recommended limit of navigability is located at River Mile (RM) 188.2. The project waters enter the Great Pee Dee River downstream of RM 80 which is located downstream of the recommended limit of navigability.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

Pick List;

Drainage area: Pick List Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through Pick List tributaries before entering TNW. Project waters are Pick List river miles from TNW.

Project waters are **Pick List** river miles from RPW.

Project waters are Pick List aerial (straight) miles from TNW. Project waters are Pick List aerial (straight) miles from RPW.

General Area Conditions:

Watershed size:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Project waters cross or serve as state boundaries. Explain:		
	Identify flow route to TNW ⁵ : Tributary stream order, if known:		
(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:		
	Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.		
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:		
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): %		
(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:		
	Surface flow is: Pick List. Characteristics:		
	Subsurface flow: Pick List. Explain findings: Dye (or other) test performed: .		
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil destruction of terrestrial vegetation the presence of wack line sediment sorting sediment down, bent, or absent leaf litter disturbed or washed away sediment deposition multiple observed or predicted flow events abrupt change in plant community other (list): Discontinuous OHWM. ⁷ Explain:		
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:		
	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain:		

(iii)

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

		Identify specific pollutants, if known:
	(iv)	Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	racteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Physical Characteristics: (a) General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b) General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
		Surface flow is: Pick List Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c) Wetland Adjacency Determination with Non-TNW: Directly abutting Not directly abutting Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Separated by berm/barrier. Explain:
		(d) Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known:
	(iii)	Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	racteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: Pick List Approximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adja	acent Wetlands.	Check all that apply	and provide size estimates in review area:	
	TNWs:	linear feet	width (ft), Or,	acres.	
	☐ Wetlands adj	acent to TNWs:	acres.		

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Catfish Canal, which the on-site wetlands abut, is depicted on USGS topographic maps as a solid

	blue line, on NWIs as palustrine forested wetlands, and is visible on aerial imagery and LiDAR imagery. Around approximately 34.1003, -79.4375 Catfish Canal becomes Catfish Creek, a named aquatic feature on USGS topography. At 33.9664, -79.4814 Catfish Creek intersects and conveys water into the Great Pee Dee River, a known TNW. All indicators depict Catfish Canal as a tributary with flowing water at least 90% of the year under normal climatic conditions as well as conveyance into a known TNW.
	☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: On-site wetlands are the far-western extent of a large contiguous wetland area that directly abuts Catfish Canal, which provides flow to multiple named and labeled aquatic features (Boggy Branch, Catfish Bay, Stackhouse Swamp) on USGS topographic maps.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: 0.30 (Wetland 1) + 1.03 (Wetland 2) =1.33 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
DE	PLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY):10

E.

 $^{^8} See$ Footnote # 3. 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
Identify water body and summarize rationale supporting determination:
Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): 1,283 linear foot non-jurisdictional upland excavated ditch; 0.10 acre pond.
Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
TION IV: DATA SOURCES. UPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Data sheets and plat prepared by Brigman Company. Plat dated July 11, 2018, titled: "Wetland Determination/Delineation / Emory Edwards, Jr. Tract / Dillon County, South Carolina / Tax Map Number 118-00-00-073" Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: Catfish Creek (HUC: 03040201-11). USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: USGS topographic maps / Latta Quad depict forested uplands and wetlands on eastern side of site, upland non-forested land on the remainder of the land, and the upland ditch as a solid blue line. The topographic map also depicts sharp downward sloping on the eastern side of the property which correlates with aerial imagery as the transition from upland to the wetlands associated with the Catfish Canal watershed. USDA Natural Resources Conservation Service Soil Survey. Citation: Dillon County soil survey Pg. 29, depicts Ponzer soil on the eastern portion of the project site; Ponzer soil is known as a hydric soil on the State Soil Access Hydric Soils List. Additionally, Lakeland sand and Lynchburg sandy loam, both non-hydric soils, are found on the remaining portions of the project site.

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

\boxtimes	National wetlands inventory map(s). Cite name: The National Wetland Inventory maps depict PFO1Bd/Ad palustring			
fore	forested broad-leaved wetlands that are seasonally flooded and ditched/diked in the same area as the provided plat. The			
ren	nainder of the project site is depicted as U21 - cropland and/or pasture.			
	State/Local wetland inventory map(s): .			
	FEMA/FIRM maps: .			
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)			
\boxtimes	Photographs: Aerial (Name & Date): 1999 Aerial Index 11223:56 & 11226:19; SCDNR 2006; Google Earth 2017.			
	or 🛮 Other (Name & Date): Site photos provided by Brigman Company.			
	Previous determination(s). File no. and date of response letter:			
	Applicable/supporting case law: .			
	Applicable/supporting scientific literature: .			
\boxtimes	Other information (please specify): LiDAR Hillshade and DEM.			

B. ADDITIONAL COMMENTS TO SUPPORT JD:

On-site are a 0.10 acre pond and 1,283 liner-foot ditch, both excavated out of uplands with no jurisdictional characteristics of flow under normal climatic conditions. The upland ditch is depicted on USGS topographic maps as a solid blue line and can be identified on aerial imagery by the vegetative growth around the bank edges.

Catfish Canal, which the on-site wetlands abut, is depicted on USGS topographic maps as a solid blue line, on NWIs as palustrine forested wetlands, and is visible on aerial imagery and LiDAR imagery. Around approximately 34.1003, -79.4375 Catfish Canal becomes Catfish Creek, a named aquatic feature on USGS topography. At 33.9664, -79.4814 Catfish Creek intersects and conveys water into the Great Pee Dee River, a known TNW. All indicators depict Catfish Canal as a tributary with flowing water at least 90% of the year under normal climatic conditions as well as conveyance into a known TNW.

On-site wetlands are the far-western extent of a large contiguous wetland area that directly abuts Catfish Canal, which provides flow to multiple named and labeled aquatic features (Boggy Branch, Catfish Bay, Stackhouse Swamp) on USGS topographic maps. USGS topographic maps / Latta Quad depict forested uplands and wetlands on eastern side of site, upland non-forested land on the remainder of the land, and the upland ditch as a solid blue line. The topographic map also depicts sharp downward sloping on the eastern side of the property which correlates with aerial imagery as the transition from upland to the wetlands associated with the Catfish Canal watershed.

Dillon County soil survey Pg. 29, depicts Ponzer soil on the eastern portion of the project site; Ponzer soil is known as a hydric soil on the State Soil Access Hydric Soils List. Additionally, Lakeland sand and Lynchburg sandy loam, both non-hydric soils, are found on the remaining portions of the project site.

The National Wetland Inventory maps depict PFO1Bd/Ad palustrine forested broad-leafed wetlands that are temporarily to seasonally flooded and ditched/diked in the same area as the provided plat. The remainder of the project site is depicted as U21 - cropland and/or pasture.

This site was assessed on a single basis form.