# APPROVED JURISDICTIONAL DEIERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC A.	CTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020
В.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 1 of 9; SAC-2019-01478 Sharon Solar
C.	PRO JECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long82.4215°. Universal Transverse Mercator: NAD 83
	Name of nearest waterbody: Flagreed Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 28-April-2020  Field Determination. Date(s): 18-October-2019
SEC A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the iew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters <sup>2</sup> (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters  Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters: M2=1,989 linear feet and N2=1,920 linear feet: width (ft) and/or acres.  Wetlands: A=0.0007 acre, B=0.006 acre, and C=0.05 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual  Elevation of established OHWM (if known):
	<ul> <li>Non-regulated waters/wetlands (check if applicable): 3</li> <li>Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.</li> </ul>

Explain:

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.
<sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

#### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody  $^4$  is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

# 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 207,276 acres; 03060103-05 Little River-Savannah River Drainage area: N2=269.6 acres Average annual rainfall: 45.74 inches Average annual snowfall: 1.9 inches (ii) Physical Characteristics:

(a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 3 tributaries before entering TNW. Project waters are 15-20 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Project waters are 10-15 aerial (straight) miles from TNW. Project waters are 1 (or less aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW5: Flagreed Creek which flows to Calhoun Creek which flows to the Little River which flows to Thurmond Lake (Traditional Navigable Water and Navigable Water of the U.S.).

Tributary stream order, if known:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	
	Tributary is: Natural
	Artificial (man-made). Explain:
	☐ Manipulated (man-altered). Explain:
	This because of the second sec
	Tributary properties with respect to top of bank (estimate):
	Average width: feet Average depth: feet
	Average side slopes: Pick List
	Average side slopes. Her List
	Primary tributary substrate composition (check all that apply):
	☐ Silts ☐ Sands ☐ Concrete
	☐ Cobbles ☐ Gravel ☐ Muck
	☐ Bedrock ☐ Vegetation. Type/% cover:
	Other. Explain: According to the soil survey, N2 is surrounded by Cecil and Cataula soils. Both soils are
considered s	andy loam soils and are well drained.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:
	Presence of run/riffle/pool complexes. Explain:
	Tributary geometry: Meandering
	Tributary gradient (approximate average slope): %
(a)	Flows
(6)	Flow: Tributary provides for: Perennial flow
	Estimate average number of flow events in review area/year: 20 (or greater)
	Describe flow regime: The tributary has a clear O HWM and distinct channel.
	Other information on duration and volume: The tributary flows year round during normal conditions.
	Surface flow is: Discrete and confined Characteristics: Water flows within the channel during normal conditions
	Subsurface flow: Unknown Explain findings: .
	Dye (or other) test performed:
	Tributary has (check all that apply):
	🛛 Bed and banks
	☐ OHWM <sup>6</sup> (check all indicators that apply):
	clear, natural line impressed on the bank  the presence of litter and debris
	changes in the character of soil destruction of terrestrial vegetation
	shelving the presence of wrack line
	vegetation matted down, bent, or absent sediment sorting
	☐ leaf litter disturbed or washed away ☐ scour
	sediment deposition multiple observed or predicted flow events
	□ water staining □ abrupt change in plant community
	☐ other (list): ☐ Discontinuous OHWM. <sup>7</sup> Explain:
	☐ Discontinuous Offwin. Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):
	High Tide Line indicated by:  Mean High Water Mark indicated by:
	oil or scum line along shore objects survey to available datum;
	fine shell or debris deposits (foreshore) physical markings;
	physical markings/characteristics vegetation lines/changes in vegetation types.
	tidal gauges
	other (list):
	emical Characteristics:
Cha	aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
	Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South
	Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5%
т 1	forested wetland (swamp), 0.7% barren land, and 0.4% water.
1 de 1	ntify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.


	(iv)		logical C haracteristics. C hannel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for:  ☐ Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: The tributary provides breeding grounds for aquatic species. ☐ Other environmentally-sensitive species. Explain findings: ☐ Aquatic/wildlife diversity. Explain findings: The tributary provides habitat for wildlife in the area.
2.	Ch	aract	teristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Wetland Size: C=0.05 acres Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:  Seneral Wetland Characteristics:  Wetland Size: C=0.05 acres Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow Explain:
			Surface flow is: Discrete and confined Characteristics: The wetland flows to N2 through a non-jurisdictional hydrologic connection.
			Subsurface flow: Unknown Explain findings:  Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting  ☐ Not directly abutting  ☐ Discrete wetland hydrologic connection. Explain: The wetland flows to N2 through a non-jurisdictional
drai	inag	e.	☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are 20-25 river miles from TNW. Project waters are 15-20 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters Estimate approximate location of wetland as within the Pick Listfloodplain.
	(ii)	Cha	emical Characteristics: contacterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5% forested wetland (swamp), 0.7% barren land, and 0.4% water.  httify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads.
	(iii		Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings: The wetland provides breeding grounds for aquatic species.  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings: The wetland provides habitat for wildlife in the area.
3.	Cha	aract	teristics of all wetlands adjacent to the tributary (if any)

# 3.

All wetland(s) being considered in the cumulative analysis: 1

Approximately (0.05) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: The wetland being evaluated in this significant nexus determination which is adjacent to the perennial RPW is performing biological, chemical, and physical functions that relate to the integrity of the TNW. The wetland in the review area is non-abutting. The wetland is forested and there are areas of the site that have been cleared for possible agriculture practices. It is performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. It also provides vegetation diversity on a site that has some cleared areas. The wetland is also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The wetland is also performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes.

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: The wetland being evaluated in this significant nexus determination which is adjacent to the perennial RPW is performing biological, chemical, and physical functions that relate to the integrity of the TNW. The wetland in the review area is non-abutting. The wetland is forested and there are areas of the site that have been cleared for possible agriculture practices. It is performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. It also provides vegetation diversity on a site that has some cleared areas. The wetland is also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The wetland is also performing physical functions that include flow maintenance like retaining runoff and storing rain

water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributary and its adjacent wetland to the downstream TNW.

 $Documentation\ for\ the\ Record\ on\ ly:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$ 

	IERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WEILANDS ARE (CHECK ALL AT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: M2 and N2 are perennial RPWs. They are both shown as dashed blue lines on the topo map and are shwon on the USFWS Wetland Map. N2 has a drainage area of approximately 296.6 and M2 is a named tributary (Flagreed Creek). The tributaries were observed flowing during flagging. M2 and N2 both have a distinct channel and clear O HWM. Available data led this office to conclude the tributaries have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: M2=1,989 linear feet and N2=1,920 linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs 8 that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: A and B are directly abutting M2, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: A=0.0007 acre and B=0.006 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: C=0.05 acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
E.	SUC 	CLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Ideı	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
F.		N-JURIS DIC TIO NAL WATERS, INCLUDING WEILANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  □ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above): .
	factigudg	vide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional ment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.  vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such ading is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
		Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
SEC	CTIO	N IV: DATA SOURCES.
<b>A.</b>	and	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.
repo	ort.	☐ Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and ☐ Office does not concur with data sheets/delineation report.

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

Data sheets prepared by the Corps: .
Corps navigable waters' study: 1977 Navigability Study.
U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
USGS NHD data.
☑ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River
U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.
USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.
National wetlands inventory map(s). Cite name: USFWS Wetland Map.
State/Local wetland inventory map(s):
FEMA/FIRM maps: .
100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
Photographs: Aerial (Name & Date): ESRI.
or Other (Name & Date): Photos taken during Corps site visiton 10/18/2019.
Previous determination(s). File no. and date of response letter:
Applicable/supporting case law: .
Applicable/supporting scientific literature: .
Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 2 perennial RPWs,2 wetlands abutting a perennial RPW and 1 wetland adjacent to a perennial RPW. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. Since one of the wetlands is non-abutting, a significant nexus determination was performed. Based on the documentation provided in Section III, C of this form, the nexus between the RPW and its adjacent wetland to the downstream TNW is significant. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPRO VED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020 DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 2 of 9: SAC-2019-01478 Sharon Solar C. PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long. -82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 28-April-2020 Field Determination. Date(s): 18-October-2019 SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs $\boxtimes$ Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: O2=2,997 linear feet, R2=45 linear feet, and S2=26 linear feet: width (ft) and/or acres. Wetlands: D=0.48 acre, E=0.34 acre, and F=0.09 acres. Pick List c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):<sup>3</sup> Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain:

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WEILANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

# B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

# 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:
Watershed size: 207,276 acres; 03060103-05 Little River-Savannah River
Drainage area: O 2=608.2 acres, R2=8.5 acres, and S 2=2.3 acres
Average annual rainfall: 45.74 inches
Average annual snowfall: 1.9 inches

### (ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 3 tributaries before entering TNW.

Project waters are 15-20 river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 10-15 aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters are 3 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW<sup>5</sup>: Flagreed Creek which flows to Calhoun Creek which flows to the Little River which flows to Thurmond Lake (Traditional Navigable Water and Navigable Water of the U.S.).

Tributary stream order, if known: R2 and S2 are first order.

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply):  Tributary is:   Natural
	Artificial (man-made). Explain:
	☐ Manipulated (man-altered). Explain: .
S2 are surro moderately v	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List  Primary tributary substrate composition (check all that apply):  Silts Sands Concrete  Cobbles Gravel Muck  Bedrock Vegetation. Type/% cover:  Other. Explain: According to the soil survey, O2 is surrounded by Mecklenburg and Toccoa soils. R2 and unded by Toccoa soils. Both soils are considered sandy loam soils, Mecklenburg are well drained and Toccoa are
inouclately v	ven urameu.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:
	Tributary geometry: O2 is <b>Meandering R2 and S2 are realatively straight.</b> Tributary gradient (approximate average slope): %
	Flow: Tributary provides for: Perennial flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: The tributaries have a clear OHWM and distinct channel. Other information on duration and volume: O 2 flows year round during normal conditions. R2 and S2 flow ttleast 3 months out of the year.
	Surface flow is: Discrete and confined Characteristics: Water flows within the channel during normal conditions.
	Subsurface flow: Unknown Explain findings:  Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks  OHWM 6 (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil destruction of terrestrial vegetation  shelving changes in the character of soil destruction of terrestrial vegetation  he presence of wrack line sediment sorting  vegetation matted down, bent, or absent sediment sorting  leaf litter disturbed or washed away sediment deposition multiple observed or predicted flow events  water staining abrupt change in plant community  other (list):  Discontinuous OHWM. Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):  High Tide Line indicated by:  Oil or scum line along shore objects  fine shell or debris deposits (foreshore)  physical markings/characteristics  tidal gauges  other (list):  Mean High Water Mark indicated by:  survey to available datum;  physical markings;  vegetation lines/changes in vegetation types.
	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5% forested wetland (swamp), 0.7% barren land, and 0.4% water.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

Identify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads. (iv) Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Mabitat for: ☐ Federally Listed species. Explain findings: ☑ Fish/spawn areas. Explain findings: The tributaries provide breeding grounds for aquatic species. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: The tributaries provide habitat for wildlife in the area. 2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW Physical Characteristics: (a) General Wetland Characteristics: Properties: Wetland size: **D=0.48 acre and E=0.34** acres Wetlandtype. Explain: Forested. Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain: (b) General Flow Relationship with Non-TNW: Flow is: **Ephemeral flow** Explain: Surface flow is: Discrete and confined Characteristics: The wetlands flow to O2 through non-jurisdictional hydrologic connections. Subsurface flow: Unknown Explain findings: Dye (or other) test performed: (c) Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ■ Not directly abutting ☑ Discrete wetland hydrologic connection. Explain: The wetlands flow to O2through non-jurisdictional drainages. ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain: (d) Proximity (Relationship) to TNW Project wetlands are 20-25 river miles from TNW. Project waters are 15-20 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters Estimate approximate location of wetland as within the Pick Listfloodplain. (ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5% forested wetland (swamp), 0.7% barren land, and 0.4% water. Identify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads. (iii)Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): ☐ Vegetation type/percent cover. Explain: Mabitat for: ☐ Federally Listed species. Explain findings: ☑ Fish/spawn areas. Explain findings: The wetlands provide breeding grounds for aquatic species. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: The wetlands provide habitat for wildlife in the area. 3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 3

Approximately (0.91) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
D (N) E (N) F (Y)	0.48 0.34 0.09		

Summarize overall biological, chemical and physical functions being performed: The wetlands being evaluated in this significant nexus determination which are adjacent (abutting and non-abutting) to the perennial RPW are collectively performing biological, chemical, and physical functions that relate to the integrity of the TNW. The wetlands in the review area are abutting (F) and non-abutting (D&E). The wetland are forested and there are areas of the site that have been cleared for possible agriculture practices. They are performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. They also provide vegetation diversity on a site that has some cleared areas. The wetlands are also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The wetlands are performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes.

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or in substantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the Rapanos Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: The wetlands being evaluated in this significant nexus determination which are adjacent (abutting and non-abutting) to the perennial RPW are collectively performing biological, chemical, and physical functions that relate to the integrity of the TNW. The wetlands in the review area are abutting (F) and non-abutting (D&E). The wetland are forested and there are areas of the site that have been cleared for possible agriculture practices. They are performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. They also provide vegetation diversity on a site that has some cleared areas. The wetlands are also performing

chemical functions that include filtering pollutants from nearby roads and agriculture areas. The wetlands are performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributary and its adjacent wetlands to the downstream TNW.

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: This form documents 2 seasonal RPWs. These RPWs are located in areas that are near cleared areas for agricultural practicess. They are performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. The tributaries are also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The tributaries are performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributaries to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS, THE SUBJECT WATERS/WEILANDS ARE (CHECK ALL

TH	AT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: O2 is a perennial RPW. It is shown as a blue line on the topo map and shown on the USFWS Wetland Map. O2 has a drainage area of approximately 608.2 acres and is a named tributary (Flagreed Creek). O2 was observed flowing during flagging and during the Corps site visit. It has a distinct channel and clear O HWM. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: R2 and S2 are seasonal RPWs. R2 is shown as drainage pattern on the topo map. These tributaries have distinct channels and clear OHWMs. Available data this office to conclude the tributaries have a seasonal flow regime
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: O 2=2,997 linear feet, R2=45 linear feet, and S2=26 linear feet  Other non-wetland waters: acres.  Identify type(s) of waters:
3.	Non-RPWs that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: F is directly abutting O2, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: F=0.09 acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

<sup>8</sup>See Footnote #3.

		and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: <b>D=0.48 acre and E=0.34</b> acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
E.	SUC	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Ide	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
F.		N-JURISDICTIONAL WATERS, INCLUDING WEILANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	fact	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional ment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
		vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such ading is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.

Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

# SECTION IV: DATA SOURCES.

A.	SUP	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	and	requested, appropriately reference sources below):
	$\boxtimes$	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.
	$\boxtimes$	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
		🛛 Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
rep	ort.	
		Office does not concur with data sheets/delineation report.
		Data sheets prepared by the Corps: .
		Corps navigable waters' study: 1977 Navigability Study.
	$\bowtie$	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
		USGS NHD data.
	_	☑ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River
	$\boxtimes$	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.
	$\boxtimes$	USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.
	$\boxtimes$	National wetlands inventory map(s). Cite name: USFWS Wetland Map.
		State/Local wetland inventory map(s):
		FEMA/FIRM maps: .
		100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
	$\boxtimes$	Photographs: Aerial (Name & Date): ESRI.
		or 🛛 Other (Name & Date): Photos taken during Corps site visit on 10/18/2019.
		Previous determination(s). File no. and date of response letter:
		Applicable/supporting case law: .
		Applicable/supporting scientific literature: .
	$\boxtimes$	Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with 3 adjacent wetlands (abutting and non-abutting) and 2 seasonal RPWs. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided Since one of the wetlands is non-abutting and 2 RPWs are seasonal, a significant nexus determination was performed. Based on the documentation provided in Section III, C of this form, the nexus between the RPW and its adjacent wetland to the downstream TNW is significant. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPRO VED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

# SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020 DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 3 of 9: SAC-2019-01478 Sharon Solar C. PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long. -82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 28-April-2020 Field Determination. Date(s): 18-October-2019 SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs $\boxtimes$ Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs $\boxtimes$ Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: T2=643 linear feet, V2=2,832 linear feet, W2=31 linear feet, X2=238 linear feet, Y2=27 linear feet, and Z2=116, and K3=69 linear feet and H=5.73 acres. Wetlands: G=1.63 acre, I=0.01 acre, J=0.006 acre, Q=0.005 acre, R=0.02 acre, S=0.03 acre, and U=0.04 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):<sup>3</sup> Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain:

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination:	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

#### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

# (i) General Area Conditions: Watershed size: 207,276 acres; 03060103-05 Little River-Savannah River Drainage area: V2/T2=609.2 acres, W2, Y2, X2, Z2, and K3 all have drainage areas of less than 10 acres Average annual rainfall: 45.74 inches Average annual snowfall: 1.9 inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 3 tributaries before entering TNW. Project waters are 15-20 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Project waters are 10-15 aerial (straight) miles from TNW. Project waters are 1 (or less)aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW5: Flagreed Creek which flows to Calhoun Creek which flows to the Little River which flows to Thurmond Lake (Traditional Navigable Water and Navigable Water of the U.S.).

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

order.	Tributary stream order, if known: The seasonal tributaries documented (T2, W2, X2, Y2, Z2, and K3) are all first
(b)	General Tributary Characteristics (check all that apply):  Tributary is:   ☐ Natural ☐ Artificial (man-made). Explain: ☐ Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List
soils.Toccoa	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, V2 and the seasonal tributaries are surrounded by Toccoa soils are considered sandy loam soils and are moderately well drained.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Meandering  Tributary gradient (approximate average slope): %
	Flow: Tributary provides for: Perennial flowand seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: The tributaries have a clear OHWM and distinct channel. Other information on duration and volume: V2 flows year round during normal conditions. The seasonal tributaries Y2, Z2, and K3) flow continually at least 3 months out of the year.
	Surface flow is: Discrete and confined Characteristics: Water flows within the channel during normal conditions.
	Subsurface flow: Unknown Explain findings:  Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition sediment deposition water staining other (list):  Discontinuous OHWM. 7 Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

Carolina. Land use/Land cover includes 58.2% for ested land, 31.9% agricultural land, 6.3% urban land, 2.5% for ested wetland (swamp), 0.7% barren land, and 0.4% water.

Identify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads.

	(iv)		logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: □ Federally Listed species. Explain findings: □ Fish/spawn areas. Explain findings: The tributaries provide breeding grounds for aquatic species. □ Other environmentally-sensitive species. Explain findings: □ Aquatic/wildlife diversity. Explain findings: The tributaries provide habitat for wildlife in the area.
2.	Cha	aracı	teristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Wetland Characteristics:  General Wetland Characteristics: Properties:  Wetland size: I=0.01 acre, J=0.006 acre and R=0.02 acres Wetland type. Explain: Forested. Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow Explain:
			Surface flow is: Overland sheetflow Characteristics: I and J are abutting seasonal RPWs, R flows to a perennial RPW overland.  Subsurface flow: Unknown Explain findings:  Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting I and J are directly abutting seasonal RPWs.  ☐ Not directly abutting  ☐ Discrete wetland hydrologic connection. Explain: R flows to V2 by overland flow.  ☐ Ecological connection. Explain:  ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are 20-25 river miles from TNW. Project waters are 15-20 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters Estimate approximate location of wetland as within the Pick Listfloodplain.
	(ii)	Cha	emical Characteristics: aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5% forested wetland (swamp), 0.7% barren land, and 0.4% water.  httify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads.
	(iii		Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings: The wetlands provide breeding grounds for aquatic species.  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings: The wetlands provide habitat for wildlife in the area.

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 7

Approximately (1.741) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
<b>G</b> (Y)	1.63	U (Y)	0.04
I (Y)	0.01		
<b>J</b> (Y)	0.006		
$\mathbf{Q}(\mathbf{Y})$	0.005		
R (N)	0.02		
S (Y)	0.03		

Summarize overall biological, chemical and physical functions being performed: The wetlands being evaluated in this significant nexus determination which are adjacent (abutting and non-abutting) to a perennial RPW and seasonal RPW are collectively performing biological, chemical, and physical functions that relate to the integrity of the TNW. The wetlands in the review area are abutting and non-abutting. The wetlands are forested and there are areas of the site that have been cleared for possible agriculture practices. They are performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. They also provide vegetation diversity on a site that has some cleared areas. The wetlands are also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The wetlands are performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes.

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the Rapanos Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: The wetlands being evaluated in this significant nexus determination which are adjacent (abutting and non-abutting) to the perennial RPW is collectively performing biological, chemical, and physical functions that relate to the integrity of the TNW. Wetland R is adjacent to perennial RPW V2. The wetland is forested and there are areas of the site that have been cleared for possible agriculture practices. It is performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. It also provides vegetation diversity on a site that has some cleared areas. The wetland is also performing chemical functions that include filtering

pollutants from nearby roads and agriculture are as. The wetland is performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributary and its adjacent wetlands to the downstream TNW.

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: This form documents 6 seasonal RPWs with abutting wetlands. These RPWs and wetlands are located in are as that are near cleared areas for agricultural practicess. They are performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. The tributaries are also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The tributaries and wetlands are performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributaries and their adjacent wetlands to the downstream TNW.

D.	<b>DETERMINATIONS</b>	<b>OFJURISDICTIONAL</b>	FINDINGS. TH	E SUBJECTWA	TERS/WEILANDS	ARE (CHECK A	<b>\LL</b>
	THAT APPLY):						

l.	☐ TN	width (ft), Or, acres.  Us: linear feet width (ft), Or, acres.  tlands adjacent to TNWs: acres.
2.	Tr.	that flow directly or indirectly into TNWs. ibutaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that ibutary is perennial: V2 is a perennial RPW. It is shown as a blue line on the topo map and shwon on the USFWS retland Map. V2 has a drainage area of approximately 609.2 acres. V2 was observed flowing during flagging and ring the Corps site visit. It has a distinct channel and clear OHWM. Stream characteristics observed and available at a led this office to conclude the tributary has a perennial flow regime.
	ju se TI C	ibutaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are risdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows asonally: T2, W2, Y2, X2, Z2, and K3 are seasonal RPWs. They are shown as drainage features on the topo map. nese tributaries were observed with flow during flagging and most of these tributaries were observed during the orps site visit with pockets of water. These tributaries have distinct channels and clear OHWMs. Stream transcteristics observed and available data this office to conclude the tributaries have a seasonal flow regime.
ano	⊠ 1 Z2=1 <u>1</u> 0	rovide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: T2=643 linear feet, V2=2,832 linear feet, W2=31 linear feet, X2=238 linear feet, Y2=27 linear feet, determined and K3=69 linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	$\square$ W	RPWs that flow directly or indirectly into TNWs. aterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a NW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
		e estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	₩ W	nds directly abutting an RPW that flow directly or indirectly into TNWs.  Tetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Q and U are directly abutting V2, a perennial RPW. G is abutting H which is an impoundment of V2.
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: I and J are directly abutting seasonal RPWs.

	S=0	.03 acre, and U=0.04 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: $R=0.02$ acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain: H is an impoundment of V2, a perennial RPW
E.	SUC SUC SUC	CLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Ide	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.		N-JURIS DICTIO NAL WATERS, INCLUDING WEILANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	fact	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional ment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.

Provide acreage estimates for jurisdictional wetlands in the review area: G=1.63 acre, I=0.01 acre, J=0.006 acre, Q=0.005 acre,

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

<sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such
a fi	nding is required for jurisdiction (check all that apply):
	Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
	Lakes/ponds: acres.
	Other non-wetland waters: acres. List type of aquatic resource: .
	Wetlands: acres.
CECTIO	N. H. DATA COUDCES
SEC HO	ON IV: DATA SOURCES.
A. SUP	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	requested, appropriately reference sources below):
$\boxtimes$	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: <b>Timmons Group</b> .
$\boxtimes$	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
	☑ Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
report.	
	Office does not concur with data sheets/delineation report.
	Data sheets prepared by the Corps: .
$\boxtimes$	Corps navigable waters' study: 1977 Navigability Study.
$\boxtimes$	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
	USGS NHD data.
_	☑ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River
$\boxtimes$	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.
$\boxtimes$	USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.
	National wetlands inventory map(s). Cite name: USFWS Wetland Map.
	State/Local wetland inventory map(s):
	FEMA/FIRM maps:
H	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
	Photographs: ☑ Aerial (Name & Date): ESRI.  or ☑ Other (Name & Date): Photos taken during Corps site visit on 10/18/2019.
	Previous determination(s). File no. and date of response letter:
H	Applicable/supporting case law:
	Applicable/supporting scientific literature:
	Other information (please specify): Corps Site Visit.
	other information (pieces specify). Corps of the visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with 3 adjacent wetlands (abutting and non-abutting), 6 seasonal RPWs with adjacent wetlands, and 1 impoundment of a perennial RPW with an abutting wetland. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. Since there are seasonal RPWs and non-adjacent wetlands, a significant nexus determination was performed. Based on the documentation provided in Section III, C of this form, the nexus between the RPW and its adjacent wetland to the downstream TNW is significant. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPROVED JURISDICTIONAL DEIERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC A.	CTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020
В.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 4 of 9; SAC-2019-01478 Sharon Solar
C.	PRO JECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 28-April-2020  Field Determination. Date(s): 18-October-2019
SEC	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the iew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters  Isolated (interstate or intrastate) waters, including isolated wetlands
and	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters: A3=3,406 linear feet, B3=53 linear feet, J3=111 linear feet and L3=33 linear feet:  width (ft)  acres.  Wetlands: acres.
	c. Limits (boundaries) of jurisdiction based on: Established by OHWM. Pick List Elevation of established OHWM (if known):
	<ul> <li>Non-regulated waters/wetlands (check if applicable): <sup>3</sup></li> <li>Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.</li> </ul>

Explain:

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.
<sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes in formation regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody 4 is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 207,276 acres; 03060103-05 Little River-Savannah River Drainage area: **B3=43.1** acres Average annual rainfall: 45.74 inches Average annual snowfall: 1.9 inches

#### (ii) Physical Characteristics:

(a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 3 tributaries before entering TNW. Project waters are 15-20 river miles from TNW. Project waters are 1 (or less) river miles from RPW. Project waters are 10-15 aerial (straight) miles from TNW. Project waters are 1 (or less)aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW5: Flagreed Creek which flows to Calhoun Creek which flows to the Little River which flows to Thurmond Lake (Traditional Navigable Water and Navigable Water of the U.S.).

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply):  Tributary is:  Natural  Artificial (man-made). Explain:  Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List
soils are con	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, B3 is surrounded by Mecklenburg and Appling soils. Both side red sandy loam soils and are well drained.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Relatively straight  Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater)  Describe flow regime: The tributary has have a clear OHWM and distinct channel. Other information on duration and volume: B3 flows continually at least 3 months out of the year.
	Surface flow is: Discrete and confined Characteristics: Water flows within the channel during normal conditions.
	Subsurface flow: Unknown Explain findings:  Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list):  Discontinuous OHWM. Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):  High Tide Line indicated by:  oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics physical markings/characteristics tidal gauges other (list):
Cha	emical Characteristics: uracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The Little River-Savannah River watershed occupies 207,276 acres of the Piedmont region of South Carolina. Land use/Land cover includes 58.2% forested land, 31.9% agricultural land, 6.3% urban land, 2.5% forested wetland (swamp), 0.7% barren land, and 0.4% water.  ntify specific pollutants, if known: Possible pollutants from agricultural practices and nearby roads.

Tributary stream order, if known: first order.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

	(iv)	Biological Characteristics. Channel supports (check all that apply):  ☐ Riparian corridor. Characteristics (type, average width):  ☐ Wetland fringe. Characteristics:  ☐ Habitat for:  ☐ Federally Listed species. Explain findings:  ☐ Fish/spawn areas. Explain findings: The tributary provides breeding grounds for aquatic species.  ☐ Other environmentally-sensitive species. Explain findings:  ☐ Aquatic/wildlife diversity. Explain findings: The tributary provides habitat for wildlife in the area.
2.	Cha	aracteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Physical Characteristics:  (a) General Wetland Characteristics:  Properties:  Wetland size: acres  Wetland type. Explain:  Wetland quality. Explain:  Project wetlands cross or serve as state boundaries. Explain:
		(b) General Flow Relationship with Non-TNW: Flow is: Pick List Explain:  Surface flow is: Pick List Characteristics:  Subsurface flow: Pick List Explain findings:  □ Dye (or other) test performed:
		(c) Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d) Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	(ii)	Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known:
	(iii)	Biological C haracteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	Cha	All wetland(s) being considered in the cumulative analysis:  Approximately ( ) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the Rapanos Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: This form documents 1 seasonal RPWs (B3). This RPW is located near cleared areas for agricultural practicess. It is performing a variety of biological functions that include providing breeding grounds for aquatic species in the area and habitat for wildlife in the area. The tributary is also performing chemical functions that include filtering pollutants from nearby roads and agriculture areas. The tributary is performing physical functions that include flow maintenance like retaining runoff and storing rain water temporarily during the wetter months and in times of heavy rain. This helps to reduce downstream peak flows and helps to maintain seasonal flow volumes Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the relevant reach of the tributary to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WEILANDS ARE (CHECK ALL THAT APPLY):

	TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: A3, J3, and L3 are perennial RPWs. A3 is shown as a blue line on the topo map and shown on the USFWS Wetland Map. J3 and L3 are also shown on the topo map and on the USFWS Wetland Map. These tributaries were observed flowing during flagging and have a distinct channel and clear O HWM. Available data led this offce to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: B3 is a seasonal RPWs. R2 is shown as drainage pattern on the topo map. It has a distinct channel and clear OHWM. During the Corps site visit water was observed sitting in the channel. Stream characteristics observed and available data this office to conclude the tributary has a seasonal flow regime.
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: A3=3,406 linear feet, B3=53 linear feet, J3=111 linear feet and L3=33 linear feet  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:

 $<sup>^8</sup> See\ Footnote \#\,3.$   $^9\ To\ complete the\ analysis\ refer\ to\ the\ key\ in\ Section\ III.D.6$  of the Instructional Guidebook.

E.	DEC SUC	CLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:
	Ideı	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.		N-JURIS DICTIO NAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	fact judg	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR ors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional ment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
	a fir	vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such ading is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SEC	OIT	N IV: DATA SOURCES.
A. \$	and	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
repo		☐ Office does not concur with data sheets/delineation report.  Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study.  U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.  ☐ USGS NHD data.  ☑ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River  U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.  USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.  National wetlands inventory map(s). Cite name: USFWS Wetland Map.  State/Local wetland inventory map(s):

 $<sup>^{10}</sup>$  Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA  $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$ 

	FEMA/FIRM maps: .			
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)			
$\boxtimes$	Photographs: ☑ Aerial (Name & Date): ESRI.			
	or ☑ Other (Name & Date): Photos taken during Corps site visiton 10/18/2019.			
	Previous determination(s). File no. and date of response letter: .			
	Applicable/supporting case law: .			
	Applicable/supporting scientific literature:			
	Other information (please specify): Corps Site Visit.			

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 3 perennial RPWs and 1 seasonal RPW. RPWs are jurisdictional according to guidance provided, however the significant nexus findings for the record are included as required by Rapanos Guidance. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPROVED JURISDICTIONAL DEIERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

	CTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020
В.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 5 of 9; SAC-2019-01478 Sharon Solar
C.	PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long82.4215°.
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: 28-April-2020  Field Determination. Date(s): 18-October-2019
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the lew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
and	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: D3=370 linear feet, E3=86 linear feet, F3=2,608 linear feet, and I3=384 linear feet: width (ft) acres. Wetlands: M=0.69 acres.
	c. Limits (boundaries) of jurisdiction based on: Established by OHWM. 1987 Delineation Manua Elevation of established OHWM (if known):
	<ul> <li>Non-regulated waters/wetlands (check if applicable):<sup>3</sup></li> <li>Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.</li> </ul>

Explain:

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.
<sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:
	Summarize rationale supporting determination: .
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

### Pick List: Watershed size: **Pick List** Drainage area: Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through **Pick List** tributaries before entering TNW. Project waters are **Pick List**river miles from TNW. Project waters are **Pick List**river miles from RPW. Project waters are Pick Listaerial (straight) miles from TNW. Project waters are Pick Listaerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW<sup>5</sup>: Tributary stream order, if known:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.


<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)	General Tributar	v Character	ristics (check all that appl	lv):			
	( )	Tributary is:	☐ Natu					
		·	☐ Artif	ficial (man-made). Expla	in:			
			☐ Man	ipulated (man-altered).	Expla	nin:		
				espect to top of bank (est	imate	e):		
		Average wic		feet				
		Average dep		feet				
		Average sid	e slopes: Pi	ick list				
		Primary tributary	v substrate o	composition (check all th	at an	nlv)·		
		☐ Silts	y saostrate c	Sands	ut up	P1 <b>y</b> ).	☐ Concrete	
		☐ Cobbles		☐ Gravel			☐ Muck	
		☐ Bedrock		☐ Vegetation. Type/9	% cov	er:		
		Other. E	Explain:	•				
		Tuibutanu aan diti	i o /ot o lailitz	دراه می امنامادی میم طنیم می دا م	من مام در	المعاسما م	Evalsia	
				y [e.g., highly eroding, slo complexes. Explain:	ugnin	ig banksj.	. Explain:	
		Tributary geome			•			
				mate average slope):	%			
		Triesmany gradien	iv (approini	mare average step e).	, 0			
	(c)	Flow:						
		Tributary provid						
				flow events in review are	ea/yea	ar: Pick L	List	
		Describe flo						
		Other information	on on durati	on and volume: .				
		Surface flow is: I	Pick List (	Characteristics: .				
		Subsurface flow	Pick List	Explain findings:				
		Dye (or			•			
		• `						
		Tributary has (ch		t apply):				
		☐ Bed and						
				indicators that apply):		at	C1:44 1.1.1.1	
				ne impressed on the bank character of soil	H		ence of litter and debris ion of terrestrial vegetation	
		□ shel		maracter of son	Ħ		sence of wrack line	
				ted down, bent, or absent			at sorting	
				bed or washed away		scour		
			ment depos	ition			e observed or predicted flow events	
			er staining			abrupt cl	change in plant community	
		othe	er (list):					
		☐ Disconti	inuous OHV	WM. <sup>7</sup> Explain:				
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all t							
		High T					Vater Mark indicated by:	,.
				e along shore objects			available datum;	
				bris deposits (foreshore)		physical n		
				ngs/characteristics			on lines/changes in vegetation types.	
		☐ tidal						
		othe	er (list):					
(:::)	Cl.	:1 Ch4						
(111)		e <b>mical Characte</b> i racterize tributary		r color is clear, discolored	d. oilv	v film: wat	ter quality; general watershed characteristics	s. etc.)
		Explain: .	(8-,		<b>-</b>	,,	47, 8	,,
	Iden	ntify specific pollu	ıtants, if kn	own: .				
		_						
(iv)	Biol	logical Character	ristics. Ch	annel supports (check a	lltha	t apply):		
	H			eristics (type, average wid	th):			
	Ц	Wetland fringe.	Characteris	stics: .				

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

	<ul> <li>☐ Habitat for:</li> <li>☐ Federally Listed species. Explain findings:</li> <li>☐ Fish/spawn areas. Explain findings:</li> <li>☐ Other environmentally-sensitive species. Explain findings:</li> <li>☐ Aquatic/wildlife diversity. Explain findings:</li> </ul>
2.	Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i) Physical Characteristics:  (a) General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
	(b) General Flow Relationship with Non-TNW: Flow is: Pick List Explain:
	Surface flow is: Pick List Characteristics:
	Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
	(c) Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
	(d) Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	(ii) Chemical Characteristics:  Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain:  Identify specific pollutants, if known:
	(iii)Biological C haracteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	Characteristics of all wetlands adjacent to the tributary (if any)  All wetland(s) being considered in the cumulative analysis: Pick List  Approximately ( ) acres in total are being considered in the cumulative analysis.



Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ on\ ly:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$ 

D.	<b>DETERMINATIONS</b>	OF JURISDICTIONAL FINDINGS	. THE SUBJECT WATERS	/WETLANDS	ARE (CHECK ALL
	THAT APPLY):				

1.	TNWs and Adj			y and provide size estimates in review area:
	☐ TNWs:	linear feet	width (ft), Or,	acres.
	☐ Wetlands adj	acent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: A3, J3, and L3 are perennial RPWs. A3 is shown as a blue line on the topo map and shown on the

	were observed flowing during flagging and have a distinct channel and clear O HWM. Available data led this office to conclude the tributaries have perennial flow regimes.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: D3=370 line ar feet, E3=86 linear feet, F3=2,608 linear feet, and I3=384 linear feet  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: M is abutting D3, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
DE SU	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CHWATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.

USFWS Wetland Map. J3 and L3 are also shown on the topo map and on the USFWS Wetland Map. These tributaries

E.

 <sup>8</sup>See Footnote # 3.
 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used for industrial purposes by industries in interstate commerce.  Interstate isolated waters. Explain:  Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SEC'	HON IV: DATA SOURCES.
	UPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
	<ul> <li>□ Office does not concur with data sheets/delineation report.</li> <li>□ Data sheets prepared by the Corps:</li> <li>□ Corps navigable waters' study: 1977 Navigability Study.</li> <li>□ U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.</li> <li>□ USGS NHD data.</li> <li>□ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River</li> </ul>
	<ul> <li>☑ U.S. Geological Survey map(s). Cite scale &amp; quad name: 1:24,000 Abbeville West.</li> <li>☑ USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.</li> <li>☑ National wetlands inventory map(s). Cite name: USFWS Wetland Map.</li> <li>☑ State/Local wetland inventory map(s):</li> <li>☐ FEMA/FIRM maps:</li> <li>☐ 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)</li> <li>☑ Photographs: ☑ Aerial (Name &amp; Date): ESRI.</li> <li>☑ or ☑ Other (Name &amp; Date): Photos taken during Corps site visiton 10/18/2019.</li> </ul>
	Previous determination(s). File no. and date of response letter:  Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 4 perennial RPWs and a wetland abutting a perennial RPW. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPRO VED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

## SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020 DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 6 of 9: SAC-2019-01478 Sharon Solar C. PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long. -82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 28-April-2020 Field Determination. Date(s): 18-October-2019 SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands

## b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: **K=0.27** acres.

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual

Elevation of established OHWM (if known): .

## 2. Non-regulated waters/wetlands (check if applicable):<sup>3</sup>

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: The site has an upland dug pond (N=0.43 acre). The pond appears to have been constructed on an ephemeral channel and is not jurisdictional. The channel has no OHWM and is not considered a water of the U.S.

Pick List

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

#### 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

## Pick List; Watershed size: **Pick List** Drainage area: Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through **Pick List**tributaries before entering TNW. Project waters are **Pick List**river miles from TNW. Project waters are **Pick List**river miles from RPW. Project waters are Pick Listaerial (straight) miles from TNW. Project waters are **Pick List**aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW<sup>5</sup>: Tributary stream order, if known:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)	General Tributar	v Character	ristics (check all that appl	v):			
	( )	Tributary is:	☐ Natu					
		·	☐ Artif	ficial (man-made). Expla	in:			
			☐ Man	ipulated (man-altered).	Expla	nin:		
				espect to top of bank (est	imate	e):		
		Average wid		feet				
		Average dep		feet				
		Average sid	le slopes: Pi	ick list				
		Primary tributary	v substrate o	composition (check all th	at ani	nlv)·		
		Silts	, 5005511410	Sands	ar ap	P-3).	☐ Concrete	
		☐ Cobbles		☐ Gravel			☐ Muck	
		☐ Bedrock		☐ Vegetation. Type/%	% cov	er:		
		Other. E	Explain:					
		Tributary condit	ion/etability	y [e.g., highly eroding, slo	uahin	a bankel	Evnlain	
				complexes. Explain:	ugiiii	ig baliksj.	Explain.	
		Tributary geome			•			
				mate average slope):	%			
	(c)	Flow:						
		Tributary provid			,	D: 1 T		
				flow events in review are	ea/yea	ar: Pick L	ast	
		Describe flo		ion and volume:				
		Other informatio	m on durati	on and volume.				
		Surface flow is: I	Pick List	Characteristics: .				
		Subsurface flow:	Pick List	Explain findings:				
		☐ Dye (or						
		Tributary has (ch		t apply):				
		☐ Bed and		indicators that apply):				
				ne impressed on the bank		the prese	ence of litter and debris	
				character of soil	Ħ		ion of terrestrial vegetation	
		shel					ence of wrack line	
				ted down, bent, or absent		sediment	t sorting	
				bed or washed away		scour		
			ment depos	sition			observed or predicted flow events	
			er staining		Ш	abrupt cl	hange in plant community	
		☐ Diagram	er (list):	WM. <sup>7</sup> Explain:				
		☐ Disconti	muous On v	www. Explain:	•			
		If factors other t	han the OH	WM were used to determ	ine la	teral exter	nt of CWA jurisdiction (check all that app	olv):
		☐ High T					Vater Mark indicated by:	-5)-
				e along shore objects			available datum;	
				bris deposits (foreshore)		physical n		
				ngs/characteristics		vegetation	n lines/changes in vegetation types.	
		☐ tidal						
		☐ othe	er (list):					
(iii)	Che	emical Characte	ristics:					
()				r color is clear, discolored	l, oily	y film; wat	ter quality; general watershed characterist	ics, etc.)
		Explain: .						
	Iden	ntify specific pollu	ıtants, if kn	own: .				
(i.a)	D:c1	logical Character	visties Ch	annol sunnowts (ab acts a	<b>  </b>	t annly).		
(11)	D101	Riparian corrido	r. Characte	annel supports (check aleristics (type, average wide	uuna th):	tappry):		
		Wetland fringe.			,-	-		
		3						

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

<sup>7</sup>Ibid.

	<ul> <li>☐ Habitat for:</li> <li>☐ Federally Listed species. Explain findings:</li> <li>☐ Fish/spawn areas. Explain findings:</li> <li>☐ Other environmentally-sensitive species. Explain findings:</li> <li>☐ Aquatic/wildlife diversity. Explain findings:</li> </ul>
2.	Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i) Physical C haracteristics:  (a) General Wetland Characteristics:  Properties:  Wetland size: acres Wetland type. Explain: Wetland quality. Explain:  Project wetlands cross or serve as state boundaries. Explain:
	(b) General Flow Relationship with Non-TNW: Flow is: Pick List Explain:
	Surface flow is: Pick List Characteristics:
	Subsurface flow: <b>Pick List</b> Explain findings:  Dye (or other) test performed:
	(c) Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
	(d) Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	(ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known:
	(iii)Biological Characteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	Characteristics of all wetlands adjacent to the tributary (if any)  All wetland(s) being considered in the cumulative analysis: Pick List  Approximately ( ) acres in total are being considered in the cumulative analysis.

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs:

D.	<b>DETERMINATIONS</b>	OF JURISDICTIONAL FINDINGS.	THE SUBJECT WATERS/WETLANDS	ARE (CHECK ALL
	THAT APPLY):			

1.	TNWs and Ac	djacent Wetlands.	Check all that app	ly and provide size est	imates in review area:
	☐ TNWs:	linear feet	width (ft), Or,	acres.	
	☐ Wetlands a	djacent to TNWs:	acres.		

2. RPWs that flow directly or indirectly into TNWs.

	Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The off-site perennial RPW is where F3 and O2 meet. This feature is shown as a blue line on the topo and on the USFWS Wetland Map.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	<ul> <li>Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.</li> <li>✓ Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.</li> <li>✓ Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: K is abutting an off-site perennial RPW.</li> </ul>
	☐ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary i seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
DE SU	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.

E.

 <sup>8</sup>See Footnote#3.
 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used for industrial purposes by industries in interstate commerce.  Interstate isolated waters. Explain:  Other factors. Explain:
Ide	ntify water body and summarize rationale supporting determination:
	ovide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.
	ON-JURIS DICTIO NAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): The site has an upland dug pond (N=0.43 acre). The pond appears to have been cted on an ephemeral channel and is not jurisdictional. The channel has no OHWM and is not considered a water of the U.S.
fac	ovide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR tors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional gment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
	ovide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such nding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
SECTIO	ON IV: DATA SOURCES.
and 🖂	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
report.	☐ USGS NHD data. ☐ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.
	USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO. National wetlands inventory map(s). Cite name: USFWS Wetland Map. State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: ☒ Aerial (Name & Date): ESRI.  or ☒ Other (Name & Date): Photos taken during Corps site visiton 10/18/2019.
	Previous determination(s). File no. and date of response letter:  Applicable/supporting case law:  Applicable/supporting scientific literature:  Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 wetland that is abutting an off-site perennial RPW. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

 $There \ is \ also \ an \ upland \ dug \ pond \ that is \ documented. \ This \ pond \ is \ not \ juris dictional.$ 

## APPROVED JURISDICTIONAL DEIERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

## SECTION I: BACKGROUND INFORMATION

A.	REPORT COMPLETION DATE FO	OR APPRO VED JURISDI	CTIONAL DETERMINATION	(JD): May 4, 2020

В.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 7 of 9; SAC-2019-01478 Sharon Solar
C.	PROJECT LO CATION AND BACKGRO UND INFO RMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  ☐ Office (Desk) Determination. Date: 28-April-2020 ☐ Field Determination. Date(s): 18-October-2019
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В. (	CWA SECTION 404 DEIERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the reviewarea. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S.in the review area:  Non-wetland waters: G3=2,174 linear feet: width (ft) and/or acres.  Wetlands: T=0.005 acre, 12=0.03 acre, J2=0.02 acre, and K2=0.01 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual Elevation of established OHWM (if known):  Pick List
	2. Non-regulated waters/wetlands (check if applicable): <sup>3</sup> Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: The site has an upland dug pond (H=0.59 acre). The pond appears to have been constructed beside a tributary

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

and has an outflow into the tributary, but was not constructed on the tributary or other water of U.S. It is an upland dug pond and is not considered a water of the U.S.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WEILANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

#### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

## 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

#### Pick List; Watershed size: Pick List Drainage area: Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through **Pick List**tributaries before entering TNW. Project waters are **Pick List**river miles from TNW. Project waters are Pick Listriver miles from RPW. Project waters are **Pick List**aerial (straight) miles from TNW. Project waters are Pick Listaerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Identify flow route to TNW <sup>5</sup> :  Tributary stream order, if known:
(b)	General Tributary Characteristics (check all that apply):  Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List
	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Pick List  Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
	Subsurface flow: Pick List Explain findings: .
	□ Dye (or other) test performed:  Tributary has (check all that apply): □ Bed and banks □ OHWM <sup>6</sup> (check all indicators that apply): □ clear, natural line impressed on the bank □ changes in the character of soil □ shelving □ vegetation matted down, bent, or absent □ leaf litter disturbed or washed away □ sediment deposition □ shelving □ under the presence of litter and debris □ destruction of terrestrial vegetation the presence of wrack line sediment sorting scour □ sediment deposition □ multiple observed or predicted flow events □ water staining □ other (list): □ Discontinuous OHWM. <sup>7</sup> Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
Cha	emical Characteristics: tracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: tify specific pollutants, if known:

<sup>7</sup>Ibid.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. <sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

		Riparian corridor. Characteristics (type, average width):  Wetland fringe. Characteristics:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
2.	Charac	eteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
		ysical C haracteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
	(b)	General Flow Relationship with Non-TNW: Flow is: Pick List Explain:
		Surface flow is: Pick List Characteristics:
		Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
	(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
	(d)	Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	Ch	nemical Characteristics: aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: artify specific pollutants, if known:
		Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	All	teristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately ( ) acres in total are being considered in the cumulative analysis.

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the Rapanos Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs:

D.	<b>DETERMINATIONS</b>	OF JURISDICTIONAL FINDINGS.	THE SUBJECT WATERS/WETLANDS	ARE (CHECK ALL
	THAT APPLY):			

1.	TNWs and Adj	acent Wetlands.	Check all that apply	and provide size estimates in review area:
	☐ TNWs:	linear feet	width (ft), Or,	acres.
	☐ Wetlands ad	jacent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: G3 is a perennial RPW. It is shown as a dashed blue line on the topo and on the USFWS Wetland

	Map. G3 was observed flowing during flagging and during the Corps site visit. It has a clear OHWM and distinct channel. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: G3=2,174 linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: T, 12, J2, and K2 are abutting G3, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
acro	Provide acreage estimates for jurisdictional wetlands in the review area: T=0.005 acre, I2=0.03 acre, J2=0.02 acre, and K2=0.01 es.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of juris dictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
DE SU	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CHWATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes.

E.

 <sup>8</sup>See Footnote#3.
 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.  which are or could be used for industrial purposes by industries in interstate commerce.  Interstate isolated waters. Explain:  Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .  Wetlands: acres.
	NON-JURISDICTIONAL WATERS, INCLUDING WEILANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:  Other: (explain, if not covered above): The site has an upland dug pond (H=0.59 acre). The pond appears to have been
	structed beside a tributary and has an outflow into the tributary, but was not constructed on the tributary or other water of U.S. an upland dug pond and is not considered a water of the U.S.
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SEC	TION IV: DATA SOURCES.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and
repo	
	<ul> <li>□ Data sheets prepared by the Corps:</li> <li>□ Corps navigable waters' study: 1977 Navigability Study.</li> <li>□ U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.</li> <li>□ USGS NHD data.</li> </ul>
	USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River  U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.  USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.  National wetlands inventory map(s). Cite name: USFWS Wetland Map.  State/Local wetland inventory map(s):  FEMA/FIRM maps:  100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)  Photographs:  Aerial (Name & Date): ESRI.
	or ☒ Other (Name & Date): Photos taken during Corps site visit on 10/18/2019.  □ Previous determination(s). File no. and date of response letter:  Applicable/supporting case law:  □ Applicable/supporting scientific literature:  □ Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with 4 abutting wetlands. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

There is also an upland dug pond that is documented. This pond is not jurisdictional.

## APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC A.	CTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020
В.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 8 of 9; SAC-2019-01478 Sharon Solar
С.	PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River  Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  ☐ Office (Desk) Determination. Date: 28-April-2020 ☐ Field Determination. Date(s): 18-October-2019
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:  Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the reviewarea. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas  Wetlands adjacent to TNWs  Relatively permanent waters <sup>2</sup> (RPWs) that flow directly or indirectly into TNWs  Non-RPWs that flow directly or indirectly into TNWs  Wetlands directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs  Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs  Impoundments of jurisdictional waters  Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters: M3=298 linear feet and N3=389 linear feet: width (ft) and/or acres.  Wetlands: V=0.04 acre, W=0.003 acre, X=0.003 acre, Y=0.002 acre, Z=0.05 acre, and L2=0.002 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual  Elevation of established OHWM (if known):  .
	<ul> <li>Non-regulated waters/wetlands (check if applicable): <sup>3</sup></li></ul>

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.
<sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>3</sup> Supporting documentation is presented in Section III.F.

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

## B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent we tlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

## 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) Conoral Area Conditions

(1)	General Area Condit	ions:
	Watershed size:	Pick List;
	Drainage area:	Pick List
	Average annual rainfal	l: inches
	Average annual snowfa	all: inches
(ii)	Physical Characterist	ties.
(11)	(a) Relationship with	
	` ' =	rs directly into TNW.
		·
	☐ I ributary flow	s through <b>Pick List</b> tributaries before entering TNW.
	Project waters are	Pick Listriver miles from TNW.
		Pick Listriver miles from RPW.
	5	Pick Listaerial (straight) miles from TNW.
	5	Pick Listaerial (straight) miles from RPW.
	5	( E )
	Project waters cro	ss or serve as state boundaries. Explain: .
	Identify flow rout	e to TNW <sup>5</sup> :
	Tributary stream o	order, if known:
		,

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)	General Tributary Characteristics (check all that apply):  Tributary is: Natural  Artificial (man-made). Explain:  Manipulated (man-altered). Explain:
		Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List
		Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain:  Presence of run/riffle/pool complexes. Explain:  Tributary geometry: Pick List  Tributary gradient (approximate average slope):  %
	(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
		Surface flow is: Pick List Characteristics: .
		Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
		Tributary has (check all that apply):  Bed and banks  OHWM <sup>6</sup> (check all indicators that apply):  clear, natural line impressed on the bank  changes in the character of soil  shelving  vegetation matted down, bent, or absent  leaf litter disturbed or washed away  sediment deposition  water staining  other (list):  Discontinuous OHWM. Explain:
		If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
(iii)	Cha	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: . ntify specific pollutants, if known:
(iv)	Bio	Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for:

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Third.

			☐ Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: ☐ Other environmentally-sensitive species. Explain findings: ☐ Aquatic/wildlife diversity. Explain findings:
2.	Cha	ract	teristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
			Seneral Wetland Characteristics:  General Wetland Characteristics:  Properties:  Wetland size: acres  Wetland type. Explain:  Wetland quality. Explain:  Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	. ,	Cha	emical Characteristics: tracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: tify specific pollutants, if known:
	(iii)		Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.		All	teristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately ( ) acres in total are being considered in the cumulative analysis.

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)

Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guide book. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ on\ ly:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$ 

D.	<b>DETERMINATIONS</b>	OF JURISDICTIONAL FINDINGS.	THE SUBJECT WATERS/WETLANDS	ARE (CHECK ALL
	THAT APPLY):			

1.	TNWs and Adj			y and provide size estimates in review area:
	☐ TNWs:	linear feet	width (ft), Or,	acres.
	☐ Wetlands adj	acent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: M3 and N3 are the same tributary and it is a perennial RPW. It is shown as a drainage feature on

	distinct channel. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: M3=298 linear feet and N3=389 linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
3.	Non-RPWs 8 that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: X, Y, Z, and L2 are directly abutting N3, a perennial RPW. V and W are directly abutting M3, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
acr	Provide acreage estimates for jurisdictional wetlands in the review area: V=0.04 acre, W=0.003 acre, X=0.003 acre, Y=0.002 acre, Z=0.05 acre, and L2=0.002 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE. COMMERCE, INCLUDING ANY

the topo map. It was observed flowing during flagging and during the Corps site visit. It has a clear O HWM and

E.

SUCH WATERS (CHECKALL THAT APPLY): 10

 <sup>8</sup> See Footnote # 3.
 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 10 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used by interstate or foreign travelers for recreational or other purposes.  from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.  which are or could be used for industrial purposes by industries in interstate commerce.  Interstate isolated waters. Explain:  Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .  Wetlands: acres.
F.	NO N-JURISDICTIO NAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
A. S	□ Office does not concur with data sheets/delineation report. □ Data sheets prepared by the Corps: □ Corps navigable waters' study: 1977 Navigability Study. □ U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990. □ USGS NHD data. □ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River □ U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West. □ USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO. National wetlands inventory map(s). Cite name: USFWS Wetland Map.
	State/Local wetland inventory map(s):  FEMA/FIRM maps:  100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)  Photographs:  Aerial (Name & Date): ESRI.  or  Other (Name & Date): Photos taken during Corps site visiton 10/18/2019.  Previous determination(s). File no. and date of response letter:  Applicable/supporting case law:  Applicable/supporting scientific literature:  Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 2 perennial RPWs with 6 abutting wetlands. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.

# APPRO VED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

## SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 4, 2020 DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 9 of 9: SAC-2019-01478 Sharon Solar C. PROJECT LO CATION AND BACKGRO UND INFORMATION: State: South Carolina County/parish/borough: Abbeville County City: Abbeville Center coordinates of site (lat/long in degree decimal format): Lat. 34.1469°, Long. -82.4215°. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Flagreed Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Thurmond Lake Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Little River-Savannah River Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 28-April-2020 Field Determination. Date(s): 18-October-2019 SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs $\boxtimes$ Relatively permanent waters<sup>2</sup> (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: **P3=1,406** linear feet: width (ft) and/or acres. Wetlands: A2=0.19 acre, B2=0.03 acre, C2=0.04 acre, D2=0.002 acre, E2=0.003 acre, F2=0.007 acre, and G2=0.06 acres. \*P3 has some portions that are considered seasonal, but the majority is perennial so it will be documented as perennial.

2. Non-regulated waters/wetlands (check if applicable):<sup>3</sup>

Elevation of established OHWM (if known):

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual

Pick List

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.
Explain: .

#### SECTION III: CWA ANALYSIS

#### A. TNWs AND WEILANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

#### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WEILANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody <sup>4</sup> is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

## 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

#### Watershed size: Pick List; Pick List Drainage area: Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through **Pick List**tributaries before entering TNW. Project waters are **Pick List**river miles from TNW. Project waters are Pick Listriver miles from RPW. Project waters are **Pick List**aerial (straight) miles from TNW. Project waters are **Pick List**aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Identify flow route to TNW 5:  Tributary stream order, if known:
(b)	General Tributary Characteristics (check all that apply):  Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate):  Average width: feet  Average depth: feet  Average side slopes: Pick List
	Primary tributary substrate composition (check all that apply):  Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
	Surface flow is: Pick List Characteristics: .
	Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
	Tributary has (check all that apply):  Bed and banks OHWM <sup>6</sup> (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):    High Tide Line indicated by:
Cha	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.) Explain:  https://explain.com/restricts/film/specific pollutants, if known:

<sup>7</sup>Ibid.

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. <sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

		Riparian corridor. Characteristics (type, average width):  Wetland fringe. Characteristics:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
2.	Charac	eteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
		ysical C haracteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
	(b)	General Flow Relationship with Non-TNW: Flow is: Pick List Explain:
		Surface flow is: Pick List Characteristics:
		Subsurface flow: Pick List Explain findings:  Dye (or other) test performed:
	(c)	Wetland Adjacency Determination with Non-TNW:  ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
	(d)	Proximity (Relationship) to TNW Project wetlands are Pick Listriver miles from TNW. Project waters are Pick Listaerial (straight) miles from TNW. Flow is from: Pick List Estimate approximate location of wetland as within the Pick Listfloodplain.
	Ch	nemical Characteristics: aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: artify specific pollutants, if known:
		Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:  Habitat for:  Federally Listed species. Explain findings:  Fish/spawn areas. Explain findings:  Other environmentally-sensitive species. Explain findings:  Aquatic/wildlife diversity. Explain findings:
3.	All	teristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately ( ) acres in total are being considered in the cumulative analysis.



Summarize overall biological, chemical and physical functions being performed:

#### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the Rapanos Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ on\ ly:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$ 

D.	<b>DETERMINATIONS</b>	OF JURISDICTIONAL FINDINGS.	THE SUBJECT WATERS/WETLANDS	ARE (CHECK ALL
	THAT APPLY):			

1.	TNWs and Adja	acent Wetlands.	Check all that apply	and provide size estimates in review area:
	☐ TNWs:	linear feet	width (ft), Or,	acres.
	☐ Wetlands adjacent to TNWs:		acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Most of P3 is a perennial RPW. It has some portions that are seasonal, but the majority of the

	observed flowing during flagging and during the Corps site visit. It has a clear O HWM and distinct channel. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: P3=1,406 linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:
3.	Non-RPWs 8 that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: A2, B2, C2, D2, F2, F2, and G2 are directly abutting P3, a perennial RPW.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
acr	Provide acreage estimates for jurisdictional wetlands in the review area: A2=0.19 acre, B2=0.03 acre, C2=0.04 acre, D2=0.002 e, F2=0.003 acre, F2=0.007 acre, and G2=0.06 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.  Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:
DE SU	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WEILANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECKALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes.

tributary is perennial, so it is documented as perennial. It is shown as a drainage feature on the topo map. It was

E.

 <sup>8</sup> See Footnote # 3.
 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 10 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

		from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.  which are or could be used for industrial purposes by industries in interstate commerce.  Interstate isolated waters. Explain:  Other factors. Explain:				
	Ide	entify water body and summarize rationale supporting determination:				
		vide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.				
F.	Pro	N-JURISDICTIONAL WATERS, INCLUDING WEILANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):  vide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR				
		tors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional gment (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.				
	a fii	vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such adding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.				
SEC	CTIO	N IV: DATA SOURCES.				
	and	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked requested, appropriately reference sources below):  Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Timmons Group.  Data sheets prepared/submitted by or on behalf of the applicant/consultant.  Office concurs with data sheets/delineation report. This office agrees with the conclusions of the submitted data sheets and				
repo		☐ USGS NHD data.				
		☐ USGS 8 and 12 digit HUC maps. 03060103-05 Little River-Savannah River  U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Abbeville West.  USDA Natural Resources Conservation Service Soil Survey. Citation: SSURGO.  National wetlands inventory map(s). Cite name: USFWS Wetland Map.  State/Local wetland inventory map(s):  FEMA/FIRM maps:  100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)  Photographs: ☐ Aerial (Name & Date): ESRI.				
		or  Other (Name & Date): Photos taken during Corps site visit on 10/18/2019.  Previous determination(s). File no. and date of response letter:  Applicable/supporting case law:  Applicable/supporting scientific literature:  Other information (please specify): Corps Site Visit.				

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with 7 abutting wetlands. RPWs and wetlands abutting RPWs are jurisdictional according to guidance provided. The waters documented on this form are under jurisdiction of the Clean Water Act and considered waters of the U.S.