

**U.S. Army Corps of Engineers - Charleston District
Checklist for 2007 Nationwide Permit Review
Nationwide Permit 15**

**U.S. Coast Guard Approved Bridges
(Section 404)**

SAC #: _____

Applicant Name: _____

Waterway/Location: _____

Project Name: _____

1. Is the proposed activity for a discharge of dredged or fill material incidental to the construction of bridges across navigable waters of the U.S., including cofferdams, abutments, foundation seals, piers, and temporary construction and access fills provided such discharges have been authorized by the U.S. Coast Guard as part of the bridge permit?

Yes ___ No

2. Is the discharge proposed for causeways or approach fills to the bridge?

___ Yes No

3. Is the structure proposed in a designated critical resource water or its adjacent wetlands?

___ Yes* No

4. Are all of the applicable NWP General Conditions satisfied, including mitigation (GC #20) endangered species, and cultural resources, and if any Federally listed species and/or designated critical habitat occurs in the action area, have you made an effect determination and properly documented it in the administrative record?

Yes ___ No

5. Is the activity located adjacent to an authorized federal navigation project? These federal navigation areas include Adams Creek, Savannah River, Jeremy and Town Creek at McClellanville, Village Creek at Beaufort, the Charleston Harbor Navigation Project (to include the Federal navigation channels in Shipyard River, Wando River, Town Creek, and channels at the naval weapons station), Georgetown harbor, Little River Inlet, Murrells Inlet, Main Creek at Murrells Inlet, Port Royal Harbor, Waccamaw River, Shem Creek, and the Atlantic Intracoastal Waterway.

Yes* No

TO QUALIFY FOR THE NWP, UNLESS OTHERWISE NOTED, EVERY NUMBERED ITEM MUST HAVE A CHECKED BOX.

* - REQUIRES A PRE-CONSTRUCTION NOTIFICATION (PCN) TO THE DISTRICT ENGINEER.

SEE THE SEPARATE PCN CHECKLIST TO ENSURE THE PROSPECTIVE PERMITTEE SUBMITS THE REQUISITE INFORMATION.

NOTE: THE PCN MUST INCLUDE A DELINEATION OF SPECIAL AQUATIC SITES AND OTHER WATERS OF THE UNITED STATES. WETLAND DELINEATIONS MUST BE PREPARED IN ACCORDANCE WITH THE CURRENT METHOD REQUIRED BY THE CORPS.

Remember, determination of completeness must be made within 30 days of the date of receipt. If all required information is not provided, the prospective permittee will be notified that the preconstruction notification (PCN) is still incomplete and the review will not commence until all requested information has been received. If the applicant has not received any written notice from the DE within **45 days** of the date of receipt of the PCN, ***the verification is issued by default.***

Reviewed by: _____
Date: _____