

SHEET
REFERENCE
NUMBER

C012

SHEET 1 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



U.S. Army Corps of Engineers
Charleston District

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
	Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013
SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL	Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION
	Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET REFERENCE NUMBER

C012



SHEET
REFERENCE
NUMBER

C012

SHEET 3 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding 🟡

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



U.S. Army Corps
of Engineers

Charleston District

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Legend

Shoalest Sounding

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

Survey Date:
13 AUG 2025

Production Date:
28 AUG 2025

Reviewed By:
CCW

Absolute Scale:
1:3,000

Project Reference Number:
CESAC-PRA-0013

Reference Scale:
1 inch = 250 feet

Survey Type:
CONDITION

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET
REFERENCE
NUMBER

C012

SHEET 4 OF 16



SHEET REFERENCE NUMBER

C012

SHEET 5 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

- 🟥 Less than 10.0
- 🟥 10.1 to 15.0
- 🟧 15.1 to 20.0
- 🟦 20.1 to 27.0
- 🟦 Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



U.S. Army Corps of Engineers

Charleston District

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

N

Depth in feet Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Legend

Shoalest Sounding ●

Survey Date: 13 AUG 2025		Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET
REFERENCE
NUMBER

C012



U.S. Army Corps
of Engineers

Charleston District

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Legend

Shoalest Sounding

Survey Date:
13 AUG 2025

Production Date:
28 AUG 2025

Reviewed By:
CCW

Absolute Scale:
1:3,000

Project Reference Number:
CESAC-PRA-0013

Reference Scale:
1 inch = 250 feet

Survey Type:
CONDITION

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET
REFERENCE
NUMBER

C012

SHEET 7 OF 16



SHEET REFERENCE NUMBER

C012

SHEET 8 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER

C012

SHEET 9 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

- 🟥 Less than 10.0
- 🟥 10.1 to 15.0
- 🟧 15.1 to 20.0
- 🟦 20.1 to 27.0
- 🟦 Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER

C012

SHEET 10 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

- 🟥 Less than 10.0
- 🟥 10.1 to 15.0
- 🟧 15.1 to 20.0
- 🟦 20.1 to 27.0
- 🟦 Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER

C012

SHEET 11 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET REFERENCE NUMBER

C012

SHEET 12 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

- 🟥 Less than 10.0
- 🟥 10.1 to 15.0
- 🟧 15.1 to 20.0
- 🟦 20.1 to 27.0
- 🟦 Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



U.S. Army Corps
of Engineers
Charleston District

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

Legend

Shoalest Sounding 🟡

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
	Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013
SPATIAL DATA BRANCH 69A HAGOOD AVE CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL	Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION
	Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet		

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET
REFERENCE
NUMBER

C012



SHEET REFERENCE NUMBER

C012

SHEET 14 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



U.S. Army Corps
of Engineers
Charleston District

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

SHEET
REFERENCE
NUMBER

C012

SHEET 15 OF 16

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

🟥	Less than 10.0
🟥	10.1 to 15.0
🟧	15.1 to 20.0
🟦	20.1 to 27.0
🟦	Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.



SHEET REFERENCE NUMBER

C012

SHEET 16 OF 16

PR_01_PTR

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **13 AUG 2025**

Port Royal, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: 13 AUG 2025	Production Date: 28 AUG 2025
Reviewed By: CCW	Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0013	
Reference Scale: 1 inch = 250 feet		Survey Type: CONDITION	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet			

Legend

Shoalest Sounding ●

Sounding

Sounding may cover several point areas and is calculated per reach quarter area.

Depth in feet
Main Channel

- 🟥 Less than 10.0
- 🟥 10.1 to 15.0
- 🟧 15.1 to 20.0
- 🟦 20.1 to 27.0
- 🟦 Greater than 27.0

N

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and tenths and refer to Mean Lower Low Water (MLLW)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District