U.S. Army Corps of Engineers
Charleston District

Production Notes:

1. The extension depicted on this product is for posting purposes only and not tested or fully vetted for navigation.
2. Water Hydrographic data derived from surveys conducted by the USACE and approved partners is considered accurate at the time of survey.
3. Soundings are in feet and tenths and referenced to Mean Lower Low Water (MLLW).
4. Raster Background: NOAA ENC Chart service.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, incidental, consequential or special damages or any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the data are accurate and reliable, errors and variable conditions ongoing from physical sources used to develop the data may be encountered in the field.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

Depth in feet

Less than 40.0
40.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

0 125 250 500 750 1,000 feet

USCG Beacon

Green	Red
Black	White

USCG Buoy

Green	Red	Yellow
Black	White	

USCG Light
Coast Guard Beacon

Legend

Shoaled Sounding
Sounding
Sounding may cover several point areas and is calculated per mean quarter area

Obstruction Point
Obstruction
Wreck-Submerged

NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Projection:			
Survey Date: 06 NOV 2025		Production Date: 13 NOV 2025	
Reviewed By: CCW	Absolute Scale: 1:3,000	Reference Scale: 1 inch = 250 feet	Project Reference Number: CESAC-PRA-0010
			Survey Type: CONDITION

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403

843-329-8000

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER: C002

SHEET 1 OF 11

U.S. Army Corps of Engineers
Charleston District

Production Notes:

1. The transducer depicted on this product is for posting purposes only. Data is for reference or situational awareness only and not to be used for navigation.
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners and navy to obtain Lower Low Water (MLLW).
3. Soundings are in feet and tenths and were collected using single beam echosounders. Although charts have been made to ensure that the charted depths are accurate and reliable, errors and omissions may exist. Mariners are encouraged to report discrepancies to the Charleston District, Navigation Branch or the Sector Charleston, Waterways Management Division.
4. Bottom Sampling: NOAA ENC Direct to GNIS

Depth in feet

Less than 40.0
40.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

0 125 250 500 750 1,000 feet

USCG Beacon

Green
Red
White

USCG Buoy

Green
Red
White
Yellow
Striped

USCG Light
Lighted Daybeacon
Lighted Gong Buoy
Lighted Whistle Buoy
Unlighted Buoy
Wreck-Submerged
Obstruction
Obstruction Platform
Sounding over owner exercise part of reach quarter area
Sounding over owner exercise part of reach quarter area
Sounding
Coast Guard Station

Legend

Shoaled Sounding

Surveyed By:	CCW
Reference Scale:	1 inch = 250 feet
Projection:	NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl
Survey Date:	06 NOV 2025
Project Reference Number:	CESAC-PRA-0010
Survey Type:	CONDITION
Production Date:	13 NOV 2025

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403

843-329-8000

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER: C002

SHEET 2 OF 11

U.S. Army Corps of Engineers
Charleston District

Production Notes:

1. The transducers depicted on this product is for posting purposes only. Data gaps exist between adjacent surveys.
2. Water Hydrographic data derived from surveys conducted by the USACE and approved partners.
3. Soundings are in feet and tenths and reference Mean Lower Low Water (MLLW).
4. Bottom Background: NOAA ENC chart service.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, incidental, consequential or special damages or any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on this data.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

Depth in feet
- Less than 40.0
- 40.0 to 45.0
- 45.0 to 50.0
- 50.0 to 54.0
- Greater than 54.0

USCG Beacon
- Green
- Red
- White

USCG Buoy
- Green
- Red
- White
- Yellow

USGS Light

Coast Guard Beacon

Legend

Shoaled Sounding
- Sounding
- Sounding may cover several point areas and is calculated per reach quarter area.

Obstruction Point
- Obstruction
- Wreck-Submerged

0 125 250 500 750 1,000 feet

NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Projection:	
Reference Scale:	1 inch = 250 feet
Reviewed By:	CCW
Absolute Scale:	1:3,000
Survey Date:	06 NOV 2025
Production Date:	13 NOV 2025
Project Reference Number:	CESAC-PRA-0010
Survey Type:	CONDITION

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403

843-329-8000

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER: C002

SHEET 3 OF 11

U.S. Army Corps of Engineers

Charleston District

Production Notes:

1.The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
2. Vessel interpretations may exist.
3. Soundings are referenced to Mean Lower Low Water (MLLW).
4. Datum Conversion: MLLW = NAVD88 (Geoid18) - 3.64 feet (Charleston)

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, special, incidental, or consequential damages resulting from charting, but not limited to, loss of anticipated profits or benefits arising out of the use of these charts.
These data sets have been developed from the best available sources at the time of publication. Mariners should not assume these datasets are accurate and reliable, errors and variable conditions may exist. Mariners should always use their best seamanship when reflected in the data supplied.
Mariners are encouraged to use all prudent safety measures.

N

0 125 250 500 750 1,000 Feet

Depths in feet
- 0.0 to 40.0
- 40.0 to 45.0
- 45.0 to 50.0
- 50.0 to 54.9
- Greater than 54.9

USCG Buoys
- Green
- Red
- White

Legend

Shoals / Sounding
- Sounding may cover several nautical miles, depending on chart scale
- Obstruction
- Wreck-Submerged

USCG Buoy
- Green
- Red
- White
- Yellow
- USCG Light
- Quad Quad Racon

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403
843-329-8000

Survey Date: 06 NOV 2025	Production Date: 13 NOV 2025
Reviewed By: CCH	Absolute Scale: 1:5,000
Project Reference Number: CESAC-PEC-4-0010	
Reference Scale: 1 inch = 250 feet	Survey Type: CONDITION
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl	

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER

C002

SHEET 4 OF 11

U.S. Army Corps of Engineers
Charleston District

Production Notes:

1. The thicknesses depicted on this product is for posting purposes only and is not intended to take the place of standard charts for navigation.
2. Water Hyacinths data have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions obtaining from physical sources used to develop the data may be encountered in the data supplied.
3. Soundings are in feet and tenths and are referenced to Mean Lower Low Water (MLLW).
4. Raster Background: NOAA ENC Charleston, Approach (US5SC22M).

Warnings are encouraged to use all prudent safety measures.
This product is not intended to be used for navigation.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, incidental, consequential or special damages or any kind, including but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on this data.

Depth in feet
Less than 40.0
40.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

USCG Beacon
Green
Red
White

USCG Buoy
Green
Red
White
Yellow
Mixed

USGS Light
Coast Guard Beacon

Legend
Structure/Sounding
Sounding
Sounding near outer seaward point and at calculated point of reach quarter area
Obstruction
Wreck-Submerged
Construction Fleet
Dredging
Debris
Mooring

Scale 1:3,000
0 125 250 500 750 1,000 Feet

Chart Datum: Lower Low Water (LLW)
Horizontal Datum: NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl
Projection:

Surveyed by: CCW	Survey Date: 06 NOV 2025
Reference Scale: 1 inch = 250 feet	Survey Type: CONDITION
Absolute Scale: 1:3,000	Project Reference Number: CESAC-PRA-0010
	Production Date: 13 NOV 2025

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403

843-329-8000

CH_01_CHE
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER: C002

SHEET 5 OF 11

SHEET REFERENCE NUMBER
C002
SHEET 6 OF 11

CH_01_CHE
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**
Charleston, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

69A HAGOOD AVE
USACE CHARLESTON
CHARLESTON, SC 29403
843-329-8000

Surveyed by:	CCW
Reference Scale:	1 inch = 250 feet
Projection:	NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl
Absolute Scale:	1:3,000
Survey Date:	06 NOV 2025
Project Reference Number:	CESAC-PRA-0010
Survey Type:	CONDITION
Production Date:	13 NOV 2025

Legend
- Sounding
- Shoaled Sounding
- Sounding near cover sweep
- Sounding near edge of coastline/ port area and or calculated per mesh quarter area
- Obstruction
- Obstruction Point
- Wreck-Submerged
- USCG Buoy
- Green
- Red
- Yellow
- White
- USCG Light
- Coast Guard Beacon
- USCG Beacon
- Green
- Red
- White

Depth in feet
- Less than 40.0
- 40.0 to 45.0
- 45.0 to 50.0
- 50.0 to 54.0
- Greater than 54.0

0 125 250 500 750 1,000 feet

Production Notes:
1. The thicknesses depicted on this product is for plotting purposes only from surveys conducted by the USACE and approved partners
2. Soundings are in feet and tenths and reference Mean Lower Low Water (MLLW)
3. Soundings from physical sources used to develop the data may be outgoing and reliable, errors and variable conditions
4. Bather Segregated: NOAA ENC Chart service

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Legislation Branch be liable for direct, indirect, incidental, consequential or special damages or any kind, including but not limited to, loss of anticipated profits or arrecks arising out of use of or reliance on this data.
These navigational data have been developed from the best available sources. Although errors have been made to ensure that the data are accurate and reliable, errors and variable conditions are possible.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER
C002
SHEET 7 OF 11

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403
843-329-8000

Surveyed by: CCW
Reference Scale: 1 inch = 250 feet
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Survey Date: 06 NOV 2025
Production Date: 13 NOV 2025
Absolute Scale: 1:3,000
Project Reference Number: CESAC-PRA-0010
Survey Type: CONDITION

Legend


Standard Sounding
Sounding
Sounding may cover several point areas and is calculated per mean quarter area
Obstruction
Obstruction Point
Wreck-Submerged
USCG Buoy
Green
Red
White
Yellow
Black
USCG Light
Coast Guard Beacon
USCG Beacon
Green
Red
White

Depth in feet
Less than 40.0
40.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

0 125 250 500 750 1,000 feet

Production Notes:

1. The information depicted on this product is for pooling purposes only. Not all visible, but of navigational perils or dangers exist, including, but not limited to, loss of navigational perils or dangers exist, including, but not limited to, loss of navigational perils or dangers exist, including, but not limited to, loss



U.S. Army Corps of Engineers

Charleston District

Production Notes:

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, special, incidental, or consequential damages resulting from any defect in the data supplied, including but not limited to, loss of anticipated profits or benefits arising out of use or inability to use the data.

These data sets have been developed from the best available source documents and methods at the time of publication. While the datasets are accurate and reliable, errors and variable conditions sometimes exist in source documents. Mariners are cautioned to consider all information reflected in the data supplied.

Data supplied is not authorized to be used for navigation.

Mariners are encouraged to use all prudent safety measures.

N

0 125 250 500 750 1,000 Feet

Depths in feet

- Project Depth 40.0
- 40.0 to 45.0
- 45.0 to 50.0
- 50.0 to 54.0
- Greater than 54.0

USCG Buoys

- Green
- Red
- White

Legend

- Sweep Sounding
- Sounding may cover several points in the quarter area
- Obstruction
- Wrecks-Submerged

USCG Buoys

- Green
- Red
- White
- Yellow
- USCG Light
- Coast Guard Recon

Survey Date: 06 NOV 2025	Production Date: 13 NOV 2025
Reviewed By: CCM	Project Reference Number: CESAC-PM-24-0010
Absolute Scale: 1:3,000	Survey Type: CONDITION
Reference Scale: 1 inch = 250 feet	
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl	

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403
843-329-8000

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered accurate enough for the general purpose of showing the project.

Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER

C002

SHEET 8 OF 11

SHEET REFERENCE NUMBER
C002
SHEET 9 OF 11

CH_01_CHE
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Conclduded on: **06 NOV 2025**

Charleston, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403
843-329-8000

Surveyed by: CCW	Survey Date: 06 NOV 2025
Reference Scale: 1 Inch = 250 feet	Project Reference Number: CESAC-PRA-0010
Absolute Scale: 1:3,000	Survey Type: CONDITION
	Production Date: 13 NOV 2025

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Legend
Standard Sounding
Sounding
Sounding may cover several point areas and be calculated per mesh quarter area
Obstruction Point
Obstruction
Wreck-Submerged
USCG Buoy
Green
Red
White
Yellow
Orange
USCG Beacon
Green
Red
White
USCG Light
Coast Guard Station

Chart Datum: MLLW
Vertical Datum: NAVD88
Horizontal Datum: NAD83
Units: Feet
Projection: Transverse Mercator
Central Meridian: -79.75
Origin Latitude: 32.75
False Easting: 2,000,000.00
False Northing: 0.00
Scale Factor: 0.9999

0 125 250 500 750 1,000 feet

Depth in feet
Less than 40.0
40.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

Production Notes:
1. The information depicted on this product is for posting purposes only. Users should not rely on it for navigation purposes. Information from surveys conducted by the USACE and approved partners and new to Mariners Local Notice to Mariners (LNM) and Notice to Mariners (NM). Soundings are in feet and tenths and reference the Mean Lower Low Water datum. Aids to Navigation are as charted on the date of survey. Mariners should refer to the most recent Local Notice to Mariners (LNM) and chart publication for any additional aids to navigation or changes that may have occurred since the survey date.
2. Source data: Multibeam and single beam hydrographic surveys conducted by USACE and approved partners.
3. Vertical datum for soundings is Mean Lower Low Water (MLLW).
4. Basemap: Esri Ocean Basemap.
5. Bathymetric contours generated using linear interpolation between soundings.

Disclaimer:
This product is not to be used for navigation. Mariners are encouraged to use all available navigational tools and resources, including but not limited to, local notices to mariners, chart updates, and other government publications. The U.S. Army Corps of Engineers, Charleston District, Charleston District, its employees, and contractors assume no responsibility for any errors or omissions in the data presented on this product. The user assumes all risk associated with the use of the data. The U.S. Army Corps of Engineers, Charleston District, its employees, and contractors are not liable for any damages, including but not limited to, loss of life, property damage, or economic loss, arising out of the use of or reliance on this product.

U.S. Army Corps of Engineers
Charleston District

U.S. Army Corps of Engineers
Charleston District

Production Notes:

1. The information depicted on this map is produced in for printing purposes only.
2. Water Hydrographic data derived from surveys conducted by the USACE and approved partners and/or surveys conducted by 3. Soundings are in feet and tenths and reflect the lowest tide observed during the period of sounding. Although charts have been developed from the best available sources, inaccuracies and obsolete conditions are common. errors and omission conditions may exist. Mariners are encouraged to exercise that due caution when navigating these and all waters.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, incidental, consequential or special damages or any kind, including but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on this data.

This product is not intended to be used for navigation.

Mariners are encouraged to use all prudent safety measures.

Depth in feet

Less than 40.0	
40.0 to 45.0	
45.0 to 50.0	
50.0 to 54.0	
Greater than 54.0	

0 125 250 500 750 1,000 feet

N

Legend

Standard Sounding
Sounding
Sounding may cover several point areas and is calculated per mesh quarter area

Obstruction Point
Obstruction
Wreck-Submerged

USCG Buoy
Green
Red
White
Yellow
Black
White

USCG Beacon
Green
Red
White

USCG Light
Coast Guard Beacon

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **06 NOV 2025**

Charleston, South Carolina

SHEET REFERENCE NUMBER: C002

SHEET 10 OF 11

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403

843-329-8000

Surveyed By: CCW
Reference Scale: 1 Inch = 250 feet
Projection: NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Survey Date: 06 NOV 2025
Survey Type: CONDITION
Production Date: 13 NOV 2025
Project Reference Number: CESAC-PRA-0010

Vertical Datum: Mean Lower Low Water (MLLW)
Horizontal Datum: North American Datum of 1983 (NAD83)
Units: Feet and Decimals
Projection: Universal Transverse Mercator (UTM) Zone 17 North
Spheroid: GRS 1980
Soundings: Feet and Decimals
Contour Interval: 5 Feet
Survey Limits: Entrance Channel, Ranges A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z, AA, BB, CC, DD, EE, FF, GG, HH, II, JJ, KK, LL, MM, NN, OO, PP, QQ, RR, SS, TT, UU, VV, WW, XX, YY, ZZ, AAA, BBB, CCC, DDD, EEE, FFF, GGG, HHH, III, JJJ, KKK, LLL, MMM, NNN, OOO, PPP, QQQ, RRR, SSS, TTT, UUU, VVV, WWW, XXX, YYY, ZZZ, AAAA, BBBB, CCCC, DDDD, EEEE, FFFF, GGGG, HHHH, IIII, JJJJ, KKKK, LLLL, MMMM, NNNN, OOOO, PPPP, QQQQ, RRRR, SSSS, TTTT, UUUU, VVVV, WWWW, XXXX, YYYY, ZZZZ, AAAAA, BBBBB, CCCCC, DDDDD, EEEEE, FFFFF, GGGGG, HHHHH, IIIII, JJJJJ, KKKKK, LLLLL, MMMMM, NNNNN, OOOOO, PPPPP, QQQQQ, RRRRR, SSSSS, TTTTT, UUUUU, VVVVV, WWWWW, XXXXX, YYYYY, ZZZZZ, AAAAAA, BBBBBB, CCCCCC, DDDDDD, EEEEEE, FFFFFF, GGGGGG, HHHHHH, IIIIII, JJJJJJ, KKKKKK, LLLLLL, MMMMMM, NNNNNN, OOOOOO, PPPPPP, QQQQQQ, RRRRRR, SSSSSS, TTTTTT, UUUUUU, VVVVVV, WWWWWW, XXXXXX, YYYYYY, ZZZZZZ

SHEET 11 OF 11

SHEET REFERENCE NUMBER
C002

CH_01_CHE

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Conducted on: **06 NOV 2025**

Charleston, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

USACE CHARLESTON
69A HAGOOD AVE
CHARLESTON, SC 29403
843-329-8000

Reviewed By:	
CCW	
Reference Scale:	Absolute Scale:
1 Inch = 250 feet	1:3,000
Survey Date:	Survey Type:
06 NOV 2025	CONDITION
Production Date:	Project Reference Number:
13 NOV 2025	CESAC-PRA-0010

Projection:
NAD 1983 StatePlane South Carolina FIPS 3900 Feet Intl

Legend

Standard Sounding
Sounding
Sounding may cover several point areas and is calculated per mesh quarter area

Obstruction

Obstruction Point
Wreck-Submerged

USCG Buoy
Green
Red
White
Yellow
Black
Striped
USCG Light
Coast Guard Beacon

USCG Beacon
Green
Red
White

Depth in feet
Less than 40.0
40.0 to 43.0
43.0 to 45.0
45.0 to 50.0
50.0 to 54.0
Greater than 54.0

0 125 250 500 750 1,000 feet

Production Notes:

1. The transducers depicted on this product is for posting purposes only. Hydrographic survey conducted by USACE and approved partners and vendors are accurate and reliable, errors and omissions from survey's conducted by USACE and approved partners and vendors are accurate and reliable, errors and omissions may exist. Although charts have been developed from the best available sources, Soundings are in feet and tenths.
2. Vertical datum is Mean Lower Low Water (MLLW).
3. Shoaling may be present between surveys and dredging. Use caution when navigating from physical sources used to develop the data may be outgoing.
4. Raster Background: NOAA ENC Chart service.

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Navigation Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on this data.

These data sets have been developed from the best available sources. Although charts have been made to ensure that the data sets are accurate and reliable, errors and omissions may exist.

This product is not intended to be used for navigation.

Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District