




Page 1 of 9

SHEET
REFERENCE
NUMBER
C002

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **18 MAR 2025**
Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Survey Date: 18 MAR 2025	Production Date: 3 JUN 2025
Reviewed By: CCW	Absolute Scale: 1:1,800	Project Reference Number: CESAC-PRA-0002	
Reference Scale: 1 inch = 150 feet		Survey Type: CONDITION	
SPATIAL DATA BRANCH 69A HAGOOD AVE. CHARLESTON, SC 29403 CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl	

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"±" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

Feet

N

E

S



W

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: PanSharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District



SHEET
REFERENCE
NUMBER
C002
Page 3 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **18 MAR 2025**
Mount Pleasant, South Carolina


U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA	Survey Date: 18 MAR 2025		Production Date: 3 JUN 2025	
	Reviewed By: CCW	Absolute Scale 1:1,800	Project Reference Number: CESAC-PRA-0002	
	Reference Scale: 1 inch = 150 feet		Survey Type: CONDITION	
	Projection: NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900			

Spatial Data Branch 69A HAGOOD AVE CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"±" indicates sounding above MLLW



Production Notes:


- The information depicted on this product is for plotting purposes only
- Vector hydrographic data derived from surveys conducted by the USACE and approved partners
- Soundings are in feet and refer to Mean Lower Low Water (MLLW)
- Raster Background: Panharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.





Page 4 of 9

SHEET
REFERENCE
NUMBER
C002

Shem Creek

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: 18 MAR 2025

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE.
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Absolute Scale:
1:1,800

Reference Scale:
1 inch = 150 feet

Projection:
NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 F3 Intl

Survey Date:
18 MAR 2025

Production Date:
3 JUN 2025

Project Reference Number:
CESAC-PRA-0002

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

*+ indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

Feet

North Arrow

N

E

S

W

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners

3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

4. Raster Background: Panhandle Worldview-2 Imagery dated 2014


In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers

Charleston District



Page 5 of 9

C002

SHEET
REFERENCE
NUMBER

Shem Creek

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: 18 MAR 2025

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By:	Absolute Scale:	Project Reference Number:	Survey Date:	Production Date:
CCW	1:1,800	CESAC-PRA-0002	18 MAR 2025	3 JUN 2025
Reference Scale:	Survey Type:			
1 inch = 150 feet	CONDITION			
Projection:				
NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl				

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"±" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Panharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers

Charleston District



2343000

2344000

2345000

348000

348000

348000

Shem Creek

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: 18 MAR 2025

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT

CORPS OF ENGINEERS

CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH

69A HAGOOD AVE

CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

Reviewed By:

CCW

Reference Scale:

1 inch = 150 feet

Projection:

NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900

Survey Date:

18 MAR 2025

Production Date:

3 JUN 2025

Project Reference Number:

CESAC-PRA-0002

Survey Type:

CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

"+" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only

2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners

3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)

4. Raster Background: PanSharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.


These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation.

Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers

Charleston District



Page 7 of 9

SHEET REFERENCE NUMBER C002

Shem Creek

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: 18 MAR 2025

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
66A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

Reviewed By:
CCW

Reference Scale:
1 inch = 150 feet

Projection:
NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900

Survey Date:
18 MAR 2025

Production Date:
3 JUN 2025

Project Reference Number:
CESAC-PRA-0002

Survey Type:
CONDITION

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"++" indicates sounding above MLLW

Depth in feet

0-3

3 to 6

6 to 9

9 to 12

Greater Than 12

0

250

500

Feet


Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: PanSharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers

Charleston District



Page 9 of 9

C002

SHEET
REFERENCE
NUMBER

Shem Creek

The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.

Concluded on: **18 MAR 2025**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS CHARLESTON, SOUTH CAROLINA		Reviewed By: CCW	Absolute Scale: 1:1,800	Survey Date: 18 MAR 2025	Production Date: 3 JUN 2025
SPATIAL DATA BRANCH 69A HAGOOD AVE. CHARLESTON, SC 29403		Reference Scale: 1 inch = 150 feet		Project Reference Number: CESAC-PRA-0002	
CESAC-GIS@USACE.ARMY.MIL		Projection: NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl		Survey Type: CONDITION	

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area

"+" indicates sounding above MLLW

Depth in feet

0-3	3 to 6	6 to 9	9 to 12	Greater Than 12
-----	--------	--------	---------	-----------------

0 250 500 Feet

Production Notes:


- The information depicted on this product is for plotting purposes only
- Vector hydrographic data derived from surveys conducted by the USACE and approved partners
- Soundings are in feet and refer to Mean Lower Low Water (MLLW)
- Raster Background: Panharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



Page 9 of 9

C002

SHEET
REFERENCE
NUMBER

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **18 MAR 2025**
Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE.
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

Reviewed By: CCW	Absolute Scale: 1:1,800	Survey Date: 18 MAR 2025	Production Date: 3 JUN 2025
Reference Scale: 1 inch = 150 feet	Project Reference Number: CESAC-PRA-0002	Survey Type: CONDITION	
Projection: NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl			

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"++" indicates sounding above MLLW

Depth in feet

0 250 500 Feet

N
S
E
W

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Panharpened Worldview-2 Imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps
of Engineers
Charleston District