

SHEET REFERENCE NUMBER
C002
Page 1 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet
0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12
0 250 500 Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 2 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 — 250 — 500 Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

SHEET REFERENCE NUMBER
C002
Page 3 of 9

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403
CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet
0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12
0 — 250 — 500 Feet

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 4 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date:	Production Date:
		24 AUG 2026	28 AUG 2026
Reviewed By: CCW	Absolute Scale: 1:1,800	Project Reference Number: CESAC-PRA-0002	
Reference Scale: 1 inch = 150 feet		Survey Type: CONDITION	
Projection: NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 250 500 Feet

N W E S

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.

These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.

This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 5 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 — 250 — 500 Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 6 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 250 500 Feet

N W E S

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 7 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 250 500 Feet

N W E S

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding

Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet

0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 250 500 Feet

Production Notes:

1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation. Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District



SHEET REFERENCE NUMBER
C002
Page 9 of 9

Shem Creek
The information depicted on this map represents the results of surveys made on the dates indicated and can only be considered as indicating the general conditions existing at that time.
Concluded on: **24 AUG 2026**

Mount Pleasant, South Carolina

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
CHARLESTON, SOUTH CAROLINA

SPATIAL DATA BRANCH
69A HAGOOD AVE
CHARLESTON, SC 29403

CESAC-GIS@USACE.ARMY.MIL

		Survey Date: **24 AUG 2026**	Production Date: **28 AUG 2026**
Reviewed By: **CCW**	Absolute Scale: **1:1,800**	Project Reference Number: **CESAC-PRA-0002**	
Reference Scale: **1 inch = 150 feet**		Survey Type: **CONDITION**	
Projection: **NAD 1983 NSRS2007 StatePlane South Carolina FIPS 3900 Ft Intl**			

Shoalest Sounding

Sounding
Sounding may cover several point areas and is calculated per reach quarter area
"+" indicates sounding above MLLW

Depth in feet
0-3 | 3 to 6 | 6 to 9 | 9 to 12 | Greater Than 12

0 250 500 Feet

N W E S

Production Notes:
1. The information depicted on this product is for plotting purposes only
2. Vector hydrographic data derived from surveys conducted by the USACE and approved partners
3. Soundings are in feet and refer to Mean Lower Low Water (MLLW)
4. Raster Background: Pansharpened Worldview-2 imagery dated 2014

In no event shall the U.S. Army Corps of Engineers, Charleston District Office, Spatial Data Branch be liable for direct, indirect, incidental, consequential or special damages of any kind, including, but not limited to, loss of anticipated profits or benefits arising out of use of or reliance on the data.
These data sets have been developed from the best available sources. Although efforts have been made to ensure that the datasets are accurate and reliable, errors and variable conditions originating from physical sources used to develop the data may be reflected in the data supplied.
This product is not intended to be used for navigation.
Mariners are encouraged to use all prudent safety measures.

U.S. Army Corps of Engineers
Charleston District