

## 2021 Nationwide Permits, Water Quality Certifications, Coastal Zone Consistency Determinations and Direct Critical Area Permits Table and Guide

The below table has been developed by the Charleston District to assist prospective permittees with determining which state permits may be required, as well as the Water Quality Certifications and/or Coastal Zone Consistency conditions that would apply to a specific NWP in the State of South Carolina. The prospective permittee should also review the Charleston District's "FINAL REGIONAL CONDITIONS FOR THE 2021 NATIONWIDE PERMITS IN CHARLESTON DISTRICT (SAC)" to determine additional NWP specific limits and/or requirements, which can be found at <https://www.sac.usace.army.mil/Missions/Regulatory/Permitting-Process/>.

### Acronyms:

**NWP:** Nationwide Permit

**WQC:** Water Quality Certification

**CZC:** Coastal Zone Consistency

**CAP:** Critical Area Permit

**SCDHEC:** South Carolina Department of Health and Environmental Control

**OCRM:** Office of Ocean and Coastal Resource Management

**Table**

<b>NWP</b>	<b>WQC</b>	<b>CZC</b>	<b>CAP</b>
1	N/A	Issued	See condition 3
2	N/A	Issued	See condition 3
3	Issued	Issued	See condition 3
4	Issued	Issued	See condition 3
5	Issued	Issued	See condition 3
6	Issued	Issued	See condition 3
7	Issued	Issued	See condition 3
8	N/A	Issued	See condition 3
9	N/A	Issued	See condition 3
10	N/A	Issued	See condition 3
11	N/A	Issued	See condition 3
12	Denied*	Denied**	See condition 3
13	Issued	Issued	See condition 3
14	Denied*	Denied**	See condition 3
15	Issued	Issued	See condition 3
16	Denied*	Denied**	See condition 3
17	Denied*	Denied**	See Condition 3
18	Issued	Issued	See condition 3
19	Issued	Issued	See condition 3

<b>NWP</b>	<b>WQC</b>	<b>CZC</b>	<b>CAP</b>
20	Issued	Issued	See condition 3
21	Denied*	Denied**	See condition 3
22	Issued	Issued	See condition 3
23	Denied *	Denied**	See condition 3
24	N/A	Denied**	See condition 3
25	Issued	Issued	See condition 3
27	Issued	Issued	See condition 3
28	N/A	Issued	See condition 3
29	Denied*	Denied**	See condition 3
30	Issued	Issued	See condition 3
31	Issued	Issued	See condition 3
32	Issued	Issued	See condition 3
33	Issued	Issued	See condition 3
34	Denied*	Denied**	See condition 3
35	N/A	Denied**	See condition 3
36	Issued	Issued	See condition 3
37	Issued	Issued	See condition 3
38	Issued	Issued	See condition 3
39	Denied*	Denied**	See condition 3
40	Issued, no conditions	Issued, no conditions	See condition 3
41	Issued	Issued	See condition 3
42	Issued, no conditions	Denied**	See condition 3
43	See condition 1	See condition 1	See condition 3
44	Denied*	Denied**	See condition 3
45	Issued	Issued	See condition 3
46	Denied*	Denied**	See condition 3
48	Issued, no conditions	Issued, no conditions	See condition 3
49	Denied*	Denied**	See condition 3
50	Denied*	Denied**	See condition 3
51	See condition 2	Denied**	See condition 3
52	See condition 2	See condition 2	See condition 3
53	Issued	Issued	See condition 3
54	Denied*	Denied**	See condition 3
55	Not applicable	Denied**	See condition 3
56	Not applicable	Denied**	See condition 3
57	Denied*	Denied**	See condition 3
58	Denied*	Denied**	See condition 3
59	Denied*	Denied**	See condition 3

\* Denied WQC: The prospective permittee must obtain an Individual 401 WQC from SCDHEC or waiver prior to verification of the NWP by the Corps.

\*\*Denied CZC: The prospective permittee must obtain an Individual CZC concurrence or demonstrate that concurrence is presumed prior to beginning the authorized work.

Condition 1 (WQC/CZC):

“Activities authorized by this certification are limited to maintenance of existing facilities, such as stormwater ponds, detention and retention basins, water control structures, outfall structures, emergency spillways, and existing ponds that are proposed for use as water quantity or volume control. This NWP cannot be used for existing ponds that are proposed to be converted into water quality treatment facilities such as sediment basins, sediment traps, or other similar structures.”

Condition 2 (WQC/CZC):

“This NWP is not certified for activities that cause the loss of more than 300 linear feet of stream bed.”

Condition 3 (CA):

“Activities in the Critical Areas (as defined in 48-39-10, R 30.1(D) and R 30.10) require a direct permit from SCDHEC OCRM. SCDHEC OCRM's action on direct critical area permits will serve as the consistency determination for the critical area activity.”

The prospective permittee must obtain the CA Permit, which also serves as the CZC from OCRM, prior to beginning the authorized work.