APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): August 12, 2015

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 1 of 1; CESAC-RD-NE 2015-00603-4S; Florence National

Cen	netery expansion
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Florence City: Florence Center coordinates of site (lat/long in degree decimal format): Lat. 34.184292° N, Long79.752711° W. Universal Transverse Mercator: Name of nearest waterbody: Unnamed Tributary of Jefferies Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Great Pee Dee River Name of watershed or Hydrologic Unit Code (HUC): Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Deek) Potentiation, Date:
	☐ Office (Desk) Determination. Date: ☐ Field Determination. Date(s): June 03, 2015
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
В. (CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters ² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 0.973 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Pick List, Pick List Elevation of established OHWM (if known):
	2. Non-regulated waters/wetlands (check if applicable): Including potentially jurisdictional features that upon assessment are NOT waters or wetlands

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.
² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional
Explain: .

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

TNW

Identify TNW: Great Pee Dee River.

Summarize rationale supporting determination: Report No. 11 of the 1977 U.S. Army Corps of Engineers Charleston District Navigability Study presently classifies the Great Pee Dee River as a "navigable water of the U.S." between its mouth at Winyah Bay (R.M. 0) near Georgetown, SC to Cheraw, SC (R.M. 165). The recommended practical limit of navigation is at Blewett Falls Dam (R.M. 188.2).

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: Pick List; **Pick List** Drainage area: Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. Tributary flows through **Pick List** tributaries before entering TNW. Project waters are **Pick List** river miles from TNW. Project waters are **Pick List** river miles from RPW. Project waters are **Pick List** aerial (straight) miles from TNW. Project waters are **Pick List** aerial (straight) miles from RPW.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

		Project waters cross or serve as state boundaries. Explain:
		Identify flow route to TNW^5 : Tributary stream order, if known:
	(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
		Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
		Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): %
	(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
		Surface flow is: Pick List. Characteristics:
		Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. Explain:
		If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
(iii)		emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain:

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

Identify specific pollutants, if known:

	(iv)		logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	•	Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: https://example.com/racteristics/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/pollutants/poll
	(iii)	Biol	Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	wetland(s) being considered in the cumulative analysis: Pick List proximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The tributary was determined to be a RPW with perennial flow during a site visit conducted on

and bank located within a natural valley, natural sinuosity and depositional bars. Hydrologic indicators include a firm sandy bottom clear of leaf litter and debris, and organic drift lines. Based on the previously mentioned evidence, this perennial RPW was determined to have flow at least 90% of the year under normal conditions. The wetland evaluated in this determination is contiguous and abuts the perennial RPW. Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Non-RPWs⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands were determined to be contiguous and directly abutting an off-site perennial RPW by during a site visit conducted on June 03, 2015 and by review of Aerial photographs, USGS topographic maps, Florence County LiDar maps, NWIs, Florence County wetland maps, and Florence County Soil survey information. All of the above refrenced desktop resources depict a contiguous wetland directly abutting the offsite tributary located due west of the project area. Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Provide acreage estimates for jurisdictional wetlands in the review area: **0.973** acres. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. Provide acreage estimates for jurisdictional wetlands in the review area: acres. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional wetlands in the review area: Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). **Explain:**

June 03, 2015 and by review of aerial photographs, Florence County LiDAR, and USGS topographic maps. Aerial photos depict a well defined channel with uninterrupted flow into Jefferies Creek and the USGS topographic maps depict a solid blue line feature which is the symbol for perennial flow. Florence County LiDAR depicts low elevations and a defined channel. Geomorphic indicators observed in the field include a well defined channel with continuous bed

⁸See Footnote # 3.

 $^{^{9}}$ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: . Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
A. 3	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The project area is depicted on a survey plat submitted by the agent, which was prepared by Ervin Engineering Company, last revised on August 03, 2015, and titled "WETLANDS SURVEY / FOR / UNITED STATES OF AMERICA, BY AND THROUGH THE SECRETARY OF VETRANS AFFAIRS" Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: Report No. 11 of the U.S. Army Corps of Engineers, Charleston District 1977 Navigability Study U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS 8 and 12 digit HUC maps.

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

U.S. Geological Survey map(s). Che scale & quad name: Florence west Quad: The USGS topographic survey information
within Florence West Quad depicts the project area as a woodland lot that decreases in elevation as you move east and the
wooded area contiues offsite and eventually abuts a solid blue line feature
☑ USDA Natural Resources Conservation Service Soil Survey. Citation: Florence County soil survey sheet 10: Florence County
soil survey information depicts the project area as being comprised of Norfolk loamy sand. Norfolk loamy sand is a well draine
partially hydric loamy sand.
National wetlands inventory map(s). Cite name: PFO1Bd ; the NWIs depict the project area as, saturated palustrine forest
that have been dithched or drained reaching in from the east, with small inclusions of residential uplands on the western
portion of the property
State/Local wetland inventory map(s):
FEMA/FIRM maps: .
100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
FEMA/FIRM maps: . 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: Aerial (Name & Date): Florence County Aerial Index 99:11227:48 and SCDNR 2006.
or Mother (Name & Date): Photos taken on site submitted by the agent dated 2/10/2105 and photos taken on site
by the Corps dated June 03, 2015.
Previous determination(s). File no. and date of response letter:
Applicable/supporting case law:
Applicable/supporting scientific literature:
Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: This form addresses an approximately 14.333 acre tract that contains 0.973 acre of jurisdictional wetlands. Jurisdictional wetlands on site are part of a contiguous wetland run that continues off site and abuts a perennial RPW that flows into Jefferies Creek. The offsite tributary is located to the north and east of the project area. Jefferies Creek drains into the Great Pee Dee River.

During a site visit conducted on June 03, 2015 soils within the boundaries of the delineated wetland were found to be saturated and to contain oxidized rhizospheres along living root channels. Obligate and Fac Wet vegetation was abundant in the herbaceous layer and soils met an A11 indicator (depleted below dark surface) as outlined in the "Field Indicators of Hydric Soils in the United States" guide, version 7.0, 2010,. Based on NRCS WETS data climatic conditions at the time were within normal range.

Limits of jurisdiction were established by the parameters set forth in the 1987 Wetland Delineation Manual and the 2010 Coastal Plain Supplement. The offsite tributary was observed on June 03, 2015 and was determined to be a RPW with perennial flow. Further review of aerial photographs, Florence County LiDAR, soil survey information and USGS topographic maps concurred with this determination. Aerial photos depict a well defined channel with uninterrupted flow into Jefferies Creek and the USGS topographic maps depict a solid blue line feature which is the symbol for perennial flow. Horry County LiDAR depicts low elevations and a defined channel. Based on the previously mentioned evidence, this perennial RPW was determined to have flow at least 90% of the year under normal conditions. The wetland evaluated in this determination is contiguous and abuts the off-site perennial RPW.