APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SEC	CTION I: BACKGROUND INFORMATION
A.	REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 10, 2016
В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 1 of 1; SAC # 2014-00899-4E - Palmetto Industrial Site
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Sumter City: Sumter Center coordinates of site (lat/long in degree decimal format): Lat. 33.9576° N, Long80.3647° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: UNT of Shot Pouch Branch
	Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Black River Name of watershed or Hydrologic Unit Code (HUC): Black River HUC 03040205_03 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☐ Office (Desk) Determination. Date: June 7, 2016 ☐ Field Determination. Date(s):
SEC A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	we area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	 Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): ¹ TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs

TNWs, including territorial seas

Wetlands adjacent to TNWs

Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs

Non-RPWs that flow directly or indirectly into TNWs

Wetlands directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs

Impoundments of jurisdictional waters

Isolated (interstate or intrastate) waters, including isolated wetlands

 $\mbox{\bf b.}\;\;\mbox{Identify}\;(\mbox{estimate})\;\mbox{size}\;\mbox{of}\;\mbox{waters}\;\mbox{of}\;\mbox{the}\;\mbox{U.S.}\;\mbox{in}\;\mbox{the}\;\mbox{review}\;\mbox{area:}\;$

Non-wetland waters: **1,395.05** linear feet: **12** width (ft) and/or wetlands: acres.

c. Limits (boundaries) of jurisdiction based on: Established by OHWM., Pick List, Pick List

Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable): [Including potentially jurisdictional features that upon assessment are NOT waters or wetlands]

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: One non-jurisdictional ditch is located on site. This feature is depicted on the USGS topo map as a solid blue

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

line feature bisecting the southern project boundary. This feature was determined to have been excavated out of uplands for the purpose of draining uplands. This feature was documented as being void of flow indicators and/or an OHWM during a site visit conducted by the Corps on 11/12/14.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Black River.

Summarize rationale supporting determination: Report No. 06 of the USACE 1977 Navigability Study on the Black River Area, presently classifies the Black River as a navigable water of the U.S. between its mouth on the Great Pee Dee River and its confluence with Black River Swamp and Pocotaligo River at R.M. 107.7 (0-107.7 River Miles). Wetlands within the project area are contiguous and directly abut Big Branch which flows unobstructed into the Pocotaligo River, which converges with Black River at its recomended practical limit of navigation, R.M. 107.7...

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: Pick List; Drainage area: Pick List Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through Pick List tributaries before entering TNW. Project waters are Pick List river miles from TNW. Project waters are Pick List river miles from RPW.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Project waters are Pick List aerial (straight) miles from TNW. Project waters are Pick List aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:			
	Identify flow route to TNW^5 : Tributary stream order, if known:			
(b)	b) General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:			
	Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.			
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:			
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): %			
(c) Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:				
	Surface flow is: Pick List. Characteristics: .			
	Subsurface flow: Pick List . Explain findings:			
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain: . the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting sediment sorting scour multiple observed or predicted flow events abrupt change in plant community			
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges other (list): Mean High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.			
Che	emical Characteristics:			

⁽iii)

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. ⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break. ⁷Ibid.

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain:

Identify specific pollutants, if known:

	(iv)	Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	aracteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)	Physical Characteristics: (a) General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b) General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
		Surface flow is: Pick List Characteristics: .
		Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c) Wetland Adjacency Determination with Non-TNW: Directly abutting Not directly abutting Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Separated by berm/barrier. Explain:
		(d) Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known:
	(iii)	Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	Aracteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: Pick List Approximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and
 other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetland	ls. Check all that appl	y and provide size estimates in review area:
	TNWs: linear feet	width (ft), Or,	acres.
	■ Wetlands adjacent to TNWs	s: acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The tributary was determined to be a RPW with perennial flow by review of USGS topographic

line on the USGS topographic map is the symbol for water with flow at least 90% of the year. Sumter county soil survey information depicts soil in this area as 100% hydric. Aerial photographs depict a shaded linear feature which typically represents a waters of the U.S. This feature was first identified in Preliminary JD (SAC 2014-00899) issued on January 26, 2015 with associated site visit conducted on November 12, 2014. The RPW was documented as having flow on August 5, 2015 (below average rainfall) and on April 23, 2016 (above average rainfall). . Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 1,3905.05 linear feet 12 width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Non-RPWs⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Provide acreage estimates for jurisdictional wetlands in the review area: Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. Provide acreage estimates for jurisdictional wetlands in the review area: acres. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional wetlands in the review area: acres. Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). **Explain:** ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):10

information, aerial photographs, and Sumter County soil survey information. The tributary is depicted on USGS topographic survey maps as a named solid blue line that flows unobstructed into Shot Pouch Branch which flows into Green Swamp which empties into the Pocotaligo River, which flows into to the Black River at R.M. 107.7. A solid blue

⁸See Footnote # 3.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
Identify water body and summarize rationale supporting determination:
Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): One non-jurisdictional ditch is located on site. This feature is depicted on the USGS topo map as a solid blue line feature bisecting the southern project boundary. This feature was determined to have been excavated out of uplands for the purpose of draining uplands. This feature was documented as being void of flow indicators and/or and OHWM during a site visit conducted by the Corps on 11/12/14.
Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres. Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres.
Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SECTION IV: DATA SOURCES.
A. SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site is depicted on a copy of a survey plat prepared by Lindler Surveying, Inc., dated May 18, 2016, and titled "'Boundary & Wetland Survey' / SOUTH CAROLINA: SUMTER COUNTY: SUMTER TOWNSHIP / PLAT OF THE COMBINATION OF A 4.58 ACRE TRACT / SURVYED FOR / PALMETTO HOLDING COMPANY OF SUMTER, LLC". Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: Report No. 06, on the Black River Area, of the USACE 1977 Navigability Study. U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS NHD data. USGS S and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: Sumter East; The topographic map depicts the majority of this site as cleared uplands; the northeastern property boundary consists of a solid blue line and forested uplands. The solid blue line continues off site southeast where it flows into Shot Pouch Branch. A second blue line is depicted near the southwestern

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

property corner; however, this feature was determined to be a non-judrisdictional ditch excavated out of uplands and draining			
only uplands.			
USDA Natural Resources Conservation Service Soil Survey. Citation: Pg. 56 ; The soil survey maps the majority of the site as			
Wagram, Lynchburg, and Orangeburg, which are non-hydric soils with hydric inclusions. The northeastern portion of the site			
in the location of the pRPW is mapped Rains sandy loam and Rains-Coxville- Lynchburg, hydric soils.			
National wetlands inventory map(s). Cite name: The majority of the site is mapped uplands (U21); however, the northeastern			
property boundary is mapped as saturated palustrine forested wetlands that are partially drained/ditched (PFO1Bd).			
State/Local wetland inventory map(s):			
FEMA/FIRM maps: Per F.I.R.M No. 45085C0303D dated 2/16/2007 the pRPW has an associated 100 year flood plain with a			
0.2 % annual chance of flood hazard			
100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)			
Photographs: Aerial (Name & Date): SCDNR 2006, 99:11204:98, The aerials depict this site as developed uplands with a			
potential linear feature located near the southwestern property boundary and the northeastern property boundary.			
or 🔀 Other (Name & Date): Site photos submitted by the agent taken on 4/23/16, site photos submitted S&ME			
dated August 5, 2014 and site photos taken by the Corps during a site visit conducted on 11/12/14			
Previous determination(s). File no. and date of response letter: Preliminary JD (SAC 2014-00899) issued on January 26, 2015,			
Site Visit November 12, 2014.			
Applicable/supporting case law: .			
Applicable/supporting scientific literature:			
Other information (please specify): Sumter County LiDAR overlay with Hillshade depicts the pRPW as a sinuous feature			
with a defined channel that flows uninterupted into Shot Pouch Branch .			

B. ADDITIONAL COMMENTS TO SUPPORT JD: This form address a 27.24 acre site that was determined to contain 1395.05 linear feet of a perennial relatively permanent water. This feature was first identified under drought conditions in Preliminary JD (SAC 2014-00899) issued on January 26, 2015 with a site visit was conducted on November 12, 2014. The RPW was documented as having flow on August 5, 2015 (below average rainfall) and on April 23, 2016 (above average rainfall). The tributary is depicted on USGS topographic survey maps as a named solid blue line that flows unobstructed into Shot Pouch Branch which flows into Green Swamp which empties into the Pocotaligo River, which flows into to the black river at R.M. 107.7. A solid blue line on the USGS topographic map is the symbol for water with flow at least 90% of the year. Sumter county soil survey information depicts soil in this area as 100% hydric. Aerial photographs depict a shaded linear feature which typically represents a waters of the U.S. Sumter County LiDAR overlay with Hillshade depicts the pRPW as a sinuous feature with a defined channel that flows uninterrupted into Shot Pouch Branch. One non-jurisdictional ditch is located on site. This feature is depicted on the USGS topo map as a solid blue line feature bisecting the southern project boundary. This feature was determined to have been excavated out of uplands for the purpose of draining uplands. This feature was documented as being void of flow indicators and/or and OHWM during a site visit conducted by the Corps on 11/12/14.