APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 22-June-2016 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 1 of 5; SAC 2013-00371 Tract P C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Chester City: Chester Center coordinates of site (lat/long in degree decimal format): Lat. 34.742650° N, Long. 81.116119° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Hooper Branch Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Catawba River Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Lower Catawba Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 22-June-2016 Field Determination. Date(s): 10-April-2013 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW 1=828.4 linear feet, PRPW 2=199.4 linear feet, SRPW 3=30.1 linear feet, SRPW 14=683.3 linear feet, and PRPW 1A=233.6 linear feet: width (ft) and/or acres. Wetlands: Wetland B=1.03 acres, Wetland I=0.8 acre and Wetland H=1.67 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

General Area Conditions:

Watershed size: 127,983 acres ; 03050103-05 Rocky Creek Drainage area: SRPW 14=27 acres and SRPW 3=less than 1 acre Average annual rainfall: 46.59 inches Average annual snowfall: 3.1 inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 3 tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 30 (or more) aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: **Hooper Branch which flows to Rocky Creek which flows to Cedar Creek Resevoir which flows to the Catawba River (Navigable Water of the US and Traditional Navigable Water).**

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	Tributary stream order, it known:
(b)	General Tributary Characteristics (check all that apply): Tributary is:
	Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
are moderat	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, the seasonal RPWs are surrounded by Iredell soils. These soilely well drained, permeable clayey soils.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope): %
(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: SRPW 14 and SRPW 3 flow during the wetter months and after rain events. Other information on duration and volume: SRPW 14 and SRPW 3 have distinct channels and clear OHWMs. Surface flow is: Discrete and confined. Characteristics: Water flows through the channels during normal
conditions.	
	Subsurface flow: Unknown. Explain findings:
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving destruction of terrestrial vegetation the presence of wrack line sediment sorting sediment sorting scour multiple observed or predicted flow events water staining dark multiple observed or plant community other (list):
	Discontinuous OHWM. ⁷ Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand..

Identify specific pollutants, if known: Possibility of pollutants from nearby railroad and road.

	(iv)		logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: ☐ Federally Listed species. Explain findings: ☐ Other environmentally-sensitive species. Explain findings: ☐ Aquatic/wildlife diversity. Explain findings:
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Assical Characteristics: General Wetland Characteristics: Properties: Wetland size: Wetland B=1.03 acres Wetland type. Explain: Forested. Wetland quality. Explain: Fair. Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: Water flows from wetland after heavy rain.
			Surface flow is: Overland sheetflow Characteristics: Water flows overland and through swales. Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: Water flows overland and through swales. ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are 30 (or more) river miles from TNW. Project waters are 30 (or more) aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: uracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand https://example.com/significant/
	(iii)		logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Provides breeding grounds for aquatic species. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Provides habitat for wildlife in the area.
	~-		

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 1

Approximately (1.03) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: Wetland B is abutting SRPW 14. This wetland and the RPW are collectively performing biological, chemical, and physical functions that relate to the TNW. The wetland is less than 1 mile from the nearest perennial RPW. This wetland and seasonal RPW are located on a site that is close to a major road and railroad. The site also has several areas cleared for fields. The wetland is forested. The wetland and tributary provide breeding grounds for aquatic species and habitat for wildlife in the area. They help to filter pollutants and run-off before they travel downstream to the TNW. They also perform flow maintenance functions with storage of flood water during times of heavy rain and during the wetter months.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: SRPW 3 and SRPW 14 are located in the northeastern part of the tract. Wetland B is abutting SRPW 14 They are performing a variety of functions that relate to the biological, chemical, and physical integrity of the TNW. These seasonal tributaries and wetland are located on a tract that is adjacent to a major road and railway. These tributaries and wetland provide breeding grounds for aquatic species and habitat for wildlife in the area. These tributaries and wetland also help to filter pollutants and run-off from the nearby road and railway before they flow downstream to the TNW. The tributaries and wetland help store water during times of heavy rain and the wetter months. Based on the collective functions described above and their importance

to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the tributaries and wetland to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL

1 11/	MAILLI).
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW 1, PRPW 2, and PRPW 1A are perennial tributaries. PRPW 1 is shown as a blue line on the topo map. These tributaries were observed flowing during flagging and during the Corps site visit. They have clea OHWMs and distinct channels. Stream characteristics observed and available data led this office to conclude the tributaries have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 3 and SRPW 14 are seasonal tributaries that flow into PRPW 1. They are shown as contours on the topo map. Stream characteristics observed and available data led this office to conclude the tributaries have a seasonal flow regime.
line	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: PRPW 1=828.4 linear feet, PRPW 2=199.4 linear feet, SRPW 3=30.1 linear feet, SRPW 14=683.3 ar feet, and PRPW 1A=233.6 linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland H is directly abutting PRPW 1 and Wetland I is directly abutting PRPW 2.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland B is directly abutting SRPW 14.
Wet	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland B=1.03 acres, Wetland I=0.8 acre and cland H=1.67 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.

	7. Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): .
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):
	Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: S&ME. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook. ¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

\boxtimes	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990 .
	USGS NHD data.
	☑ USGS 8 and 12 digit HUC maps.
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Richburg.
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Chester County Soil Map 13-Chewacla, Iredell,
Me	cklenburg.
\boxtimes	National wetlands inventory map(s). Cite name: PUBHh .
	State/Local wetland inventory map(s): .
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date): 12091:27, 1999.
	or Mother (Name & Date): Photos 1-30 of 30 taken by S&ME dated January 29-30 & February 4-5, 2013.
	Previous determination(s). File no. and date of response letter: .
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
\boxtimes	Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 3 perennial RPWs with 2 abutting wetlands and 2 seasonal RPWs with an abutting wetland. RPWs and abutting wetlands are jurisdictional according to RGL 07-01, however, the significant nexus findings for the record are included as required by Rapanos Guidance. The waters documented on this form are waters of the U.S. and are within the jurisdiction of the Clean Water Act.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 22-June-2016 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 2 of 5; SAC 2013-00371 Tract P C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Chester City: Chester Center coordinates of site (lat/long in degree decimal format): Lat. 34.742650° N, Long. 81.116119° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Hooper Branch Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Catawba River Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Lower Catawba Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 22-June-2016 Field Determination. Date(s): 10-April-2013 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW 15=518.34 linear feet and SRPW 16=925.1 linear feet: width (ft) and/or acres. Wetlands: Wetland A=1.4 acres and Wetland F=0.87 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. T	ΓNW
------	-----

Identify TNW: .

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 127,983 acres; 03050103-05 Rocky Creek

Drainage area: **SRPW 16=24.6 acres** Average annual rainfall: **46.59** inches Average annual snowfall: **3.1** inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 3 tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 30 (or more) aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: **Hooper Branch which flows to Rocky Creek which flows to Cedar Creek Resevoir which flows to the Catawba River (Navigable Water of the US and Traditional Navigable Water)**. Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	Tributary is:
	Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
moderately v	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, the SRPW 16 is surrounded by Iredell soils. These soils are well drained, permeable clayey soils.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope):
(c)	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: SRPW 16 flows during the wetter months and after rain events. Other information on duration and volume: SRPW 16 has a distinct channel and clear OHWM.
	Surface flow is: Discrete and confined. Characteristics: Water flows through the channel during normal conditions.
	Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain: the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting scour multiple observed or predicted flow events abrupt change in plant community
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
Cha	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand Intify specific pollutants, if known: Possibility of pollutants from nearby railroad and road.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.


(iv)	Bio	logical Characteristics. Channel supports (check all that apply):
	H	Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics:
	\boxtimes	Habitat for:
		Federally Listed species. Explain findings:
		Fish/spawn areas. Explain findings: Provides breeding grounds for aquiqatic species .
		Other environmentally-sensitive species. Explain findings:
		Aquatic/wildlife diversity. Explain findings: Provides habitat for wildlife in the area .
Ch	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(i)		vsical Characteristics:
	(a)	General Wetland Characteristics: Properties:
		Wetland size: Wetland A=1.4 acres
		Wetland type. Explain: Forested .
		Wetland quality. Explain: Fair.
		Project wetlands cross or serve as state boundaries. Explain: .
	(b)	General Flow Relationship with Non-TNW:
	` /	Flow is: Ephemeral flow . Explain: Water flows from wetland after heavy rains .
		Surface flow is: Overland sheetflow
		Characteristics: Water flows over land and theough swales.
		Subsurface flow: Unknown. Explain findings: .
		Dye (or other) test performed:
	(c)	Wetland Adjacency Determination with Non-TNW:
	(C)	Directly abutting
		Not directly abutting
		Discrete wetland hydrologic connection. Explain:
		Ecological connection. Explain: Water flows overland and through swales to seasonal tributary.
		Separated by berm/barrier. Explain: .
	(d)	Proximity (Relationship) to TNW
	()	Project wetlands are 30 (or more) river miles from TNW.
		Project waters are 30 (or more) aerial (straight) miles from TNW.
		Flow is from: Wetland to navigable waters.
		Estimate approximate location of wetland as within the Pick List floodplain.
(ii)		emical Characteristics:
	Cha	aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
		characteristics; etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4%
		urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing
		trend in five-day biochemical oxygen demand.
	Ide	ntify specific pollutants, if known: Possible pollutants from nearby railroad and roads.
(iii) Rio	logical Characteristics. Wetland supports (check all that apply):
(111)		Riparian buffer. Characteristics (type, average width):
		Vegetation type/percent cover. Explain: .
	\boxtimes	Habitat for:
		Federally Listed species. Explain findings:
		Fish/spawn areas. Explain findings: Provides breeding grounds for aquatic species .
		☐ Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Provides habitat for wildlife in the area .
		My Aquade/whiting diversity. Explain initialities. Frovides habitation whiting in the area.
Ch		eristics of all wetlands adjacent to the tributary (if any)
		wetland(s) being considered in the cumulative analysis: 1
	App	proximately (1.4) acres in total are being considered in the cumulative analysis.

2.

3.

Page 4 of 8

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: Wetland A is adjacent to SRPW 16. This wetland and the RPW are collectively performing biological, chemical, and physical functions that relate to the TNW. The wetland is less than 1 mile from the nearest perennial RPW. This wetland and seasonal RPW are located on a site that is close to a major road and railroad. The site also has several areas cleared for fields. The wetland is forested. The wetland and tributary provide breeding grounds for aquatic species and habitat for wildlife in the area. They help to filter pollutants and run-off before they travel downstream to the TNW. They also perform flow maintenance functions with storage of flood water during times of heavy rain and during the wetter months.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: Wetland A is adjacent to SRPW 16. This wetland and the RPW are collectively performing biological, chemical, and physical functions that relate to the TNW. The wetland is less than 1 mile from the nearest perennial RPW. This wetland and seasonal RPW are located on a site that is close to a major road and railroad. The site also has several areas cleared for fields. The wetland is forested. The wetland and tributary provide breeding grounds for aquatic species and habitat for wildlife in the area. They help to filter pollutants and run-off before they travel downstream to the TNW. They also perform flow maintenance functions with storage of flood water during times of heavy rain and during the wetter months. Based on the collective functions

described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the tributaries to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL

IH	AI APPLI):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW 15 is a perennial tributary. It is shown as a dashed blue line on the topo and soil survey. This tributary was observed flowing during flagging and during the Corps site visit. It has a clear OHWM and distinct channel. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 16 is a seasonal tributary. It is shown as a controur on the topo map and as seasonal on the soil map. Stream characteristics observed and available data led this office to conclude the tribtuary has a seasonal flow regime.
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: PRPW 15=518.34 linear feet and SRPW 16=925.1 linear feet Other non-wetland waters: acres. Identify type(s) of waters:
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland F is directly abutting PRPW 15.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland F=0.87 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland A=1.4 acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters. ⁹

As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.

⁸See Footnote # 3.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

	Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SE	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: S&ME. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study. U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990. USGS NHD data. USGS 8 and 12 digit HUC maps.
	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Richburg.

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

\bowtie	USDA Natural Resources Conservation Service Soil Survey. Citation: Chester County Soil Map 13-Chewacla, Iredell,			
Me	Mecklenburg.			
\boxtimes	National wetlands inventory map(s). Cite name: PUBHh .			
	State/Local wetland inventory map(s): .			
	FEMA/FIRM maps: .			
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)			
\boxtimes	Photographs: Aerial (Name & Date): 12091:27, 1999.			
	or 🖂 Other (Name & Date): Photos 1-30 of 30 taken by S&ME dated January 29-30 & February 4-5, 2013.			
	Previous determination(s). File no. and date of response letter:			
	Applicable/supporting case law: .			
	Applicable/supporting scientific literature: .			
\boxtimes	Other information (please specify): Corps Site Visit.			

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with an abutting wetland and 1 seasonal RPW with an adjacent wetland. RPWs and abutting wetlands are jurisdictional according to RGL 07-01. A significant nexus determination was performed for the seasonal RPW and adjacent wetland. Based on the documentation provided in Section III, C of this form, the nexus is significant. The waters documented on this form are waters of the U.S. and are within the jurisdiction of the Cleant Water Act.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 22-June-2016 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 3 of 5; SAC 2013-00371 Tract P C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Chester City: Chester Center coordinates of site (lat/long in degree decimal format): Lat. 34.742650° N, Long. 81.116119° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Hooper Branch Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Catawba River Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Lower Catawba Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 22-June-2016 Field Determination. Date(s): 10-April-2013 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW 7=4,772.5 linear feet and PRPW 8=828.4 linear feet: width (ft) and/or acres. Wetlands: Wetland G=0.04 acre and Wetland L=0.03 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) Comoral Area Conditions

(1)	General Area Conditions:
	Watershed size: acres;
	Drainage area:
	Average annual rainfall: inches
	Average annual snowfall: inches
(ii)	Physical Characteristics:
(11)	•
	(a) Relationship with TNW:
	☐ Tributary flows directly into TNW.
	☐ Tributary flows through Pick List tributaries before entering TNW.
	Project waters are Pick List river miles from TNW.
	Project waters are Pick List river miles from RPW.
	Project waters are Pick List aerial (straight) miles from TNW.
	Project waters are Pick List aerial (straight) miles from RPW.
	Project waters cross or serve as state boundaries. Explain:
	Identify flow route to TNW ⁵ : .
	Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)	General Tributary Charac	cteristics (check all that apply	⁷):	
	,	Tributary is:	atural rtificial (man-made). Explai Ianipulated (man-altered). E	n:	n: .
		Tributary properties with Average width: Average depth: Average side slopes	h respect to top of bank (estin feet feet : Pick List.	mate)	:
		Primary tributary substra	te composition (check all tha Sands Gravel Vegetation. Type/%		☐ Concrete ☐ Muck
		Tributary condition/stabi Presence of run/riffle/po Tributary geometry: Picl Tributary gradient (appro	List.	ıghin %	g banks]. Explain: .
	(c)	Flow: Tributary provides for: P Estimate average number Describe flow regin Other information on dur	of flow events in review are ae:	a/yea	r: Pick List
		Surface flow is: Pick Lis	t. Characteristics: .		
		Subsurface flow: Pick L Dye (or other) to			
		☐ clear, natura ☐ changes in t ☐ shelving ☐ vegetation r	all indicators that apply): I line impressed on the bank he character of soil natted down, bent, or absent sturbed or washed away position		the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting scour multiple observed or predicted flow events abrupt change in plant community
		☐ High Tide Line ☐ oil or scum ☐ fine shell or		Mea	eral extent of CWA jurisdiction (check all that apply): n High Water Mark indicated by: survey to available datum; ohysical markings; regetation lines/changes in vegetation types.
(iii)	Cha	emical Characteristics: aracterize tributary (e.g., w Explain: ntify specific pollutants, if		, oily	film; water quality; general watershed characteristics, etc.).
(iv)	Biol		Channel supports (check all cteristics (type, average widteristics:		apply):

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

			☐ Federally Listed species. Explain findings: ☐ Fish/spawn areas. Explain findings: ☐ Other environmentally-sensitive species. Explain findings: ☐ Aquatic/wildlife diversity. Explain findings:
2.	Cha	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: httify specific pollutants, if known:
	(iii	Bio	logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and A	djacent Wetlands.	Check all that appl	y and provide size estimates in review area:
	TNWs:	linear feet	width (ft), Or,	acres.
	☐ Wetlands a	adjacent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW 7 & PRPW 8 are perennial tributaries. PRPW 7 is shown as a blue line on the topo and as

	perennial on the soil survey. The tributaries were observed flowing during flagging and during the Corps site visit. They have clear OHWMs and distinct channels. Stream characteristics observed and available data led this office to conclude the tributaries have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: PRPW 7=4,772.5 linear feet and PRPW 8=828.4 linear feet Other non-wetland waters: acres. Identify type(s) of waters:
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland G and Wetland L are directly abutting PRPW 7.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland G=0.04 acre and Wetland L=0.03 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters. ⁹ As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
DE G	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.

E.

 ⁸See Footnote # 3.
 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 10 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: S&ME. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study. U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990. USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Richburg. USDA Natural Resources Conservation Service Soil Survey. Citation: Chester County Soil Map 13-Chewacla, Iredell, Mecklenburg. National wetlands inventory map(s). Cite name: PUBHh. State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: Aerial (Name & Date): 12091:27, 1999. or Other (Name & Date): Photos 1-30 of 30 taken by S&ME dated January 29-30 & February 4-5, 2013.
	Previous determination(s). File no. and date of response letter: Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 2 perennial RPWs with abutting wetlands. Based on guidance in RGL 07-01, perennial RPWs and abutting wetlands are jurisdictional. The waters documented on this form are waters of the U.S. and are within the jurisdiction of the Clean Water Act.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 22-June-2016 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 4 of 5; SAC 2013-00371 Tract P C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Chester City: Chester Center coordinates of site (lat/long in degree decimal format): Lat. 34.742650° N, Long. 81.116119° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Hooper Branch Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Catawba River Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Lower Catawba Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 22-June-2016 Field Determination. Date(s): 10-April-2013 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW 4=2,195.5 linear feet, SRPW 5=2,126.5 linear feet, SRPW 6=497.4 linear feet, and SRPW **13=329.5** linear feet: width (ft) and/or acres. Wetlands: Wetland D=0.1 acre, Wetland E=1.54 acres, Wetland J=0.43 acre, and Wetland K=0.41 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: 127,983 acres; 03050103-05 Rocky Creek Drainage area: SRPW 5=14.6 acres Average annual rainfall: 46.59 inches Average annual snowfall: 3.1 inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW.

☐ Tributary flows through 3 tributaries before entering TNW.

Project waters are Project waters are Project waters are Project waters are 1 (or less) river miles from RPW.

1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: **Hooper Branch which flows to Rocky Creek which flows to Cedar Creek Resevoir which flows to the Catawba River (Navigable Water of the US and Traditional Navigable Water).**

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	Tributary stream order, if known:
(b)	General Tributary Characteristics (check all that apply): Tributary is:
	Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
soils are mod	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, the seasonal tributaries are surrounded by Iredell soils. These lerately well drained, permeable clayey soils.
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope):
(c) OHWMs.	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: SRPW 5, SRPW 6, and SRPW 13 flow during the wetter months and after rain events. Other information on duration and volume: SRPW 5, SRPW 6, and SRPW 13 have distinct channels and clear
conditions.	Surface flow is: Discrete and confined. Characteristics: Water flows through the channels during normal
	Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
	Tributary has (check all that apply):
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
` '	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand.. Identify specific pollutants, if known: Possibility of pollutants from nearby railroad and road. Riparian corridor. Characteristics (type, average width):

Wetland fringe. Characteristics: (iv) Biological Characteristics. Channel supports (check all that apply): Mabitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: **Provides breeding grounds for aquatic species**. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: **Provides habitat for wildlife in the area**. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW (i) Physical Characteristics: (a) General Wetland Characteristics: Properties: Wetland size: **Wetland D=0.1** acres Wetland type. Explain: Forested. Wetland quality. Explain: Fair. Project wetlands cross or serve as state boundaries. Explain: (b) General Flow Relationship with Non-TNW: Flow is: Ephemeral flow. Explain: Water flows from wetland after heavy rains. Surface flow is: Overland sheetflow Characteristics: Water flows over land and theough swales. Subsurface flow: **Unknown**. Explain findings: Dye (or other) test performed: (c) Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting Not directly abutting Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Water flows overland and through swales to SRPW 5. Separated by berm/barrier. Explain: (d) Proximity (Relationship) to TNW Project wetlands are **30 (or more)** river miles from TNW. Project waters are 30 (or more) aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters. Estimate approximate location of wetland as within the Pick List floodplain. (ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially

characteristics; etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% supported on Rocky Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand..

Identify specific pollutants, if known: Possible pollutants from nearby railroad and roads.

(iii) Biol	logical Characteristics. Wetland supports (check all that apply):
	Riparian buffer. Characteristics (type, average width):
	Vegetation type/percent cover. Explain: .
\boxtimes	Habitat for:
	Federally Listed species. Explain findings: .
	Fish/spawn areas. Explain findings: Provides breeding grounds for aquatic species .
	Other environmentally-sensitive species. Explain findings: .
	Aquatic/wildlife diversity. Explain findings: Provides habitat for wildlife in the area .

Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 1

Approximately (0.1) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: Wetland D is abutting SRPW 5. This wetland and the RPW are collectively performing biological, chemical, and physical functions that relate to the TNW. The wetland is less than 1 mile from the nearest perennial RPW. This wetland and seasonal RPW are located on a site that is close to a major road and railroad. The site also has several areas cleared for fields. The wetland is forested. The wetland and tributary provide breeding grounds for aquatic species and habitat for wildlife in the area. They help to filter pollutants and run-off before they travel downstream to the TNW. They also perform flow maintenance functions with storage of flood water during times of heavy rain and during the wetter months.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: Wetland D is abutting SRPW 5. This wetland and the RPW are collectively performing biological, chemical, and physical functions that relate to the TNW. The wetland is less than 1 mile from the nearest perennial RPW. This wetland and seasonal RPW are located on a site that is close to a major road and railroad. The site also has several areas cleared for fields. The wetland is forested. The wetland and tributary provide breeding grounds for aquatic species and habitat for wildlife in the area. They help to filter pollutants and run-off before they travel downstream to the TNW. They also perform flow maintenance functions with storage of flood water during times of heavy rain and during the wetter months. Based on the collective functions

described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the tributaries to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL

111	ATAILLI).
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW 4 is a perennial tributary. It is shown as a blue line on the topo and as perennial on the soil survey. This tributary was observed flowing during flagging and during the Corps site visit. It has a clear OHWM and distinct channel. Stream characteristics observed and available data led this office to conclude the tributary has a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 5, SRPW 6, and SRPW 13 are seasonal tributaries. SRPW 5 is shown as a dashed blue line on the topo and as seasonal on the soil survey. SRPW 6 and SRPW 13 are shown as contours on the topo map and as seasonal on the survey survey. Stream characteristics observed and available data led this office to conclude the tributaries have a seasonal flow regime.
13=	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: PRPW 4=2,195.5 linear feet, SRPW 5=2,126.5 linear feetm SRPW 6=497.4 linear feet, and SRPW 329.5 linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland E, Wetland J, and Wetland K are directly abutting PRPW 4.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland D is directly abutting SRPW 5.
J=0	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland D=0.1 acre, Wetland E=1.54 acres, Wetland 43 acre, and Wetland K=0.41 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

⁸See Footnote # 3.

	Provide estimates for jurisdictional wetlands in the review area: acres.
	7. Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
Е.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): .
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
CE/	CTION IV. DATA SOUDCES
	CTION IV: DATA SOURCES. SUPPOPTING DATA Data reviewed for ID (cheek all that apply checked items shall be included in case file and where checked
А.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: S&ME.
	 □ Data sheets prepared/submitted by or on behalf of the applicant/consultant. □ Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. □ Office does not concur with data sheets/delineation report. □ Data sheets prepared by the Corps:

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook. ¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

\boxtimes	Corps navigable waters' study: 1977 Navigability Study.
\boxtimes	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
	☐ USGS NHD data.
	☑ USGS 8 and 12 digit HUC maps.
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Richburg.
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Chester County Soil Map 13-Chewacla, Iredell,
Med	cklenburg.
\boxtimes	National wetlands inventory map(s). Cite name: PUBHh .
	State/Local wetland inventory map(s):
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date): 12091;27, 1999.
	or 🔀 Other (Name & Date): Photos 1-30 of 30 taken by S&ME dated January 29-30 & February 4-5, 2013.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
\boxtimes	Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 1 perennial RPW with an 3 abutting wetlands and 3 seasonal RPW with an abutting wetland. RPWs and abutting wetlands are jurisdictional according to RGL 07-01. A significant nexus determination was performed for the seasonal RPW and abutting wetland. Based on the documentation provided in Section III, C of this form, the nexus is significant. The waters documented on this form are waters of the U.S. and are within the jurisdiction of the Cleant Water Act.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 22-June-2016 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 5 of 5; SAC 2013-00371 Tract P C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Chester City: Chester Center coordinates of site (lat/long in degree decimal format): Lat. 34.742650° N, Long. 81.116119° W. Universal Transverse Mercator: NAD 83 Name of nearest waterbody: Hooper Branch Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Catawba River Name of watershed or Hydrologic Unit Code (HUC): 03050103-05 Lower Catawba Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: 22-June-2016 Field Determination. Date(s): 10-April-2013 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): 1 TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW 9=376 linear feet, SRPW 10=351.9 linear feet, PRPW 11=1,319.7 linear feet, and SRPW 12=182.6 linear feet and Impoundment 1=1.53 acres. Wetlands: Wetland C=0.16 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1.	TNW Identify TNW:	
	Summarize rationale supporting determination: .	
2.	Wetland adjacent to TNW Summarize rationale supporting conclusion that wetland is "adjacent":	

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

General Area Conditions:

Watershed size: 127,983 acres; 03050103-05 Rocky Creek Drainage area: Average annual rainfall: 46.59 inches Average annual snowfall: 3.1 inches (ii) Physical Characteristics: (a) Relationship with TNW: ☐ Tributary flows directly into TNW. ☐ Tributary flows through 3 tributaries before entering TNW. Project waters are Project waters

Identify flow route to TNW⁵: Hooper Branch which flows to Rocky Creek which flows to Cedar Creek Reservoir which flows to the Catawba River (Navigable Water of the US and Traditional Navigable Water).

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Tributary stream order, if known:
(b) General Tributary Characteristics (check all that apply): Tributary is: ☐ Natural ☐ Artificial (man-made). Explain: ☐ Manipulated (man-altered). Explain:
Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain: According to the soil survey, the seasonal RPWs are surrounded by Iredell soils. These soils are moderately well drained, permeable clayey soils.
Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope):
(c) Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: SRPW 10 and SRW 12 flow during the wetter moneths and after rain events. Other information on duration and volume: SRPW 10 and SRPW 12 have distinct channels and clear OHWMs.
Surface flow is: Discrete and confined. Characteristics: Water flows through channel during normal conditions .
Subsurface flow: Unknown. Explain findings:
Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil destruction of terrestrial vegetation shelving vegetation matted down, bent, or absent vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain:
If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
(iii) Chemical Characteristics: Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The watershed land use includes 70.4% forested land, 20.5% agricultural land, 6.4% urban land, 1.6% forested wetland (swamp), 0.6% barren land, and 0.5% water. Recreational uses are partially supported on Rocky Creek due to fecal coliform bacteria excursions. Downstream there is a significant increasing trend in five-day biochemical oxygen demand

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Tibid.

(iv) Biological Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: **Provides breeding grounds for aquatic species in the area**. Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: **Provides habitat for wildlife in the area**. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW (i) Physical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain: (b) General Flow Relationship with Non-TNW: Flow is: **Pick List**. Explain: Surface flow is: Pick List Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed: (c) Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Separated by berm/barrier. Explain: (d) Proximity (Relationship) to TNW Project wetlands are **Pick List** river miles from TNW. Project waters are **Pick List** aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the **Pick List** floodplain. (ii) Chemical Characteristics: Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Identify specific pollutants, if known: (iii) Biological Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: Pick List) acres in total are being considered in the cumulative analysis. Approximately (

Identify specific pollutants, if known: Possibility of pollutants from nearby railroad and road.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: SRPW 10 and SRPW 12 are located in the southern part of the tract. They are performing a variety of functions that relate to the biological, chemical, and physical integrity of the TNW. These seasonal tributaries are located on a tract that is adjacent to a major road and railway. These tributaries provide breeding grounds for aquatic species and habitat for wildlife in the area. These tributaries also help to filter pollutants and run-off from the nearby road and railway before they flow downstream to the TNW. The tributaries help store water during times of heavy rain and the wetter months. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the downstream TNW, it has been determined there is a significant nexus between the tributaries to the downstream TNW.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1. TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:

	TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW 9 and PRPW 11 are perennial tributaries. They are shown as contours on the topo map and on the soil survey. These tributaries were observed flowing during flagging and during the Corps site visit. They have a clear OHWM and distinct channel. Stream characteristics observed and available data led this office to conclude the tributaries have a perennial flow regime.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: SRPW 10 and SPRPW 12 are seasonal tributaries. They are shown as contours on the topo map. Stream characteristics observed and available data led this office to conclude these tribtuaries have a seasonal flow regime.
12=	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: PRPW 9=376 linear feet, SRPW 10=351.9 linear feet, PRPW 11=1,319.7 linear feet, and SRPW 182.6 linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland C directly abuts PRPW 11.
	■ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland C=0.1 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain: Impoundment 1 is an impoundment of PRPW 11. PRPW 11 is documented above as perennial

 $^{^8} See$ Footnote # 3. 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

E.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SEC	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: S&ME. Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: 1977 Navigability Study. U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990. USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Richburg. USDA Natural Resources Conservation Service Soil Survey. Citation: Chester County Soil Map 13-Chewacla, Iredell, Mecklenburg. National wetlands inventory map(s). Cite name: PUBHh. State/Local wetland inventory map(s): FEMA/FIRM maps: (National Geodectic Vertical Datum of 1929)
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

\boxtimes	Photographs: Aerial (Name & Date): 12091:27, 1999.
	or Other (Name & Date): Photos 1-30 of 30 taken by S&ME dated January 29-30 & February 4-5, 2013.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
\boxtimes	Other information (please specify): Corps Site Visit.

B. ADDITIONAL COMMENTS TO SUPPORT JD: The aquatic resources documented on this form include 2 perennial RPWs with an abutting wetland and impoundment and 2 seasonal RPWs. RPWs and abutting wetlands are jurisdictional according to RGL 07-01. A significant nexus determination was performed for the seasonal RPW and abutting wetland. Based on the documentation provided in Section III, C of this form, the nexus is significant. The waters documented on this form are waters of the U.S. and are within the jurisdiction of the Cleant Water Act.