APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 28, 2018

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 1 of 5; SAC 2010-00654 8 Oakes Park / fka Georgetown County Tract A

Ha	AA.
	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Georgetown City: Georgetown Center coordinates of site (lat/long in degree decimal format): Lat. 33.39691° N, Long79.37382° W. Universal Transverse Mercator: Name of nearest waterbody: Ports Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sampit River Name of watershed or Hydrologic Unit Code (HUC): 3040207 / Sampit Basin Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: June 25, 2018 Field Determination. Date(s):
SEC A. I	TION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	e Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the warea. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain: .
В. (CWA SECTION 404 DETERMINATION OF JURISDICTION.
Ther	e Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	 b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW #1 = 4080 linear feet: 12width (ft) and/or 1.10 acres. Wetlands: Wetland A 70.40 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known):
	2. Non-regulated waters/wetlands (check if applicable): ³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: Located onsite are twelve upland excavated non-jurisdictional ditches and three upland excavated non-

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

jurisdictional ponds. These ditches were found to drain uplands only. 1930s aerial photography also depict ditches used for agricultural surface drainage..

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

Identify TNW: Sampit River.

Summarize rationale supporting determination: subject to the ebb and flow of the tide.

Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

Characteristics of non-TNWs that flow directly or indirectly into TNW

General Area Conditions:

Watershed size: Pick List: Drainage area: **Pick List** Average annual rainfall: inches Average annual snowfall: inches

(ii) Physical Characteristics:

(a)	Relationship	with	TNW:

Tributary flows directly into TNW. Tributary flows through **Pick List** tributaries before entering TNW. Project waters are **Pick List** river miles from TNW. Project waters are **Pick List** river miles from RPW. Project waters are **Pick List** aerial (straight) miles from TNW. Project waters are **Pick List** aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

		Identify flow route to TNW ⁵ : Tributary stream order, if known:
	(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
		Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
		Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): %
	(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
		Surface flow is: Pick List. Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain:
		If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges other (list): Mean High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.
(iii)	Cha	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: tify specific pollutants, if known:

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. ⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break. ⁷Ibid.

	(iv)	Biol	logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	ract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List. Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: Directly abutting Not directly abutting Discrete wetland hydrologic connection. Explain: Ecological connection. Explain: Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: uracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: utify specific pollutants, if known:
	(iii)	Bio	logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Ac	ljacent Wetlands.	Check all that appl	ly and provide size estimates in review area:
	TNWs:	linear feet	width (ft), Or,	acres.
	Wetlands a	djacent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The northwestern tributary named Ports Creek was found to have flowing water at least 90% of

		pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM which are indicator of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuousity characteristic of natural meandering streams.
		☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
		Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 4,080 linear feet 12 width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland A is intersected by the OHWM of Ports Creek (PRPW#1).
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
		Provide acreage estimates for jurisdictional wetlands in the review area: 70.40 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	DE	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10

the year under normal climatic conditions. The tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system,

⁸See Footnote # 3

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: Located onsite are three upland excavated non-jurisdictional ponds that collect stormwater only / 2.12 acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
SE	CTION IV: DATA SOURCES.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site in question is shown on the enclosed plat entitled "WETLAND SURVEY OF / A 382.42 ACRE TRACT / OWNED BY / GEORGETOWN COUNTY / GEORGETOWN COUNTY / SOUTH CAROLINA / prepared for / GEORGETOWN COUNTY" and dated April 21, 2010, revised on August 11 2010, March 14, 2011, prepared by Thomas & Hutton Engineering Data sheets prepared/submitted by or on behalf of the applicant/consultant. Data forms were verified to be accurate and representative of the site during the field audit. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: USGS Topographic maps for the Georgetown North and Olin Quads/Maps depict a mixure of forested uplands and wetlands, tributaries, and non forested upland areas. USDA Natural Resources Conservation Service Soil Survey. Citation: Georgetown County Soil Survey / Pg 37 / see additional soil information in comment section below. National wetlands inventory map(s). Cite name: Georgetown County NWI data / see additional NWI classification information in comment section below.
	State/Local wetland inventory map(s):

\bowtie	FEMA/FIRM maps: .	
	100-year Floodplain Elevation is:	(National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date):	2018 Google Earth Imagery / SCDNR color infrared 2006 aerial photoraphy / 1989
colo	r infrared photography / 1994 color inf	rared aerial photography / 1934 USDA black & white historical photography /.
	or 🛛 Other (Name & Date):	Color site photos prepared by agent and supplied with submittal.
\boxtimes	Previous determination(s). File no. and of	late of response letter: Previous determination dated March 22, 2011 (see
adm	inistrative record.	
	Applicable/supporting case law: .	
	Applicable/supporting scientific literature	e: .
	Other information (please specify):	

EEL CA (EVEL)

B. ADDITIONAL COMMENTS TO SUPPORT JD: PERENNIAL RPW #1 / PORTS CREEK / WETLAND A
Basis form 1 of 5. Wetland boundaries established by the 1987 Wetland Delineation Manual. The northeastern tributary
named Ports Creek was found to have flowing water at least 90% of the year under normal climatic conditions. The
tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy bottom free of
vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank
scouring depicting a pronounced OHWM which are indicators of constant flowing water even under drought conditions. A
review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a
sinuosity characteristic of natural meandering streams. Wetland A (70.40 acres) is directly abutting the OHWM of Ports
Creek for its reach onsite. All silviculture roads located within this site were established prior to the Clean Water Act
which are visible on 1930's aerial photography. The site was formly owned by International Paper as a seed tree / research
facility for their forestry operations. Located onsite are twelve upland excavated non-jurisdictional ditches and three
upland excavated non-jurisdictional ponds. These ditches were found to drain uplands only. 1930s aerial photography
also depict ditches used for agricultural surface drainage. The site was assessed on 5 basis forms

APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 28, 2018

B.	DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 2 of 5; SAC 2010-00654-3JY Georgetown County Tract A
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Georgetown City: Georgetown Center coordinates of site (lat/long in degree decimal format): Lat. 33.39691° N, Long79.37382° W. Universal Transverse Mercator: Name of nearest waterbody: Ports Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sampit River Name of watershed or Hydrologic Unit Code (HUC): 3040207 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: June 26, 2018 Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	waters are interest and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	 b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW #2: 2940 linear feet: 16width (ft) and/or 0.85 acres. Wetlands: Wetland D: 31.60 & Wetland E: 6.74 / Total 38.34 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known):
	 Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain: All onsite upland excavated non-jurisdictional ditches and ponds are evaluated on form 1 of 5.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Sampit River.

Summarize rationale supporting determination: subject to the ebb and flow of the tide.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 105,260 acres;

Drainage area: 450 acres

Average annual rainfall: approximately 48 inches

Average annual snowfall: inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

☐ Tributary flows directly into TNW.

Tributary flows through 2 tributaries before entering TNW.

Project waters are 1-2 river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 1-2 aerial (straight) miles from TNW.

Project waters are 1-2 aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: **PRPW flows into Ports Creek with becomes the Sampit River downstream**. Tributary stream order, if known: **2**.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
	Tributary properties with respect to top of bank (estimate): Average width: 16 feet Average depth: 12-15 feet Average side slopes: 3:1. Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck
	☐ Bedrock ☐ Vegetation. Type/% cover: ☐ Other. Explain:
vegetation.	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Stabilized back by native riparian Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. PRPW #2 meanders through the natural geomorphic drainage of the landscape Tributary gradient (approximate average slope): 0-1 %
(c)	Flow: Tributary provides for: Perennial flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: PRPW flows constantly. Other information on duration and volume:
	Surface flow is: Discrete and confined. Characteristics: .
	Subsurface flow: Unknown . Explain findings:
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil changes in the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting sediment sorting scour countries water staining change in plant community controlled flow events abrupt change in plant community change in plant community
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges other (list): Mean High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.
Cha	emical Characteristics: racterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: PRPW #2 is tanic stained but w/o visible suspended sediments as a result from constant flow / flushing of the perennial nature of this tributary. https://doi.org/10.1001/j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.j.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

(iv)		ogical Characteristics. Channel supports (check all that apply):
wotlands		Riparian corridor. Characteristics (type, average width): PRPW #2 flows through a forested area that include
enters th		h the upland and wetland forest areas shade and buffer the tributary and provide filtering of runoff before it
chers th		Wetland fringe. Characteristics: addressed above.
		Habitat for:
		Federally Listed species. Explain findings:
		Fish/spawn areas. Explain findings:
		Other environmentally-sensitive species. Explain findings:
		Aquatic/wildlife diversity. Explain findings: Evidence of foraging, nesting, and travel corridors as well as
minnows, tad	poles	and small macrofauna were observed in the tributary.
	_	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(2)	Dha	rical Chanactariation
(i)	-	sical Characteristics:
		General Wetland Characteristics: Properties:
		Wetland size: 6.74 acres
		Wetland type. Explain: Typical coastal plane palustrine wetland in its natural state .
		Wetland quality. Explain: Fully functioning.
		Project wetlands cross or serve as state boundaries. Explain:
		Troject wettailus cross of serve as state boundaries. Explain.
	(b)	General Flow Relationship with Non-TNW:
		Flow is: Intermittent flow. Explain: Water leaves wetland E via an upland cut conveyance and discharges directly
into PRI		
		Surface flow is: Discrete and confined
	1.	Characteristics: Surface flow is confined to the upland cut conveyance, no obvious subsurface or sheetflow
connecti	on ob	servea.
		Subsurface flow: Unknown. Explain findings: .
		Dye (or other) test performed:
		Dye (or other) test performed.
	(c)	Wetland Adjacency Determination with Non-TNW:
	(-)	Directly abutting
		✓ Not directly abutting
		☐ Discrete wetland hydrologic connection. Explain: Water leaving wetland E is conveyed to PRPW # 2 via
upland c	ut no	on-jurisdictional ditch.
- F		Ecological connection. Explain: .
		Separated by berm/barrier. Explain:
		Proximity (Relationship) to TNW
		Project wetlands are 1-2 river miles from TNW.
		Project waters are 1-2 aerial (straight) miles from TNW.
		Flow is from: Wetland to navigable waters.
		Estimate approximate location of wetland as within the 50 - 100-year floodplain.
(**)	CI.	
(11)		mical Characteristics:
		racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
		characteristics; etc.). Explain: No surface water ovbserved during the site audit. The water within wetland E is
		typical of water filtered by the surrounding upland and wetland forested areas tify specific pollutants, if known: No pollutants were visible or revealed during the site visit
	Iden	thy specific pollutaints, it known. No pollutaints were visible of Tevealed during the site visit.
(iii)	Biolo	ogical Characteristics. Wetland supports (check all that apply):
` /		Riparian buffer. Characteristics (type, average width): Typical palustrine wetland vegetation found in coastal plain
wetlands		no significant disturbance.
		Vegetation type/percent cover. Explain: .
		Habitat for:
		Federally Listed species. Explain findings: .
		Fish/spawn areas. Explain findings:
		Other environmentally-sensitive species. Explain findings:
		Aquatic/wildlife diversity. Explain findings: Typical habitat for wetland species such as amphibians, birds,
insects with p	rovid	le foraging and nesting habitat

3. Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: 4

Approximately (117.53) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Wetland D Y Wetland E N Wetland A Y (also adjacent to PRPW	31.60 6.74 70.4		
1 - form 1 of 5) Wetland C Y (also adjacent to PRPW 5 - form 5 of 5)	8.79	-	-

Summarize overall biological, chemical and physical functions being performed: These wetlands along with the other on and offsite wetlands are physically, biologically, and chemically connected to one another, working in tandem in their role as primary producers of biomass imput, water attenuation, and the filtration while serving as the headwaters of the Sampit River .

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Wetland E is adjacent non-abutting PRPW #2 by way of an upland cut, non-jurisdictional hydrologic conveyance visible on aerial photography dating back to the 1930s. This wetland is located within close proximity to other wetlands in the property boundary and the relevant reach of PRPW #2. This wetland along with the other on and offsite wetlands are physically, biologically, and chemically connected to one another, working in tandem in their role as primary producers of biomass imput, water attenuation, and the filtration while serving as the headwaters of the Sampit River. The important role of headwater systems in the health of downstream waters is well-documents in scientific literature.

 $\textbf{Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: \\$

D.		TERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL AT APPLY):
	1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: ☐ TNWs: linear feet width (ft), Or, acres. ☐ Wetlands adjacent to TNWs: acres.
	2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW #2 (flowing east to west) bisects the northern portion of the property and was found to have flowing water at least 90% of the year under normal climatic conditions. The tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM (16' in width) which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuosity characteristic of natural meandering streams.
		☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
		Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetland D (31.60 acres) is directly abutting the OHWM of PRPW#2.
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
		Provide acreage estimates for jurisdictional wetlands in the review area: 31.60 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: 6.74 acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.

⁸See Footnote # 3.

	7. Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
SE	CTION IV: DATA SOURCES.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site in question is shown on the enclosed plat entitled "WETLAND SURVEY OF / A 382.42 ACRE TRACT / OWNED BY / GEORGETOWN COUNTY / GEORGETOWN COUNTY / SOUTH CAROLINA / prepared for / GEORGETOWN COUNTY" and dated April 21, 2010, revised on August 11 2010, March 14, 2011, prepared by Thomas & Hutton Engineering Data sheets prepared/submitted by or on behalf of the applicant/consultant. Data forms were verified to be accurate and representative of the site during the field audit.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook. ¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	Office does not concur with data sheets/delineation report.
	Data sheets prepared by the Corps: .
	Corps navigable waters' study: .
	U.S. Geological Survey Hydrologic Atlas:
	USGS NHD data.
	USGS 8 and 12 digit HUC maps.
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: USGS Topographic maps for the Georgetown North and Olin Quads
/ Ma	aps depict a mixure of forested uplands and wetlands, tributaries, and non forested upland areas.
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Georgetown County Soil Survey / Pg 37 / see additional
soil	information in comment section below.
\boxtimes	National wetlands inventory map(s). Cite name: Georgetown County NWI data / see additional NWI classification
info	rmation in comment section below.
	State/Local wetland inventory map(s): .
\boxtimes	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
\boxtimes	Photographs: Aerial (Name & Date): SCDNR color infrared 2006 aerial photoraphy / 1989 color infrared photography /
199	4 color infrared aerial photography / 1934 USDA black & white historical photography /.
_	or 🛮 Other (Name & Date): Color site photos prepared by Casey Wollard of S&ME.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: (PERENNIAL RPW #2 / WETLANDS D & E) Wetland boundaries established by the 1987 Wetland Delineation Manual. PRPW #2 (flowing east to west) bisects the northern portion of the property and was found to have flowing water at least 90% of the year under normal climatic conditions. The tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM (16' in width) which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuosity characteristic of natural meandering streams. Wetland D (31.60 acres) is directly abutting the OHWM of PRPW#2 while Wetland E is adjacent non-abutting by way of an upland cut, non-jurisdictional hydrologic connection visible on aerial photography dating back to the 1930s. This wetland is located within close proximity of other wetland in the review area and the relevant reach of PRPW #2. This wetland along with the other on and offsite wetlands are physically, biologically, and chemically connected to one another, working in tandem in their role as primary producers of biomass imput, water attenuation, and the filtration while serving as the headwaters of the Sampit River . All silviculture roads located within this site were established prior to the Clean Water Act which are visible on 1930's aerial photography. Basis form 2 of 5.

APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 28, 2018

B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 3 of 5; SAC 2010-00654-3JY Georgetown Co

В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 3 of 5; SAC 2010-00654-3JY Georgetown County Tract A
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Georgetown City: Georgetown Center coordinates of site (lat/long in degree decimal format): Lat. 33.39691° N, Long79.37382° W. Universal Transverse Mercator: Name of nearest waterbody: Ports Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sampit River Name of watershed or Hydrologic Unit Code (HUC): 3040207 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: June 26, 2018 Field Determination. Date(s):
SEC A.	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	 b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW #3: 650 linear feet: 19width (ft) and/or 0.31 acres. Wetlands: acres.
	c. Limits (boundaries) of jurisdiction based on: Established by OHWM., Not Applicable., Pick List Elevation of established OHWM (if known):
	 Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain: All onsite upland excavated non-jurisdictional ditches and ponds are evaluated on form 1 of 5.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.
² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Sampit River.

Summarize rationale supporting determination: subject to the ebb and flow of the tide.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: Pick List: Drainage area: **Pick List** Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through **Pick List** tributaries before entering TNW. Project waters are **Pick List** river miles from TNW. Project waters are Pick List river miles from RPW. Project waters are **Pick List** aerial (straight) miles from TNW. Project waters are Pick List aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW⁵: Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)		Characteristics (check all that apply	/):	
		Tributary is:	Natural Natural		
			Artificial (man-made). Explai		
			☐ Manipulated (man-altered). E	expla	ın: .
	(c)	Average widti Average depti Average side Primary tributary s Silts Cobbles Bedrock Other. Exp Tributary condition Presence of run/rif Tributary geometry Tributary gradient Flow: Tributary provides Estimate average n	ies with respect to top of bank (esting here); feet here feet slopes: Pick List. ubstrate composition (check all that Sands Gravel Vegetation. Type/% plain: n/stability [e.g., highly eroding, slot fle/pool complexes. Explain: y: Pick List. (approximate average slope): for: Pick List tumber of flow events in review are	t app cove	ly): Concrete Muck er: g banks]. Explain:
		Describe flow	regime: .	•	
		Other information	on duration and volume: .		
		Surface flow is: Pi	ck List. Characteristics: .		
			Pick List . Explain findings: her) test performed:		
		clear, chang shelvi vegeta leaf li sedim water other	anks (check all indicators that apply): natural line impressed on the bank es in the character of soil ng ation matted down, bent, or absent tter disturbed or washed away ent deposition staining		the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting scour multiple observed or predicted flow events abrupt change in plant community
		High Tid oil or fine sl physic	e Line indicated by: scum line along shore objects hell or debris deposits (foreshore) cal markings/characteristics gauges	Mea	teral extent of CWA jurisdiction (check all that apply): an High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.
(iii)	Cha	emical Characterist racterize tributary (e Explain: ttify specific polluta	e.g., water color is clear, discolored	, oily	film; water quality; general watershed characteristics, etc.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

	(iv)		ogical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	racto	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List . Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List . Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: https://example.com/racteristics/racteris
	(iii)	Biol	logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Ac	ljacent Wetlands.	Check all that appl	ly and provide size estimates in review area:
	TNWs:	linear feet	width (ft), Or,	acres.
	Wetlands a	djacent to TNWs:	acres.	

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The northern most tributary (PRPW #3) was found to have flowing water at least 90% of the year

under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuousity characteristic of natural meandering streams.. Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 650 linear feet 19 width (ft). Other non-wetland waters: Identify type(s) of waters: Non-RPWs⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional waters within the review area (check all that apply): ☐ Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Provide acreage estimates for jurisdictional wetlands in the review area: acres. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C. Provide acreage estimates for jurisdictional wetlands in the review area: Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C. Provide estimates for jurisdictional wetlands in the review area: acres. 7. Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). **Explain:**

under normal climatic conditions. The tributary exhibited geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM which are indicators of constant flowing water even

⁸See Footnote # 3.

SUCH WATERS (CHECK ALL THAT APPLY):10

DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE,

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site in question is shown on the enclosed plat entitled "WETLAND SURVEY OF / A 382.42 ACRE TRACT / OWNED BY / GEORGETOWN COUNTY / GEORGETOWN COUNTY / SOUTH CAROLINA / prepared for / GEORGETOWN COUNTY" and dated April 21, 2010, revised on August 11 2010, March 14, 2011, prepared by Thomas & Hutton Engineering Data sheets prepared/submitted by or on behalf of the applicant/consultant. Data forms were verified to be accurate and representative of the site during the field audit. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: USGS Topographic maps for the Georgetown North and Olin Quads / Maps depict a mixure of forested uplands and wetlands, tributaries, and non forested upland areas. USDA Natural Resources Conservation Service Soil Survey. Citation: Georgetown County Soil Survey / Pg 37 / see additional soil information in comment section below. National wetlands inventory map(s). Cite name: Georgetown County NWI data / see additional NWI classification information in comment section below. State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)

\boxtimes	Photographs: Aerial (Name & Date): SCDNR color infrared 2006 aerial photoraphy / 1989 color infrared photography /
1994	color infrared aerial photography / 1934 USDA black & white historical photography /.
	or 🔀 Other (Name & Date): Color site photos prepared by Casey Wollard of S&ME.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law:
	Applicable/supporting scientific literature:
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: All silvilculture roads located within this site were established prior to the Clean Water Act which are visible on 1930's aerial photography. The northern most tributary onsite was found to have flowing water at least 90% of the year under normal climatic conditions. The tributary exhibited geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and depositoin bars, bank scouring depicting a pronounced OHWM which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuousity characteristic of natural meandering streams. Basis form 3 of 5.

APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 28, 2018

В

В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 4 of 5; SAC 2010-00654-3JY Georgetown County Tract A
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Georgetown City: Georgetown Center coordinates of site (lat/long in degree decimal format): Lat. 33.39691° N, Long79.37382° W. Universal Transverse Mercator: Name of nearest waterbody: Ports Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sampit River Name of watershed or Hydrologic Unit Code (HUC): 3040207 / Sampit Basin Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☐ Office (Desk) Determination. Date: June 26, 2018 ☐ Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
revi	we are a. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain: CWA SECTION 404 DETERMINATION OF JURISDICTION.
	are Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	 b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW #4: 1080 linear feet: 20width (ft) and/or 0.49 acres. Wetlands: Wetland B 0.42 + Wetland I 1.90 = 2.32 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known):
	2. Non-regulated waters/wetlands (check if applicable): ³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional

Explain: All onsite upland excavated non-jurisdictional ditches and ponds are evaluated on form 1 of 5.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.
² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Sampit River.

Summarize rationale supporting determination: subject to the ebb and flow of the tide.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions: Watershed size: Pick List: Drainage area: **Pick List** Average annual rainfall: inches Average annual snowfall: inches (ii) Physical Characteristics: (a) Relationship with TNW: Tributary flows directly into TNW. Tributary flows through **Pick List** tributaries before entering TNW. Project waters are **Pick List** river miles from TNW. Project waters are Pick List river miles from RPW. Project waters are **Pick List** aerial (straight) miles from TNW. Project waters are Pick List aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain: Identify flow route to TNW⁵: Tributary stream order, if known:

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	(b)		Characteristics (check all that apply	/):	
		Tributary is:	Natural Natural		
			Artificial (man-made). Explai		
			☐ Manipulated (man-altered). E	expla	ın: .
	(c)	Average widti Average depti Average side Primary tributary s Silts Cobbles Bedrock Other. Exp Tributary condition Presence of run/rif Tributary geometry Tributary gradient Flow: Tributary provides Estimate average n	ies with respect to top of bank (esting here); feet here feet slopes: Pick List. ubstrate composition (check all that Sands Gravel Vegetation. Type/% plain: n/stability [e.g., highly eroding, slot fle/pool complexes. Explain: y: Pick List. (approximate average slope): for: Pick List tumber of flow events in review are	t app cove	ly): Concrete Muck er: g banks]. Explain:
		Describe flow	regime: .	•	
		Other information	on duration and volume: .		
		Surface flow is: Pi	ck List. Characteristics: .		
			Pick List . Explain findings: her) test performed:		
		clear, chang shelvi vegeta leaf li sedim water other	anks (check all indicators that apply): natural line impressed on the bank es in the character of soil ng ation matted down, bent, or absent tter disturbed or washed away ent deposition staining		the presence of litter and debris destruction of terrestrial vegetation the presence of wrack line sediment sorting scour multiple observed or predicted flow events abrupt change in plant community
		High Tid oil or fine sl physic	e Line indicated by: scum line along shore objects hell or debris deposits (foreshore) cal markings/characteristics gauges	Mea	teral extent of CWA jurisdiction (check all that apply): an High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.
(iii)	Cha	emical Characterist racterize tributary (e Explain: ttify specific polluta	e.g., water color is clear, discolored	, oily	film; water quality; general watershed characteristics, etc.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

	(iv)		ogical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	racto	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List . Explain:
			Surface flow is: Pick List Characteristics:
			Subsurface flow: Pick List . Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	emical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: https://example.com/racteristics/racteris
	(iii)	Biol	logical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List proximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and A	djacent Wetlands.	Check all that app	ly and provide	e size estimates in re	eview area:	
		linear feet adjacent to TNWs:		acres.			
_							

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: **PRPW** #4 was found to have flowing water at least 90% of the year under normal climatic

	bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks.
	Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: 1080 linear feet 20 width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: The boundaries of wetland B & I intersect the OHWM of PRPW #4.
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: 2.32 acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters.9 As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
DE	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY):10

conditions. The tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy

E.

⁸See Footnote # 3.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site in question is shown on the enclosed plat entitled "WETLAND SURVEY OF / A 382.42 ACRE TRACT / OWNED BY / GEORGETOWN COUNTY / GEORGETOWN COUNTY / SOUTH CAROLINA / prepared for / GEORGETOWN COUNTY" and dated April 21, 2010, revised on August 11 2010, March 14, 2011, prepared by Thomas & Hutton Engineering Data sheets prepared/submitted by or on behalf of the applicant/consultant. Data forms were verified to be accurate and representative of the site during the field audit. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: USGS Topographic maps for the Georgetown North and Olin Quads / Maps depict a mixure of forested uplands and wetlands, tributaries, and non forested upland areas. USDA Natural Resources Conservation Service Soil Survey. Citation: Georgetown County Soil Survey / Pg 37 / see additional soil information in comment section below. National wetlands inventory map(s). Cite name: Georgetown County NWI data / see additional NWI classification information in comment section below. State/Local wetland inventory map(s): FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)

\boxtimes	Photographs: Aerial (Name & Date): SCDNR color infrared 2006 aerial photoraphy / 1989 color infrared photography /
199	4 color infrared aerial photography / 1934 USDA black & white historical photography /.
	or \boxtimes Other (Name & Date): Color site photos prepared by Casey Wollard of S&ME.
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):
_	

B. ADDITIONAL COMMENTS TO SUPPORT JD: PRPW #4 was found to have flowing water at least 90% of the year under normal climatic conditions. The tributary was deeply incised with the geomorphic indicators of perennial flow including a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and depositoin bars, bank scouring depicting a pronounced OHWM which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks. The boundaries of wetland B & I intersect the OHWM of PRPW #4. All silviculture roads located within this site were established prior to the Clean Water Act which are visible on 1930's aerial photography. Basis form 4 of 5.

APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): June 28, 2018

B.	DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 5 of 5; SAC 2010-00654-3JY Georgetown County Tract A
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Georgetown City: Georgetown Center coordinates of site (lat/long in degree decimal format): Lat. 33.39691° N, Long79.37382° W. Universal Transverse Mercator: Name of nearest waterbody: Ports Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Sampit River Name of watershed or Hydrologic Unit Code (HUC): 3040207 / Sampit Basin Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: June 26, 2018 Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the ew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
B.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	re Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	 b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: PRPW #5: 2290 linear feet: 10width (ft) and/or 0.53 acres. Wetlands: Wetland C (8.79) Wetland F (0.69) Wetland G (5.89) Wetland H (2.38): Total 17.75 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known):
	 Non-regulated waters/wetlands (check if applicable):³ Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

Explain: All onsite upland excavated non-jurisdictional ditches and ponds are evaluated on form 1 of 5.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Sampit River.

Summarize rationale supporting determination: subject to the ebb and flow of the tide.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 105,260 acres;

Drainage area: 450 acres

Average annual rainfall: approximately 48 inches

Average annual snowfall: inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

☐ Tributary flows through 3 tributaries before entering TNW.

Project waters are 1-2 river miles from TNW.

Project waters are 1-2 river miles from RPW.

Project waters are 1-2 aerial (straight) miles from TNW.

Project waters are 1-2 aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: **PRPW flows into Ports Creek with becomes the Sampit River downstream**. Tributary stream order, if known: **3**.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain:
	Manipulated (man-altered). Explain: Tributary appears to be a natural tributary that was
man altered l redevelop.	by straightening to improve surface drainiage through silvilculture operations. Natural sinuosity has begun to
	Tributary properties with respect to top of bank (estimate): Average width: 10 feet Average depth: 3 feet Average side slopes: 2:1.
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Stable with natural vegetated banks. Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): 0-1 %
(c)	Flow: Tributary provides for: Perennial flow Estimate average number of flow events in review area/year: 11-20 Describe flow regime: Other information on duration and volume:
	Surface flow is: Discrete and confined. Characteristics:
	Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
	Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. ⁷ Explain:
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by:
Cha	emical Characteristics: tracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: PRPW #5 is tanic stained but free of visible suspended sediments as a result from constant flow / flushing of the perennial nature of this tributary. In tify specific pollutants, if known: No visible or obvious pollutants or contaminants were found.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

⁷Ibid.

	logical Characteristics. Channel supports (check all that apply):
	Riparian corridor. Characteristics (type, average width): PRPW #2 flows through a forested area that include the the upland and wetland forest areas shade and buffer the tributary and provide filtering of runoff before it butary.
	Wetland fringe. Characteristics: described above . Habitat for:
	Federally Listed species. Explain findings:
	Fish/spawn areas. Explain findings:
	☐ Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings: Evidence of foraging, nesting, and travel corridors as well as
minnows, tadpole	s and small macrofauna were observed in the tributary.
2. Charact	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
-	vsical Characteristics:
(a)	General Wetland Characteristics: Properties:
	Wetland size: 3.07 acres
	Wetland type. Explain: typical coastal plain wetland dominated by hardwood canopy and wetland vegetated
understory	
	Wetland quality. Explain: fully functioning . Project wetlands cross or serve as state boundaries. Explain: .
	Troject wettainds cross of serve as state boundaries. Explain.
(b)	General Flow Relationship with Non-TNW:
directly into	Flow is: Intermittent flow. Explain: Water leaves wetlands F & H via an upland cut conveyance and discharges
directly into	ι κι <i>ννπ</i> ο.
	Surface flow is: Discrete and confined
	Characteristics: Surface flow is confined to the upland cut conveyance, no obvious subsurface or sheetflow
connection o	DSETVEG
	Subsurface flow: Unknown . Explain findings: Dye (or other) test performed:
(c)	Wetland Adjacency Determination with Non-TNW:
. ,	☐ Directly abutting
	Not directly abutting □ Not directly abutting
via unland ci	☐ Discrete wetland hydrologic connection. Explain: Water leaving wetland F & H is conveyed to PRPW # 5 un non-jurisdictional ditch.
via upianu ci	Ecological connection. Explain:
	Separated by berm/barrier. Explain:
(L)	Durainia (Dalatianakia) ta TNW
(d)	Proximity (Relationship) to TNW Project wetlands are 1-2 river miles from TNW.
	Project waters are 1-2 aerial (straight) miles from TNW.
	Flow is from: Wetland to navigable waters.
	Estimate approximate location of wetland as within the 50 - 100-year floodplain.
(ii) Cho	emical Characteristics:
* *	aracterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
	characteristics; etc.). Explain: No surface water observed during the site audit. The water within wetlands F & H is
Ide	typical of water filtered by the surrounding upland and wetland forested areas ntify specific pollutants, if known: No pollutants were visible or revealed during the site visit
100.	specific politimino, il mio mil 100 politimino meto 122210 di 1010 mio mio 2200 12211
	logical Characteristics. Wetland supports (check all that apply):
	Riparian buffer. Characteristics (type, average width): typical palustrine wetland vegetation found in coastal plain h no significant disturbance .
	Vegetation type/percent cover. Explain: .
\boxtimes	Habitat for:
	Federally Listed species. Explain findings:
	☐ Fish/spawn areas. Explain findings: ☐ Other environmentally-sensitive species. Explain findings:
	Aquatic/wildlife diversity. Explain findings: Typical habitat for wetland species such as amphibians, birds,
insects with provi	de foraging and nesting habitat

3. Characteristics of all wetlands adjacent to the tributary (if any) All wetland(s) being considered in the cumulative analysis: 4

Approximately (17.75) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Wetland C Y	8.79		
Wetland F N	0.69		
Wetland G Y	5.89		
Wetland H N	2.38		

Summarize overall biological, chemical and physical functions being performed: These wetlands along with the other on and offsite wetlands are physically, biologically, and chemically connected to one another, working in tandem in their role as primary producers of biomass imput, water attenuation, and the filtration while serving as the headwaters of the Sampit River .

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Wetlands F & G are adjacent non-abutting PRPW #5 by way of an upland cut, non-jurisdictional hydrologic conveyance visible on aerial photography dating back to the 1930s. This wetland is located within close proximity to other wetlands in the property boundary and the relevant reach of PRPW #5. This wetland along with the other on and offsite wetlands are physically, biologically, and chemically connected to one another, working in tandem in their role as primary producers of biomass imput, water attenuation, and the filtration while serving as the headwaters of the Sampit River. The important role of headwaters systems in the health of downstream waters is well documented.

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs:

D.		TERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL AT APPLY):
	1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
	2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: PRPW #5 (flowing south to north) was found to have flowing water at least 90% of the year under normal climatic conditions. The geomorphic indicators of perennial flow observed were a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM (10' in width) which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuosity characteristic of natural meandering streams.
		Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
		Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 2290 linear feet 10 width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
	4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Wetlands C & G are bisected by the OHWM of PRPW #5.
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
		Provide acreage estimates for jurisdictional wetlands in the review area: 14.68 acres.
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: 3.07 acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or

 $^{^8} See$ Footnote # 3. 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

	Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
Е.	ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Identify water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): .
	Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.
SE	CTION IV: DATA SOURCES.
A.	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The site in question is shown on the enclosed plat entitled "WETLAND SURVEY OF / A 382.42 ACRE TRACT / OWNED BY / GEORGETOWN COUNTY / GEORGETOWN COUNTY / SOUTH CAROLINA / prepared for / GEORGETOWN COUNTY" and dated April 21, 2010, revised on August 11 2010, March 14, 2011, prepared by Thomas & Hutton Engineering Data sheets prepared/submitted by or on behalf of the applicant/consultant. Data forms were verified to be accurate and representative of the site during the field audit. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: Corps navigable waters' study: U.S. Geological Survey Hydrologic Atlas: USGS NHD data.

 $^{^{10}}$ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA $\it Memorandum~Regarding~CWA~Act~Jurisdiction~Following~Rapanos.$

	USGS 8 and 12 digit HUC maps.			
\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: USGS Topographic maps for the Georgetown North and Olin Quad			
/Maps depict a mixure of forested uplands and wetlands, tributaries, and non forested upland areas.				
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Georgetown County Soil Survey / Pg 37 / see additional			
soil information in comment section below.				
\boxtimes	National wetlands inventory map(s). Cite name: Georgetown County NWI data / see additional NWI classification			
info	information in comment section below.			
	State/Local wetland inventory map(s): .			
\boxtimes	FEMA/FIRM maps: .			
	FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)			
\boxtimes	Photographs: Aerial (Name & Date): SCDNR color infrared 2006 aerial photoraphy / 1989 color infrared photography /			
1994 color infrared aerial photography / 1934 USDA black & white historical photography /.				
	or 🔀 Other (Name & Date): Color site photos prepared by Casey Wollard of S&ME.			
	Previous determination(s). File no. and date of response letter:			
	Applicable/supporting case law: .			
	Applicable/supporting scientific literature: .			
	Other information (please specify):			

B. ADDITIONAL COMMENTS TO SUPPORT JD: Wetland boundaries were established by the 1987 Wetland Delineation manual. PRPW #5 (flowing south to north) was found to have flowing water at least 90% of the year under normal climatic conditions. The geomorphic indicators of perennial flow observed were a firm sandy bottom free of vegetation and debris contained within a bed and bank system, pronounced sediment sorting and deposition bars, bank scouring depicting a pronounced OHWM (10' in width) which are indicators of constant flowing water even under drought conditions. A review of aerial photography and Georgetown County Soil Survey depict a well defined channel with bed and banks with a sinuosity characteristic of natural meandering streams. Wetlands C & G directly abut PRPW#5. Wetland F is adjacent but non-abutting PRPW #5 by a upland cut non-jurisdictional feature serving as a direct hydrologic conveyance. Wetland H was bisected by a silviculture road dating back to the 1930's and is hydrogically connected to PRPW #5 by way of a 6" HDPE culvert. All silvilculture roads located within this site were established prior to the Clean Water Act which are visible on 1930's aerial photography. Basis form 5 of 5.