APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 01, 2015 DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 1 of 2; SAC 2015-00248-4E - Highway 151 Tract C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: Darlington County City: Hartsville Center coordinates of site (lat/long in degree decimal format): Lat. 34.345834° N, Long. -80.110958° W. Universal Transverse Mercator: Name of nearest waterbody: Unnamed Tributary of the Jeffries Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: The Aquatic Resource (Isolated Wetland) documented on this basis form was determined to be confined within the boundaries of the project area and therefore does not flow into a TNW. Name of watershed or Hydrologic Unit Code (HUC): Middle Pee Dee HUC: 03040201-09 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: Field Determination Field Determination. Date(s): March 31, 2015 SECTION II: SUMMARY OF FINDINGS A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are no "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): ¹ TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: acres.

Elevation of established OHWM (if known): .

2. Non-regulated waters/wetlands (check if applicable): ³ [Including potentially jurisdictional features that upon assessment are NOT waters or wetlands]

c. Limits (boundaries) of jurisdiction based on: Pick List, Pick List, Pick List

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: A potentially jurisdictional wetland located within the project area was determined to be non-jurisdictional due to the lack of descernable or traceable outfall connections to other Waters of the US. Although in itself the wetland meets the criteria set forth in the 1987 Wetland Delication Manual and the 2010 Coastal Plain Supplement, water on site drains into the wetland. A site visit conducted on 3/31/2015 revealed that the wetland onsite is completely encompassed by soils that do not meet the hydrology criteria, and therefor disrupt any possible hydrologic connection to other wetlands or Waters of the US.

A non jurisdictional drainage ditch is located within the project area. This ditch was determined to be manmade and it is filled with leaf litter and overgrown with vegetation. This ditch abuts the wetland and extends to the east through uplands off-site. This ditch may have originally provided a nexus between the wetland on site and an off-site RPW on the southeast side of Bay Road, however a road crossing, approximately 5 feet wide, has been constructed within uplands onsite that crosses the ditch and that resulted in the ditch being filled in. The crossing and its surroundings are completely encompassed by soils that do not meet the hydrology criteria and the crossing does not contain any culverts or other pipes and therefore has severed any biological, physical, or chemical connection between the wetland on-site and the downstream RPW.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: .

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody ⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: Pick List;
Drainage area: Pick List
Average annual rainfall: inches

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

	Ave	rage annual snowtall: inches
(ii)		rsical Characteristics: Relationship with TNW: Tributary flows directly into TNW. Tributary flows through Pick List tributaries before entering TNW.
		Project waters are Pick List river miles from TNW. Project waters are Pick List river miles from RPW. Project waters are Pick List aerial (straight) miles from TNW. Project waters are Pick List aerial (straight) miles from RPW. Project waters cross or serve as state boundaries. Explain:
		Identify flow route to TNW ⁵ : Tributary stream order, if known:
	(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain:
		Tributary properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List.
		Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
		Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Pick List. Tributary gradient (approximate average slope): %
	(c)	Flow: Tributary provides for: Pick List Estimate average number of flow events in review area/year: Pick List Describe flow regime: Other information on duration and volume:
		Surface flow is: Pick List. Characteristics: Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition water staining other (list): Discontinuous OHWM. Explain:

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. ⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow

regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

if factors other than the OHWM were used to determine	me fateral extent of CWA jurisdiction (check all that apply):
High Tide Line indicated by:	Mean High Water Mark indicated by:
oil or scum line along shore objects	survey to available datum;
fine shell or debris deposits (foreshore)	physical markings;
physical markings/characteristics	vegetation lines/changes in vegetation types.
☐ tidal gauges	
other (list):	
(iii) Chemical Characteristics:	
Characterize tributary (e.g., water color is clear, discolored	d, oily film; water quality; general watershed characteristics, etc.)
Explain: .	
Identify specific pollutants, if known: .	

	(iv)		ogical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Wetland fringe. Characteristics: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
2.	Cha	racte	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)		Sical Characteristics: General Wetland Characteristics: Properties: Wetland size: acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
		(b)	General Flow Relationship with Non-TNW: Flow is: Pick List . Explain:
			Surface flow is: Pick List Characteristics: .
			Subsurface flow: Pick List. Explain findings: Dye (or other) test performed:
		(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
		(d)	Proximity (Relationship) to TNW Project wetlands are Pick List river miles from TNW. Project waters are Pick List aerial (straight) miles from TNW. Flow is from: Pick List. Estimate approximate location of wetland as within the Pick List floodplain.
	(ii)	Cha	mical Characteristics: racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: tify specific pollutants, if known:
	(iii)	Biol	ogical Characteristics. Wetland supports (check all that apply): Riparian buffer. Characteristics (type, average width): Vegetation type/percent cover. Explain: Habitat for: Federally Listed species. Explain findings: Fish/spawn areas. Explain findings: Other environmentally-sensitive species. Explain findings: Aquatic/wildlife diversity. Explain findings:
3.	Cha	All	eristics of all wetlands adjacent to the tributary (if any) wetland(s) being considered in the cumulative analysis: Pick List roximately () acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed:

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:

	☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	■ Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional wetlands in the review area: acres.
7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
DE	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:

E.

⁸See Footnote # 3.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

	identity water body and summarize rationale supporting determination:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: . Wetlands: acres.
F.	NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): ☐ If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. ☐ Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. ☐ Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). ☐ Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: ☐ Other: (explain, if not covered above):
	A non jurisdictional drainage ditch is located within the project area. This feature is depicted on the topo as a blue line, however, a site visit conducted on 3/31/15 revealed that the feature was a ditch, not a tributary, based on the lack of an OHWM and the absence of any sinuosity The dashed blue line feature is depicted extending from the wetland area and continuing off site, however, the portion of the ditch leaving the wetland does not drain the wetland due to a 5' wide road crossing that does not contain a pipe or culvert and has completely blocked any flow. The portion of the ditch located on the eastern side of the road possibly connects to an off-site RPW however the road has severed any physical, biological, or chemical connection between the on-site wetland and the off-site RPW.
	Provide acreage estimates for non-jurisdictional waters in the review area, where the sole potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: 0.73 acres.
	Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
	SUPPORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: The project area is depicted on a survey plat submitted by S&ME which was prepared by Nesbitt Surveying Company, Inc., dated March 03, 2015, and titled "WETLANDS SURVEY / OF 47.04 ACRES OF LAND LOCATED SOUTHWEST OF HARTSVILLE, DARLINTON COUTY, SOUTH CAROLINA, BEING PROPERTY SHOWN AS / TAX PARCEL NUMBER 036-00-01-011, BEING FURTHER DESCRIBED IN DEED BOOK 896, PAGE 370 AND ON A PLAT OF 47.05 ACRES FOR WAD H. HICKS, SURVEYED BY MANSON DREW CASE, RLS# 11362, DATED SEPTEMBER 1, 2008, FILE# C WADEHICKSHWY151 '08. / SURVEYD FOR: / SAMUEL LEVIN"
	Data sheets prepared/submitted by or on behalf of the applicant/consultant. ☐ Office concurs with data sheets/delineation report. ☐ Office does not concur with data sheets/delineation report. ☐ Data sheets prepared by the Corps: ☐ Corps navigable waters' study: ☐ U.S. Geological Survey Hydrologic Atlas: ☐ USGS NHD data. ☐ USGS 8 and 12 digit HUC maps. ☐ U.S. Geological Survey map(s). Cite scale & quad name: Hartsville South Quad; USGS topographic survey infromation within Hartsville South quad depicts the project area as a combination of cleared and forested uplands with a small wetland located at the upper center of the project area. A dashed blue line feature is depicted extending from the wetland area and continuing off site. This blue line feature was examined during a site visit conducted on 3/31/15 and detrmined to be a ditch due
	to a lack of an OHWM or sinuosity. The portion of the ditch leaving the wetland does not drain due to a road crossing that does

coni	nects to an off-site RPW however the road has severed any physical, biological, or chemical connection between the on-site
wetl	land and the off-site RPW
\boxtimes	USDA Natural Resources Conservation Service Soil Survey. Citation: Darlington County Soil Sheet # 24; Darlington County
Soil	Survey information depicts the project area as being comprised of the following soil types: Coxville Sandy Loam, Blanton
San	d, Goldsboro Sandy Loam, Rains Sandy Loam, and Noboco Loamy Sand. Coxville sandy loam is a poorly drained all hydric
soil.	Blanton Sand is a moderatly well drained, partially hydric soil that contains 2% hydic inclusions. Goldsboro Sandy Loam
is a	moderatly well drained, partially hydric soil that contains 2-3% hydic inclusions. Rains Sandy Loam is a poorly drained all
hyd	ric soil and Noboco Loamy Sand is a well drained non-hydric soil.
\boxtimes	National wetlands inventory map(s). Cite name: U42P, PFO1Ad and PSS1Ad; The NWIs depict the project area as a
com	ibination of upland evergreen forest, palustine shrub land and Palustrine forest that are temporarily flooded and that have
beer	n partialy ditched or drained
	State/Local wetland inventory map(s): .
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
$\overline{\boxtimes}$	Photographs: Aerial (Name & Date): 99:12026:63 and SCDNR 2006.
	or Mother (Name & Date): Photos taken on-site, submitted by S&ME dated 1/29/15 and Photos taken on-site by
the	Corps dated 3/31/15
	Previous determination(s). File no. and date of response letter:
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):

not contain a pipe or culvert that has blocked any flow. The portion of the ditch located on the eastern side of the road

B. ADDITIONAL COMMENTS TO SUPPORT JD: This form addresses a 47.04 acre tract that contains 0.73 acres of wetlands that lack a hydrologic connection to other waters of the United States. The site also contains approximately 8.02 acres of jurisdictional wetlands that are addressed on another form (SAC 2015-00248-4E Basis Form 2 of 2).

The wetland located within the project area was determined to be non-jurisdictional due to the lack of discernible or traceable outfall connections to other Waters of the US. Although in itself the wetland meets the criteria set forth in the 1987 Wetland Delineation Manual and the 2010 Coastal Plain Supplement, water on site was found to drain into the wetland. A site visit conducted on 3/31/2015 revealed that the wetland onsite is completely encompassed by soils that do not meet the hydrology criteria, and therefore disrupt any possible hydrologic connection to other wetlands or Waters of the US.

A non jurisdictional drainage ditch is located within the project area. This ditch was determined to be manmade and is filled with leaf litter and overgrown with vegetation. This ditch abuts the wetland and extends to the east through uplands off-site. This ditch may have originally provided a nexus between the wetland on site and an off-site RPW on the southeast side of Bay Road, however a road crossing, approximately 5 feet wide, has been constructed within uplands onsite that crosses the ditch (resulting in a separation from other waters of the US) and that resulted in the ditch being filled in. In addition, due to the lack of maintenance of the existing upland excavated ditch, no evidence of water conveyance was present within this portion of man-made ditch. The crossing and its surroundings are completely encompassed by soils that do not meet the hydric soil or hydrology criteria and the crossing does not contain any culverts or other pipes and therefore has severed any biological, physical, or chemical connection between the wetland on-site and the downstream RPW.

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): May 01, 2015 B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 2 of 2; CESAC-RD-NE; SAC 2014-00248-4E - Highway 151 Tract C. PROJECT LOCATION AND BACKGROUND INFORMATION: State: South Carolina County/parish/borough: **Darlington** City: Hartsville Center coordinates of site (lat/long in degree decimal format): Lat. 34.345834° N, Long. -80.110958° W. Universal Transverse Mercator: Name of nearest waterbody: Unnamed Tributary of Jeffries Creek Name of nearest Traditional Navigable Water (TNW) Into which the aquatic resource flows: Great Pee Dee River Name of watershed or Hydrologic Unit Code (HUC): Middle Pee Dee HUC: 03040201-09 Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form. D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): Office (Desk) Determination. Date: Field Determination. Date(s): March 31, 2015 **SECTION II: SUMMARY OF FINDINGS** A. RHA SECTION 10 DETERMINATION OF JURISDICTION. There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. B. CWA SECTION 404 DETERMINATION OF JURISDICTION. There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required] 1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): ¹ TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or acres. Wetlands: 8.02 acres. c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Pick List, Pick List Elevation of established OHWM (if known): Non-regulated waters/wetlands (check if applicable): [Including potentially jurisdictional features that upon

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional.

assessment are NOT waters or wetlands]

Explain: Documented on basis form 1 of 2.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW: Great Pee Dee River.

Summarize rationale supporting determination: Report No. 11, , of the USACE 1977 Navigability Study, on the Great Pee Dee River Basin presently classifies the Great Pee Dee River as a navigable water of the U.S. between its mouth at Winyah Bay in Georgetown, SC (R.M. 0) and Blewett Falls Dam at R.M. 188.2. Wetlands on site are hydrologically connected, via road side drainage ditch, to an off site unnamed perinneal RPW that drains into Jefferies Ditch. Jefferies Ditch converges with Jeffereis Creek . Jeffereies Creek flows unobstructed into the Great Pee Dee River near R.M. 87.

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 137,115 acres; HUC: 03040201_09

Drainage area: **825** acres
Average annual rainfall: **46.9** inches
Average annual snowfall: **1.1** inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 3 tributaries before entering TNW.

Project waters are Project waters are 10 (or more) river miles from TNW. 1 (or less) river miles from RPW.

Project waters are 20-25 aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

boundaries.	Project waters cross or serve as state boundaries. Explain: The project waters do not cross or serve as state
	Identify flow route to TNW ⁵ : The unnamed off site pRPW flows into Jeffries Ditch (pRPW) which converges with Jefferies Creek. Jefferies Creek (pRPW) flows into the Great Pee Dee River, a TNW. Tributary stream order, if known: The tributary is a 1 st order stream.
(b)	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Manipulated (man-altered). Explain: The tributary has been straightened to accomidate
agricultral fi	· · · · · · · · · · · · · · · · · ·
	Tributary properties with respect to top of bank (estimate): Average width: 3 feet Average depth: 4feet Average side slopes: 3:1.
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: Other. Explain:
low gradient,	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Tributaries in this watershed are typically low velocity and therefor do not expierence high levels of erosion and would be considered stable. Presence of run/riffle/pool complexes. Explain:
Inventory ar	Tributary geometry: Relatively straight. Based on USGS topographic survey information, the National Wetlands and aerial photographs the off site pRPW follows a declining gradient and is surronded by forested wetlands. Tributary gradient (approximate average slope): 2 %
aerial photog linear featur	Flow: Tributary provides for: Perennial flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: Based on USGS topographic survey information, the National Wetlands Inventory and graphs, the off site RPW follows a declining gradient. The pRPW can be seen in aerial photographs as a shaded e. This pRPW receives run off from approxiamtly 800 acres of upland argicultural fields and urban development. Other information on duration and volume: The pRPW receives flow from upstream wetlands and overland sheet on the observation of a high water table within the project area it is determined that this tributary is also recharged inter.
confined wit	Surface flow is: Confined. Characteristics: Based on a site visit conducted on 3/31/15 flow was determined to be hin the bed and banks of the tributary .
	Subsurface flow: Unknown . Explain findings:
	Tributary has (check all that apply):
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply):

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW. ⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break. ⁷Ibid.

High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges other (list):	Mean High Water Mark indicated by: ☐ survey to available datum; ☐ physical markings; ☐ vegetation lines/changes in vegetation types.
Explain: Downstream reaches of the pRPW are des dissolved oxygen conditions that fully support aqua approxiamtly 36.9% agrigultural land, 22.4% fores scrub-shrub, 0.3% water, and 0.3% non-forested wexpected to be an area of major industrial expansion	, oily film; water quality; general watershed characteristics, etc.). cribed as a black water system with naturally low ph and atic life and recreation. Land use in this watershed consist of sted wetland, 21.6% forested land, 15.4% urban land, 3.1% vetlands. According to the SCDHEC website this area is on and there is high potential for growth in this watershed. the majority of the land use in this watershed is agricultural, tilizers to enter the off-site pRPW. This type of land use
requires regular manipulation of the soil, which creates increased	1 71

tributaries.

(iv)		logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): Based on a review of aerial photographs the off site pRPW
supports		approximatly 200-300' wide riparian corridor. This riparian zone contributes to the overall health of the aquatic
		tering out pollutants, providing essential habitat, slowing flood waters and preventing erosion.
	\vdash	Wetland fringe. Characteristics:
	Ш	Habitat for: Federally Listed species. Explain findings:
		Fish/spawn areas. Explain findings:
		Other environmentally-sensitive species. Explain findings:
		Aquatic/wildlife diversity. Explain findings:
2. Cha	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(i)	Phy	sical Characteristics:
(1)		General Wetland Characteristics:
		Properties:
		Wetland size: 8.02 acres
		Wetland type. Explain: Palustrine forested. Wetland quality. Explain: Wetlands within the preject area are part of a fully functional wetland quatern that
nrovides	s noll	Wetland quality. Explain: Wetlands within the project area are part of a fully functional wetland system that ution filtration, essiential habitat, and flood prevention.
provides	, pon	Project wetlands cross or serve as state boundaries. Explain: The project wetland does not cross or serve as state
boundar	ies.	-J
	(b)	General Flow Relationship with Non-TNW:
nrovides	s a hv	Flow is: Intermittent flow. Explain: A road side drainage ditch that is encompassed within the project wetlands of connection between the offsite pRPW and the wetlands within the project area.
provides	, a 11 ₃	rationage connection between the offsite part 11 and the wedards within the project area.
		Surface flow is: Discrete and confined Characteristics: Flow from the project wetlands into the off site pRPW is through a road side drainage ditch.
		Subcurface flow: Unknown Explain findings:
		Subsurface flow: Unknown . Explain findings: Dye (or other) test performed:
	(c)	Wetland Adjacency Determination with Non-TNW:
		☐ Directly abutting
		Not directly abutting
41		Discrete wetland hydrologic connection. Explain: Flow from the project wetlands into the off site pRPW is
unrougn	а го	ad side drainage ditch. Ecological connection. Explain: .
		Separated by berm/barrier. Explain:
	(d)	Proximity (Relationship) to TNW
		Project wetlands are 30 (or more) river miles from TNW.
		Project waters are 20-25 aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters.
		Estimate approximate location of wetland as within the 500-year or greater floodplain.
(ii)		emical Characteristics:
	Cha	racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
		characteristics; etc.). Explain: Wetlands within the project area are part of a fully functional wetland system that provides pollution filtration, essential habitat, and flood prevention. No oily film or discoloration was observed.
		Land use in this watershed consist of approximately 36.9% agrigultural land, 22.4% forested wetland, 21.6%
		forested land, 15.4% urban land, 3.1% scrub-shrub, 0.3% water, and 0.3% non-forested wetlands. According to
		the SCDHEC website this area is expected to be an area of major industrial expansion and there is high potential
		for growth in this watershed.
		ntify specific pollutants, if known: Due to the fact that the majority of land use in this watershed is agricultural, the
		st for herbicides and other pollutants, such as fertilizers to enter the off-site tributary. This type of land use require Har manipulation of the soil, which creates increased amounts of suspended sediments within downstream
tributar	_	nai mampulation of the son, which creates increased amounts of suspended sediments within downstream
(iii) Bio	logical Characteristics. Wetland supports (check all that apply):
		Riparian buffer. Characteristics (type, average width):
Ohlimate		Vegetation type/percent cover. Explain: Vegetation in the wetland consisted of predominantly Fac, Fac Wet, and
Obligate		Habitat for:
		Federally Listed species. Explain findings:
		Fish/spawn areas. Explain findings:

Other environmentally-sensitive species. Explain findings:
changes and the transition between upland and aquatic systems.

3. Characteristics of all wetlands adjacent to the tributary (if any)
All wetland(s) being considered in the cumulative analysis: 6
Approximately (237) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
N N Y N Y	0.5 81 130 8 15		

Summarize overall biological, chemical and physical functions being performed: The perennial RPW and its adjacent wetlands are providing important biological, chemical, and physical functions within a predominatly upland drainage area. According to the SCDHEC website land use in this watershed consist of approxiamtly 36.9% agrigultural land, 22.4% forested wetland, 21.6% forested land, 15.4% urban land, 3.1% scrub-shrub, 0.3% water, and 0.3% non-forested wetlands. According to the SCDHEC website this area is expected to be an area of major industrial expansion and there is high potential for growth in this watershed. The watershed is predominatly rural with a large portion of the land in agricultrual production. The majority of the wetlands within the drainage area are depressional wetlands that ares situated relativley low in the landscape and receive and store runoff from the surrounding uplands. This water storage prevents flood flows from high rainfall events from moving quickly downstream. The perennial RPW and its adjacent wetlands act as a catch basin to help filter out pollutants from the neighboring agricultural land. This wetland system enchances wildlife diversity, acts as a catch basin filtering sediments and pollutants from surrounding croplands, supports down stream food webs, and provides nutrient fixation, flood attenuation, and flow maintnacen functions. See III.C.3 below for more details.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: The off site pRPW that is assessed in this form, along with all similarly situated adjacent freshwater wetlands are collectively performing functions consistent with the following: Biologically, wetlands adjacent to the pRPW include depressional wetlands. As such a variety of biological functions are being performed which include providing breeding grounds and shelter for aquatic species and foraging areas for wetland dependent species. These wetlands and the adjacent

pRPW are essential in providing organic carbons in the form of their collective primary productivity to downstream waters, resulting in the nourishment of the downstream food web. Chemically, the pRPW and adjacent wetlands are providing the important collective functions of removal of excess nutrients into the downstream TNW. These pollutants, which are contributed to by runoff from surrounding uplands are prevented from being discharged downstream due to suspended sediments and other pollutants being retained within the wetlands. The low velocity of and gradient of the pRPW also contribute s to the removal of pollutants because the suspended pollutants have time to settle out of the water. This reduces nitrogen and phosphorous loading downstream and effectively prevents oxygen depletion that can result from eutrophication. Physically, the pRPW and adjacent wetlands are collectively performing flow maintenance functions, including retaining runoff inflow and storing rain water, temporarily. Flow maintenance results in the reduction of downstream peak flows (discharge and volume), helping to maintain seasonal flow volumes and reducing the frequency of overbank events which flood adjacent properties. Increased water velocity also increases the amount of sediments and other pollutants in the TNW. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the traditional navigable waters of the Great Pee Dee River, it has been determined that there is a significant nexus between the relevant reach of the tributary and all adjacent wetlands to the downstream TNW.

 $Documentation\ for\ the\ Record\ only:\ Significant\ nexus\ findings\ for\ seasonal\ RPWs\ and/or\ wetlands\ abutting\ seasonal\ RPWs:$

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL

TH	AT APPLY):
1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: ☐ TNWs: linear feet width (ft), Or, acres. ☐ Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Based on a site visit conducted on 3/31/15 and available desktop resources, the offsite RPW is determined to be perennial. It is depicted on the USGS topographic map as a blue line feature that follows a declining gradient into Jefferies Ditch. Based on topographic contours this RPW receives run off from approximately 250 acres of upland agricultural fields and urban development. Additionally, it can be identified in aerial photographs as a shaded linear feature.
	☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Provide acreage estimates for jurisdictional wetlands in the review area: acres.
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

⁸See Footnote # 3.

		Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacen and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.
		Provide acreage estimates for jurisdictional wetlands in the review area: 7.5 acres.
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.
		Provide estimates for jurisdictional wetlands in the review area: acres.
	7.	Impoundments of jurisdictional waters. As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below). Explain:
E.	SUC 	DLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, GRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY CH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain: Other factors. Explain:
	Idei	ntify water body and summarize rationale supporting determination:
		vide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.
F.		N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above):
	facto	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR tors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional gment (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: . Wetlands: acres.
		vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such that apply it is required for jurisdiction (check all that apply): Non-wetland waters (i.e., rivers, streams): linear feet, width (ft). Lakes/ponds: acres. Other non-wetland waters: acres. List type of aquatic resource: Wetlands: acres.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

SECTION IV: DATA SOURCES.

A.	SUPI	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
	and	requested, appropriately reference sources below):
	\boxtimes	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant:
	\boxtimes	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
		Office concurs with data sheets/delineation report.
		Office does not concur with data sheets/delineation report.
		Data sheets prepared by the Corps: .
		Corps navigable waters' study: Charleston District 1977 Navigability Report No. 11
		U.S. Geological Survey Hydrologic Atlas:
		USGS NHD data.
		USGS 8 and 12 digit HUC maps.
	\boxtimes	U.S. Geological Survey map(s). Cite scale & quad name: Hartsville South Quad; USGS topographic survey infromation
		in Hartsville South quad depicts the project area as a combination of cleared and forested uplands with a small wetland
		ted at the upper center of the project area. A dashed blue line feature is depicted extending from the wetland area and
		tinuing off site. This blue line feature was examined during a site visit conducted on 3/31/15 and detrmined to be a ditch due
		lack of an OHWM or sinuosity. The portion of the ditch leaving the wetland does not drain due to a road crossing that does
		contain a pipe or culvert that has blocked any flow. The portion of the ditch located on the eastern side of the road connects
		n off-site RPW however the road has severed any physical, biological, or chemical connection between the on-site wetland
		the off-site RPW. The 8.02 acre wetland addressed in this form abuts a road side drainage ditch that provides a hydrologic
		nection to the off site RPW.
		USDA Natural Resources Conservation Service Soil Survey. Citation: Darlington County Soil Sheet # 24; Darlington County
		Survey information depicts the project area as being comprised of the following soil types: Coxville Sandy Loam, Blanton
		d, Goldsboro Sandy Loam, Rains Sandy Loam, and Noboco Loamy Sand. Coxville sandy loam is a poorly drained all hydric
		Blanton Sand is a moderatly well drained, partially hydric soil that contains 2% hydic inclusions. Goldsboro Sandy Loam
		moderatly well drained, partially hydric soil that contains 2-3% hydic inclusions. Rains Sandy Loam is a poorly drained all
		ric soil and Noboco Loamy Sand is a well drained non-hydric soil.
		National wetlands inventory map(s). Cite name: U42P, PFO1Ad and PSS1Ad; The NWIs depict the project area as a
		bination of upland evergreen forest, palustine shrub land and Palustrine forest that are temporarily flooded and that have
	beei	n partialy ditched or drained.
		State/Local wetland inventory map(s):
	님	FEMA/FIRM maps:
		100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
	\boxtimes	Photographs: Aerial (Name & Date): 99:12026:63 and SCDNR 2006.
		Mod 01 02 0 D () D () 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		or \(\subseteq \text{ Other (Name & Date): } \) Photos taken on-site, submitted by S&ME dated 1/29/15 and Photos taken on-site by
	the	Corps dated 3/31/15
		Previous determination(s). File no. and date of response letter: .
		Applicable/supporting case law: .
		Applicable/supporting scientific literature: .
		Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: This form addresses a 47.04 acre tract that contains 8.02 acres of jurisdictional freshwater wetlands. The site also contains approximately 0.73 acres of wetlands that lack a hydrologic connection to other waters of the United States and that are addressed on another form (SAC 2015-00248-4E Basis Form 1 of 2).

The offsite RPW was determined to have perennial flow based on a review of the USGS topographic maps, aerial photographs, and information obtained during a site visit conducted on March 31, 2015. The topographic information within Hartsville South quad depicts the RPW as a blue line feature that flows down gradient into Jefferies Ditch. Aerial photographs depict the RPW as a shaded linear feature. Observations of a high water table and redox features within the upper 6-16 inches of soils in adjacent wetlands, during a site visit, suggest that this RPW is recharged by ground water as well as run off. Jefferies Ditch converges with Jefferies Creek which flows unobstructed into the Great Pee Dee River near R.M. 87.

A man made drainage ditch excavated out of jurisdictional wetlands runs along the western boundary of the project area. This ditch directly abuts the wetland within the project area and provides a hydrologic connection between the wetland and the offsite pRPW. A site visit conducted on March 31, 2015 revealed the ditch crossing under Bay Road and discharging directly into the off site pRPW

Wetland boundaries were determined, during the site visit conducted on March 31, 2015, based on the criteria set forth by the 1987 Wetland Delineation Manual. These wetlands were determined to be jurisdictional based on the hydrological connection, provided by a non-jurisdictional ditch to an offsite pRPW that flows through 3 tributaries before flowing into the Great Pee Dee River. During the above reference site visit wetlands were found to be saturated and a high water table was observed. Wetlands within the project

area are currently part of a fully functional wetland system that provides pollution filtration, essential habitat, and flood prevention. The wetland and off site RPW addressed in this form are determined to have a significant nexus to the downstream TNW in Section IIIC above.

Non-jurisdictional features located within the project area are documented on basis form 1 of 2.