# APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SE A.	CTION I: BACKGROUND INFORMATION REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): November 27, 2017
B.	DISTRICT OFFICE, FILE NUMBER, FILE NAME: JD Form 1 of 1; SAC-2016-01558 Washington Baptist
C.	PROJECT LOCATION AND BACKGROUND INFORMATION:  State: South Carolina County/parish/borough: Greenville County City: Greer  Center coordinates of site (lat/long in degree decimal format): Lat. 34.99915°N, Long. 82.24875°W.  Universal Transverse Mercator: NAD 83  Name of nearest waterbody: Beaverdam Creek  Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Broad River  Name of watershed or Hydrologic Unit Code (HUC): HUC 03050107-01 Middle Tyger River  ☐ Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.
	Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.  Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):  Office (Desk) Determination. Date: November 22, 2017  Field Determination. Date(s):
SE	CTION II: SUMMARY OF FINDINGS
A.	RHA SECTION 10 DETERMINATION OF JURISDICTION.
	ere Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the iew area. [Required]  Waters subject to the ebb and flow of the tide.  Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	ere Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S.  a. Indicate presence of waters of U.S. in review area (check all that apply):  TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area:  Non-wetland waters: linear feet: width (ft) and/or acres.  Wetlands: 0.04 acres.
	c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Pick List, Pick List

2. Non-regulated waters/wetlands (check if applicable): <sup>3</sup> [Including potentially jurisdictional features that upon assessment are NOT waters or wetlands]

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: There is a non-jurisdictional hydrologic conveyance on site, which does not have an OHWM or a distinct

Elevation of established OHWM (if known):

<sup>&</sup>lt;sup>1</sup> Boxes checked below shall be supported by completing the appropriate sections in Section III below.

<sup>&</sup>lt;sup>2</sup> For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

<sup>&</sup>lt;sup>3</sup> Supporting documentation is presented in Section III.F.

channel. This feature does not have any signs of relatively permanent flow, it is not shown as a blue line on the topo map, and it is not shown as a tributary on the soils map. The non-jurisdictional hydrologic conveyance does not flow year round and flows only after heavy rain events. This feature is not jurisdictional and not a water of the U.S.

### SECTION III: CWA ANALYSIS

### A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

### 1. TNW

Identify TNW:

Summarize rationale supporting determination:

### 2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

### B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

## 1. Characteristics of non-TNWs that flow directly or indirectly into TNW

# (i) General Area Conditions:

Watershed size: 54,596 acres; HUC 03050107-01 Middle Tyger River

Drainage area: 7.84 acres

Average annual rainfall: **50.24** inches Average annual snowfall: **5.6** inches

# (ii) Physical Characteristics:

(a) Relationship with TNW:

☐ Tributary flows directly into TNW.

☐ Tributary flows through 5 tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.

Project waters are 1 (or less) river miles from RPW.

Project waters are 30 (or more) aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

<sup>&</sup>lt;sup>4</sup> Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

Navigable Water. Tributary stream order, if known: General Tributary Characteristics (check all that apply): ⊠ Natural Tributary is: Artificial (man-made). Explain: Manipulated (man-altered). Explain: **Tributary** properties with respect to top of bank (estimate): Average width: feet Average depth: feet Average side slopes: Pick List. Primary tributary substrate composition (check all that apply): ☐ Sands ☐ Silts ☐ Concrete Cobbles Gravel Muck Bedrock ☐ Vegetation. Type/% cover: Other. Explain: According to the Soil Survey of Greenville County, the predominant soils in the tributary consisted of Cecil and Wehadkee series. Cecil soils are well drained and Wehadkee soils are poorly drained. Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Presence of run/riffle/pool complexes. Explain: Tributary geometry: Meandering. Tributary gradient (approximate average slope): % (c) Flow: Tributary provides for: Perennial flow Estimate average number of flow events in review area/year: 20 (or greater) Describe flow regime: Tributary flows year-round. Other information on duration and volume: Tributary had a clear OHWM and a distinct channel. This feature has signs of relatively permanent flow, it is shown as a blue line on the topo map, and it is shown as a tributary on the soils map. Surface flow is: Discrete and confined. Characteristics: Tributary flows in channel under normal conditions. Subsurface flow: Unknown. Explain findings: Dye (or other) test performed: Tributary has (check all that apply): Bed and banks OHWM<sup>6</sup> (check all indicators that apply): ☐ clear, natural line impressed on the bank ☐ the presence of litter and debris changes in the character of soil  $\boxtimes$ destruction of terrestrial vegetation Shelving the presence of wrack line vegetation matted down, bent, or absent sediment sorting leaf litter disturbed or washed away  $\boxtimes$ scour sediment deposition  $\boxtimes$ multiple observed or predicted flow events water staining abrupt change in plant community other (list): ☐ Discontinuous OHWM.<sup>7</sup> Explain: If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: Mean High Water Mark indicated by: oil or scum line along shore objects survey to available datum; fine shell or debris deposits (foreshore) physical markings; physical markings/characteristics vegetation lines/changes in vegetation types. tidal gauges other (list):

Identify flow route to TNW<sup>5</sup>: Unknown tributary which flows to Beaverdam Creek which flows to Middle Tyger River which flows to North Tyger River which flows to Tyger River which flows to the Broad River, a Traditional

<sup>&</sup>lt;sup>5</sup> Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

<sup>&</sup>lt;sup>6</sup>A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

Tibid.

# (iii) Chemical Characteristics: Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: The tributary is located near commercial, residential, and agricultural development. Land use/land cover in the watershed includes: 47.2% forested land, 34.0% agricultural land, 13.8% urban land, 2.2% forested wetland, 1.3% water, 0.8% scrub/shrub land, and 0.7% barren land.

2.

Identify specific pollutants, if known: The tributary is located near commercial, residential, and agricultural development. There are possible pollutants from automobiles, trains, cattle, agriculture, etc. A total maximum daily load (TMDL) for fecal coliform was developed for the watershed in 1999. Levels of fecal coliform bacteria can be elevated in water bodies as the result of both point and nonpoint sources of pollution.

(iv)	Bio.	logical Characteristics. Channel supports (check all that apply):  Riparian corridor. Characteristics (type, average width):
	Ħ	Wetland fringe. Characteristics:
	$\boxtimes$	Habitat for:
		Federally Listed species. Explain findings: .
		Fish/spawn areas. Explain findings: <b>Tributary provides possible breeding grounds for aquatic species</b> .
		Other environmentally-sensitive species. Explain findings:
		Aquatic/wildlife diversity. Explain findings: <b>Tributary provides habitat for wildlife in the area</b> .
Cha	aract	eristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
(i)	Phy	sical Characteristics:
( )		General Wetland Characteristics:
		Properties:
		Wetland size: 0.04 acres
		Wetland type. Explain: Forested.
		Wetland quality. Explain:  Project wetlands cross or serve as state boundaries. Explain:
		110 Jeet wellulids cross of serve as state boundaries. Explain.
	(b)	General Flow Relationship with Non-TNW:
		Flow is: <b>Ephemeral flow</b> . Explain: The water flows to nearby RPW through a non-jurisdictional hydrologic
		conveyance after heavy rain events, and during wetter months.
		Surface flow is: Discrete and confined
		Characteristics: Water flows from wetland to nearby RPW through a non-jurisdictional hydrologic conveyance.
		Subsurface flow: Unknown. Explain findings: .
		Dye (or other) test performed: .
	(c)	Wetland Adjacency Determination with Non-TNW:
	(C)	Directly abutting
		Not directly abutting  Not directly abutting
		Discrete wetland hydrologic connection. Explain: Water flows from wetland to nearby RPW through a non-
		jurisdictional hydrologic conveyance.
		Ecological connection. Explain:
		Separated by berm/barrier. Explain: .
	(d)	Proximity (Relationship) to TNW
	(4)	Project wetlands are 30 (or more) river miles from TNW.
		Project waters are 30 (or more) aerial (straight) miles from TNW.
		Flow is from: Wetland to navigable waters.
		Estimate approximate location of wetland as within the <b>Pick List</b> floodplain.
(ii)	Cha	emical Characteristics:
(11)		racterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed
		characteristics; etc.). Explain: The wetland is located near commercial, residential, and agricultural development.
		Land use/land cover in the watershed includes: 47.2% forested land, 34.0% agricultural land, 13.8% urban land,
		2.2% forested wetland, 1.3% water, 0.8% scrub/shrub land, and 0.7% barren land.
		Identify specific pollutants, if known: The wetland is located near commercial, residential, and agricultural
		development. There are possible pollutants from automobiles, trains, cattle, agriculture, etc. A total maximum daily load (TMDL) for fecal coliform was developed for the watershed in 1999. Levels of fecal coliform bacteria
		can be elevated in water bodies as the result of both point and nonpoint sources of pollution.
/•••	. <b>D</b> .	
(mi	□     B10	logical Characteristics. Wetland supports (check all that apply):  Riparian buffer. Characteristics (type average width):
	H	Riparian buffer. Characteristics (type, average width):  Vegetation type/percent cover. Explain:
	$\boxtimes$	Habitat for:

☐ Federally Listed species. Explain findings: .
Fish/spawn areas. Explain findings: Wetland provides possible breeding grounds for aquatic species.
Other environmentally-sensitive species. Explain findings:
Aquatic/wildlife diversity. Explain findings: Wetland provides habitat for wildlife in the area.

# 3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: 1

Approximately (0.04) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: The wetland evaluated in this SND is performing biological, chemical, and physical functions that relate to the downstream TNW. The wetland flows to a nearby RPW through a non-jurisdictional drainage during heavy rains and wetter months. A variety of biological functions are being performed by the wetland and nearby RPW. The wetland and RPW provide possible breeding grounds for aquatic species as well as habitat for wildlife in the area. The chemical functions include waste filtration for the surrounding urban area. The physical functions of the wetland include flow maintenance by retaining runoff and storm water during times of heavy rain and during the wetter months.

### C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: The wetland evaluated in this SND is performing biological, chemical, and physical functions that relate to the downstream TNW. The wetland flows to a nearby RPW through a non-jurisdictional drainage during heavy rains and

wetter months. A variety of biological functions are being performed by the wetland and nearby RPW. The wetland and RPW provide possible breeding grounds for aquatic species as well as habitat for wildlife in the area. The chemical functions include waste filtration for the surrounding urban area. The physical functions of the wetland include flow maintenance by retaining runoff and storm water during times of heavy rain and during the wetter months. Based on the collective functions described above and their importance to the downstream TNW, it has been determined there is a significant nexus to the downstream TNW.

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs:

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):			
	1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area:  TNWs: linear feet width (ft), Or, acres.  Wetlands adjacent to TNWs: acres.		
	2.	RPWs that flow directly or indirectly into TNWs.  Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: The unnamed tributary to Beaverdam Creek is not within the project boundary. The unnamed tributary to Beaverdam Creek has a clear OHWM and flows year round. This feature has signs of relatively permanent flow, it is shown as a blue line on the topo map, and it is shown as a tributary on the soils map. Available data led this office to conclude the tributary has a perennial flow regime.		
		Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally:		
		Provide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .		
	3.	Non-RPWs <sup>8</sup> that flow directly or indirectly into TNWs.  Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.		
		Provide estimates for jurisdictional waters within the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters: .		
	4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.  Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:		
		Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:		
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.		
	5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.  Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacen and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.		
		Provide acreage estimates for jurisdictional wetlands in the review area: <b>0.04</b> acres.		
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.		

<sup>&</sup>lt;sup>8</sup>See Footnote # 3.

		Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.	d
		Provide estimates for jurisdictional wetlands in the review area: acres.	
	7.	Impoundments of jurisdictional waters.  As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.  Demonstrate that impoundment was created from "waters of the U.S.," or  Demonstrate that water meets the criteria for one of the categories presented above (1-6), or  Demonstrate that water is isolated with a nexus to commerce (see E below).  Explain:	
E.	SUC	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, EGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY ICH WATERS (CHECK ALL THAT APPLY): 10  which are or could be used by interstate or foreign travelers for recreational or other purposes. from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce. Interstate isolated waters. Explain:  Other factors. Explain:	
	Ide	entify water body and summarize rationale supporting determination:	
		ovide estimates for jurisdictional waters in the review area (check all that apply):  Tributary waters: linear feet width (ft).  Other non-wetland waters: acres.  Identify type(s) of waters:  Wetlands: acres.	
F.	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	ON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):  If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.  Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.  Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).  Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Other: (explain, if not covered above): There is a non-jurisdictional hydrologic conveyance on site, which does not have an HWM or a distinct channel. This feature does not have any signs of relatively permanent flow, it is not shown as a blue line of topo map, and it is not shown as a tributary on the soils map. The non-jurisdictional hydrologic conveyance does not flow ar round and flows only after heavy rain events. This feature is not jurisdictional and not a water of the U.S.	
	fact	ovide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR stors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional algorithms (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource:  Wetlands: acres.	1
		ovide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such inding is required for jurisdiction (check all that apply):  Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).  Lakes/ponds: acres.  Other non-wetland waters: acres. List type of aquatic resource: .  Wetlands: acres.	:h
OE:	YET C	ON INC. DATE COMPANY	

# **SECTION IV: DATA SOURCES.**

<sup>&</sup>lt;sup>9</sup> To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
<sup>10</sup> Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

SUPI	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked
and	requested, appropriately reference sources below):
$\boxtimes$	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: <b>EPC.</b>
$\boxtimes$	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
	Office concurs with data sheets/delineation report. This office agrees with the conclusions of the data sheets.
	Office does not concur with data sheets/delineation report.
	Data sheets prepared by the Corps:
$\boxtimes$	Corps navigable waters' study: 1977 Navigability Study.
$\boxtimes$	U.S. Geological Survey Hydrologic Atlas: HA 730-G, 1990.
	USGS NHD data.
	☐ USGS 8 and 12 digit HUC maps. <b>HUC 03050107-01 Middle Tyger River</b>
$\boxtimes$	U.S. Geological Survey map(s). Cite scale & quad name: 1:24,000 Greer.
$\boxtimes$	USDA Natural Resources Conservation Service Soil Survey. Citation: Greenville County Soil Map 26, Cecil, Wehadkee.
	National wetlands inventory map(s). Cite name:
	State/Local wetland inventory map(s): .
	FEMA/FIRM maps: .
	100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929)
$\boxtimes$	Photographs: Aerial (Name & Date): <b>11455:90, 1999, 2006, 2015</b> .
	or 🔀 Other (Name & Date): <b>Photos 1-36 of 36 provided by the consultant and dated May 3, 2016</b> .
$\boxtimes$	Previous determination(s). File no. and date of response letter: SAC-2006-681-6JY; April 20, 2006.
	Applicable/supporting case law: .
	Applicable/supporting scientific literature: .
	Other information (please specify):

B. ADDITIONAL COMMENTS TO SUPPORT JD: This JD form documents the jurisdictional status of one wetland adjacent to but not directly abutting one offsite RPWs that flow directly or indirectly into TNWs. The wetland is non-abutting, therefore a Significant Nexus Determination was performed, which includes all wetlands on-site. Based on the documentation provided in Section III, C of this form, the nexus between the offsite RPW (and its adjacent wetlands) and the downstream TNW is significant. The wetland adjacent to the offsite RPW documented on this form is a water of the U.S. within the jurisdictional of the Clean Water Act.