

JOINT
PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS

69A Hagood Avenue

Charleston, SC 29403-5107

and

THE S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

Office of Environmental Quality Control

Water Quality Certification and Wetlands Programs Section

2600 Bull Street

Columbia, South Carolina 29201

REGULATORY DIVISION

Refer to: P/N SAC-2008-01333 REVISED

July 8, 2016

Pursuant to Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403), Sections 401 and 404 of the Clean Water Act (33 U.S.C. 1344), the South Carolina Coastal Zone Management Act (48-39-10 et seq.), and the S.C. Construction in Navigable Waters Permit Program (R. 19-450, et seq., 1976 S.C. Code of Laws, as amended), a revised application has been submitted to the Department of the Army and the S.C. Department of Health and Environmental Control by

SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
P O Box 191
Columbia, South Carolina 29202

for a permit to place fill within wetlands adjacent to and within the following waters of the United States and/or their tributaries in South Carolina;

NEWTON BAY, BEVERLY CREEK, COTTINGHAM CREEK, HAGINS PRONG, LITTLE REEDY CREEK, THE GULLEY, MAIDENDOWN SWAMP, LITTLE SISTER BAY, BACK SWAMP, LITTLE PEE DEE RIVER, BLACK CREEK, HANNAH BAY, LAKE SWAMP, RATTLESNAKE BRANCH, LONG BRANCH, JOINER SWAMP, LOOSING SWAMP, WATERY BAY, MOSE SWAMP, CHINNERS SWAMP, AND CROSS BRANCH

at various locations in Marlboro, Dillon, Marion, and Horry Counties (from Latitude 34.79250 N, Longitude -79.66042 W (NAD83) to Latitude 33.93806 N, Longitude -79.06833 W (NAD83)) beginning at the NC/SC state line northeast of Bennettsville in Marlboro County and extending to its intersection with SC 22 northwest of Conway, South Carolina.

In order to give all interested parties an opportunity to express their views

NOTICE

is hereby given that written statements regarding the proposed work will be received by the **Corps** until

30 Days from the Date of this Notice,

and **SCDHEC** will receive written statements regarding the proposed work until

30 Days from the Date of this Notice

from those interested in the activity and whose interests may be affected by the proposed work.

PLEASE NOTE: THE PROJECT WAS ORIGINALLY PLACED ON PUBLIC NOTICE ON JANUARY 26, 2011. THE PROJECT HAS SINCE BEEN REVISED TO INCLUDE MODIFICATIONS TO THE PREVIOUSLY ADVERTISED WORK AND THE PROPOSED COMPENSATORY MITIGATION PLAN. ONLY COMMENTS RECEIVED IN RESPONSE TO THIS PUBLIC NOTICE WILL BE CONSIDERED.

The proposed work consists of the placement of fill to construct a new four lane Interstate roadway approximately 75.3 miles, on new alignment. This project will also include the construction of interchanges, over/underpasses, and improvements to existing roadways at the interchanges and over/underpasses. The project would utilize a standard limited access interstate design with frontage roads and entrance/exit ramps at interchanges, storm water facilities, grassed medians, shoulders, guide rails, and barrier fences. In detail, the I-73 project will include; permanent placement of fill materials/structures in a total of 4,643 linear feet of stream and a total of 324.1 acres of other waters, including wetlands. The impacts to wetlands include: 254.28 acres from fill, 48.67 acres from temporary clearing, 16.75 acres from permanent clearing, and 4.4 acres from excavation. These project impacts will occur within 17 separate streams, 139 separate wetlands, and 5 separate ponds/impoundments.

The revised mitigation plan for the I-73 project will no longer include the Joiner Bay wetland mitigation site and the Long Branch stream mitigation site. The proposed compensatory mitigation plan consist of the permittee responsible mitigation site referred to as the "Gunter's Island" site located in Horry County, South Carolina. The proposed mitigation plan states that the Gunter's Island mitigation site is a large scale mitigation opportunity with regional importance based on a watershed approach to protect water quality and aquatic resources. Gunter's Island is a 6,134 acre tract on the east side of the Little Pee Dee River approximately four miles north of the US 378 crossing of the Little Pee Dee River. Based upon information provided by the applicant, this tract contains 89,836 linear feet of tributaries, 4,583 acres of wetlands, and includes an eleven mile long corridor along the east side of Little Pee Dee River. The applicant is proposing to purchase and preserve this tract (including an intact Carolina Bay) and conduct enhancement activities by the replacing/removing existing culverts/bridges/roads, stabilizing stream banks, and supplemental planting along floodplains within wetlands and buffers. The applicant indicates that preservation of this tract will prevent habitat fragmentation caused by land conversion from typical agricultural practices to non-traditional uses, development, and poor land management practices. The long term steward of this site will be the South Carolina Department of Natural Resources (for management and inclusion into the Heritage Trust Program).

According to the application, the project purpose is to provide an interstate link between the I-73/I-74 Corridor in North Carolina to the Myrtle Beach region in South Carolina, to serve residents, businesses, and travelers while fulfilling congressional intent in an environmentally sensitive manner. The I-73 primary needs are to provide system linkage and to enhance economic development. The I-73 project will improve national and regional connectivity by providing a link between the I-73/I-74 National Corridor and the Myrtle Beach region. In addition, the project will help enhance economic development opportunities and tourism in northeastern South Carolina. According to revised application, the secondary needs differ between I-73 North and I-73 South, with the secondary needs of I-73 North being to improve access for tourism into the area, increase

safety on existing roads, and multimodal planning if future light rail were to go through the area. The secondary needs for I-73 South include facilitating hurricane evacuation from the coast, relieving local traffic congestion, and multimodal planning.

As detailed in the Environmental Impacts Studies for both the northern I-73 corridor and the southern I-73 corridor, the applicant has considered numerous roadway corridor location alternatives for this project. These alternatives were evaluated based upon their impact to the human and natural environment, input received from public, and input from various agencies. The evaluation of this information led the applicant to their determination of which alternative roadway corridor location would meet the established project purpose and need while minimizing impacts to both the human and natural environment. The roadway corridor depicted on plans associated with this Public Notice include the applicant's preferred alternative alignment and location for both the northern and southern corridors

Additional source of information: Project maps, the Environmental Impact Study for both northern corridor and southern corridor which include roadway corridor alternative development and selection, right-of-way plans, and additional permitting information can be viewed at the I-73 website (www.i73inSC.com).

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions of the Coastal Zone Management Program (15 CFR 930). This activity may also require evaluation for compliance with the S. C. Construction in Navigable Waters Permit Program. State review, permitting and certification is conducted by the S. C. Department of Health and Environmental Control. The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact a total of 324.1 acres of freshwater habitat upstream of estuarine substrates and emergent wetlands utilized by various life stages of species comprising the shrimp, and snapper-grouper management complexes. The District Engineer's initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). The District Engineer's final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

Pursuant to the Section 7 of the Endangered Species Act of 1973 (as amended), the applicant has provided a protected species survey for the property associated with the activity described above. Based upon this report, the District Engineer has determined that the project is not likely to adversely affect any Federally endangered, threatened, or proposed species or result in the destruction or adverse modification of designated or proposed critical habitat. Specifically, this project may but is not likely to affect the Kirkland's warbler, Shortnose sturgeon, and the Atlantic sturgeon. This public notice serves as a request for written concurrence from the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service on this determination.

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with Section 106 of the NHPA, the District Engineer has consulted South Carolina ArchSite (GIS), for the presence or absence of historic properties (as defined in 36 C.F.R. 800.16)(l)(1)), and has initially determined that a historic property is present, and will be affected. This determination is based upon the information the applicant has provided on a historic/Section 4(f) property, the Beauty Spot Motorcourt Office, the Section 4(f) evaluation, and the Memorandum of Agreement between SCDDOT and SHPO related to this effect. To ensure that other historic properties that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office and other interested parties to provide any information they may have with regard to historic properties. This public notice serves as a request for concurrence within 30 days from the SHPO (and/or Tribal Historic Preservation Officer).

The District Engineer's final eligibility and effect determination will be based upon coordination with the SHPO and/or THPO, as appropriate and required and with full consideration given to the proposed undertaking's potential direct and indirect effects on historic properties within the Corps-identified permit area.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.


The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest and will include application of the guidelines promulgated by the Administrator, Environmental Protection Agency (EPA), under authority of Section 404(b) of the Clean Water Act. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps cannot undertake to adjudicate rival claims.


The Corps is soliciting comments from the public, Federal, state, and local agencies and officials, Indian Tribes, and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments will be used in the preparation of the Corps Record of Decision related to the Corps issuance or denial of the Department of Army permit. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.


If there are any questions concerning this public notice or you have written comments regarding this project, please contact Stephen A. Brumagin, Project Manager, at 803-253-3444 or by mail;

**US Army Corps of Engineers
Charleston District, Columbia Field Office
1835 Assembly Street, Suite 865 B-1
Columbia, SC 29201.**

PROJECT LOCATION MAP



SHEET KEY



SHEET KEY

ASBURY RD
MCGINTON CIR

HEBRON DUNBAR RD
4TH ST
3RD ST

SHEET 30



SHEET 28

DIGGERS RD


SHEET 31



MARLBORO COUNTY, SC

DILLON COUNTY, SC

SHEET 33



SHEET 34

Rivers Creek

FIRETOWER RD

SHEET 35



SHEET 37

CASHUA FERRY RD
STATE HIGHWAY
S BUTLER RD

34

Legend

— Interstate

— Highway

- - - Streams

■ Waters of the U.S.

■■■ Municipalities

— Project Corridor

□ County Boundary

DUNBAR HWY

OLD TOWNSEND RD

INWOOD LN

STRICKLAND LN

MCDOWELL LN

UNNAMED RD

RO


4,000

0


4,000


Feet
1 in = 4,000 feet


PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 4 OF 178




PIN 36358_RD01
PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SC DOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 5 OF 178





SHEET KEY



GENERAL NOTES

NOTES:

- (1) THE PORTION OF THE ALIGNMENT IN NORTH CAROLINA WILL BE PERMITTED BY NCDOT THROUGH THE USACE WILMINGTON DISTRICT.
- (2) WATERS OF THE U.S. ARE DESIGNATED BY THE FIRST LETTER OF THE COUNTY AND A NUMERIC DESIGNATION ON THE FOLLOWING SHEETS. FOR EXAMPLE "D 1" INDICATES DILLON COUNTY AND AREA NUMBER 1. (ML = MARLBORO COUNTY; D = DILLON COUNTY; M = MARION COUNTY; H = HORRY COUNTY).
- (3) CHANNELS WHICH HAVE BEEN IDENTIFIED ON SCDNR'S DATA LAYER AS STREAMS ARE INDICATED BY "SCDNR XX" WHERE XX EQUALS THE STREAM NUMBER ASSIGNED DURING THE WETLAND DELINEATION.
- (4) WETLAND BOUNDARIES BEYOND THE CORRIDOR LIMITS HAVE NOT BEEN VERIFIED BY THE USACE. WHERE JURISDICTIONAL FEATURES EXTEND OUTSIDE THE CORRIDOR, THE APPROXIMATE LOCATION AND DIRECTION ARE SHOWN BY ARROWS AT THE CORRIDOR LIMITS.
- (5) SURVEYED TOPOGRAPHIC DATA WAS NOT AVAILABLE IN THE PORTION OF THE ALIGNMENT NORTH OF I-95; THEREFORE, THE ROADWAY WAS DESIGNED USING USGS DIGITAL ELEVATION MAPPING (DEM) TO SET THE ELEVATIONS AND CONSTRUCTION LIMITS. THE ESTIMATED ACCURACY OF THE MAPPING IS +/- 10 FEET.
- (6) SURVEYED TOPOGRAPHIC DATA WAS AVAILABLE AND USED TO DESIGN THE PORTION OF THE ALIGNMENT FROM I-95 SOUTH TO SC 22.
- (7) FINAL HYDROLOGIC STUDIES HAVE NOT BEEN COMPLETED FOR THE PORTION OF THE ALIGNMENT NORTH OF I-95, THEREFORE PIPE SIZES ARE NOT KNOWN AT THIS TIME. PRIOR TO BEGINNING CONSTRUCTION ON THIS PORTION OF THE ALIGNMENT, FINAL HYDROLOGIC STUDIES WILL BE COMPLETED AND PROPERLY SIZED PIPES AND/OR CULVERTS WILL BE INSTALLED AT STREAM AND WETLAND CROSSINGS TO MAINTAIN HISTORIC HYDROLOGIC CONNECTIONS.
- (8) FINAL HYDROLOGIC STUDIES WERE COMPLETED FOR THE ALIGNMENT SOUTH OF I-95 AND CROSS PIPES AND/OR CULVERTS ARE INDICATED ON THE PERMIT DRAWINGS.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 11 OF 178

PLAN VIEW

1320

1330

OLD WIRE ROAD

PROPOSED RIGHT OF WAY

STREAMHEAD POCOSIN
IMPOUNDMENT
MLI (SCDNR 179)
2.36 ACRES FILL
0.6 ACRES TEMP.CLEAR

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands -- DENOTES WETLAND LIMITS
- — — DENOTES CONSTRUCTION LIMITS
- RL — DENOTES PROPERTY LINE
- [diagonal hatching] - DENOTES FILL
- [cross-hatching] - DENOTES TEMP. CLEAR
- [dotted pattern] - DENOTES PERM. CLEAR
- [horizontal hatching] - DENOTES EXCAVATION

300 0 300

150

GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however, appropriate pipe and
culvert sizes have not yet been determined.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 12 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A-A



50 0 50

GRAPHIC SCALE 1" = 50' HORIZ.

25

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 13 OF 178

PLAN VIEW

BOTTOMLAND HARDWOOD
WETLAND ABUTTING NRPW
ML6
0.0001 ACRES FILL
0.001 ACRES TEMP.CLEAR

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

EAR 1500

15/0

1520

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

NEWTON ROAD

NEWTON ROAD

300 0 300

150

GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:
Surveyed topographic data was not available; therefore the roadway was designed using USGS topographic mapping to set the elevations and construction limits. The estimated accuracy of the mapping is +/- 10 feet.

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER

RPW - RELATIVELY PERMANENT WATER

NRPW - NON-RELATIVELY PERMANENT WATER

Wetlands - - DENOTES WETLAND LIMITS


— — - DENOTES CONSTRUCTION LINE



- DENOTES TEMP. CLEAR




ANSWER *See page 10.*




- DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 14 OF 178

PLAN VIEW





PLAN VIEW

1730

1740

1750

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

JURISDICTIONAL POND
RPW
ML3
0.001 ACRES FILL


BOTTOMLAND HARDWOOD/
FRESHWATER MARSH
WETLAND ABUTTING RPW
ML2 (SCDNR 195 & 196)
5.63 ACRES FILL
0.26 ACRES TEMP.CLEAR
0.9 ACRES PERM.CLEAR

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:
Surveyed topographic data was not available, therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 17 OF 178



GRAPHIC SCALE 1" = 300'

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

SECTION B-B

50 0 50

25


GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 18 OF 178

PLAN VIEW

30



LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
— - - DENOTES CONSTRUCTION LIMITS
— PL — DENOTES PROPERTY LINE
[diagonal hatching] - DENOTES FILL
[cross-hatching] - DENOTES TEMP. CLEAR
[dots] - DENOTES PERM. CLEAR
[horizontal hatching] - DENOTES EXCAVATION

NOTE:

Pipes and culverts will be installed at all crossings of Waters of the U.S., however appropriate pipe and culvert sizes have not yet been determined.

NOTE:

Wetland boundaries beyond corridor limits have not been verified by the USACE.

NOTE:

Surveyed topographic data was not available; therefore the roadway was designed using USGS topographic mapping to set the elevations and construction limits. The estimated accuracy of the mapping is +/- 10 feet.

300 0 300

150

GRAPHIC SCALE 1" = 300'

REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 19 OF 178

PLAN VIEW

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

300 0 300
150
GRAPHIC SCALE 1" = 300'

50
1910
1920

JURISDICTIONAL DITCH
ML22 (SCDNR 207)
0.03 ACRES FILL

PROPOSED RIGHT OF WAY
PROPOSED RIGHT OF WAY



REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 20 OF 178

PLAN VIEW

1

1980

1990

2000

FRESHWATER MARSH /
BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
ML23 (SCDNR 208)
27.3 ACRES FILL
0.28 ACRES TEMP.CLEAR
3.64 ACRES PERMANENT CLEAR

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

A geological cross-section diagram illustrating the stratigraphy and structural framework of the area. The diagram shows various rock units represented by different patterns and textures. Key features include:

- WILSONS**: A large unit at the base, characterized by a dense grid pattern.
- SPRINGFIELD**: A unit above Wilsons, featuring a dotted pattern.
- COTTAGE**: A unit at the top, characterized by horizontal lines.
- STRUCTURE**: A dashed line representing a fault or fold axis.
- ARROWS**: Indicate the direction of movement along the structure line.

→

CONTINUED

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
 RPW - RELATIVELY PERMANENT WATER
 NRPW - NON-RELATIVELY PERMANENT WATER

- Wetlands -- - DENOTES WETLAND LIMITS
 — — - - - DENOTES CONSTRUCTION LIMITS
 — P — - DENOTES PROPERTY LINE

 - DENOTES FILL

 - DENOTES TEMP. CLEAR

 - DENOTES PERM. CLEAR

 - DENOTES EXCAVATION

NOTES

Pipes and culverts will be installed at all crossings of Waters of the U.S., however appropriate pipe and culvert sizes have not yet been determined.

NOTE:

NCI E:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:

Surveyed topographic data was not available; therefore the roadway was designed using USGS topographic mapping to set the elevations and construction limits. The estimated accuracy of the mapping is +/- 10 feet.



A horizontal bar representing a DNA segment. It consists of two identical 300 bp segments at the ends, represented by black boxes, and a central 0 bp region, represented by a white box.

GRAPHIC SCALE 1" = 300'

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 21 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

SECTION C-C

50 0 50
25


GRAPHIC SCALE 1" - 50' HORZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 22 OF 178


PLAN VIEW

2050




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION D-D



50 0 50
25
GRAPHIC SCALE 1" = 50' HORZ.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 24 OF 178




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION E-E



50 0 50

25

GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 26 OF 178

PLAN VIEW

2260

2270

2280

BOTTOMLAND HARDWOOD
ISOLATED WATER
ML33
NO IMPACT

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.



GRAPHIC SCALE 1" = 300'

LEGEND

- TMW - TRADITIONALLY NAVIGABLE WATER
- RWP - RELATIVELY PERMANENT WATER
- NRWP - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - DENOTES CONSTRUCTION LIMITS
- P - - DENOTES PROPERTY LINE
- [Cross-hatched square] - DENOTES FILL
- [Solid black square] - DENOTES TEMP. CLEAR
- [Dashed square] - DENOTES PERM. CLEAR
- [Hatched square] - DENOTES EXCAVATION


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 27 OF 178

PLAN VIEW

2300

2310

2320





REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 28 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

SECTION F-F

50 0 50


25

GRAPHIC SCALE 1" = 50' HORZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 29 OF 178

PLAN VIEW



LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER
— - - DENOTES WETLAND LIMITS
— — - DENOTES CONSTRUCTION LIMITS
— R — DENOTES PROPERTY LINE
[Hatched Box] - DENOTES FILL
[Cross-hatched Box] - DENOTES TEMP. CLEAR
[Dotted Box] - DENOTES PERM. CLEAR
[Diagonal-hatched Box] - DENOTES EXCAVATION

300 0 300
150
GRAPHIC SCALE 1" = 300'

NOTE:

Pipes and culverts will be installed at all crossings of Waters of the U.S., however appropriate pipe and culvert sizes have not yet been determined.

NOTE:

Wetland boundaries beyond corridor limits have not been verified by the USACE.

NOTE:

Surveyed topographic data was not available; therefore the roadway was designed using USGS topographic mapping to set the elevations and construction limits. The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI

PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.

APPLICATION BY SCDOE
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 30 OF 178

PLAN VIEW

2380

CASHUA FERRY ROAD

PROPOSED RIGHT OF WAY

WOODED SWAMP
WETLAND ABUTTING RPW
ML39
0.49 ACRES FILL
0.04 ACRES TEMP.CLEAR
0.14 ACRES EXCAVATION

2390

PROPOSED RIGHT OF WAY

JURISDICTIONAL DITCH
ML38 (SCDNR 219)
0.03 ACRES FILL

CULVERT UNDER ROAD

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands -- - DENOTES WETLAND LIMITS
- — - DENOTES CONSTRUCTION LIMITS
- P — - DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dashed Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 31 OF 178

300 0 300

150


GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION G-G




50 0 50
25
GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 32 OF 178

PLAN VIEW



2560

2570

2580


BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
ML46
0.01 ACRES FILL
0.02 ACRES TEMP.CLEAR

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

Wetlands

Wetlands



JURISDICTIONAL DITCHES
ML45 (SCDNR 223 THRU 227)
0.23 ACRES FILL (THIS SHEET X CONT.)

300 0 300

GRAPHIC SCALE 1" = 300'

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.


REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 34 OF 178

PLAN VIEW

2670

BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
ML48
1.69 ACRES FILL
0.19 ACRES TEMP.CLEAR
0.0 ACRES EXCAVATION



2680


BOTTOMLAND HARDWOOD/
JURISDICTIONAL DITCH
WETLAND ABUTTING NRPW/NRPW
D54 (SCDNR 232)
0.09 ACRES FILL

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

REVISED: 07/01/2016


2690



BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
ML53
0.0005 ACRES FILL
0.01 ACRES TEMP.CLEAR

DILLON COUNTY
MARLBORO COUNTY

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 35 OF 178



300 0 300
150
GRAPHIC SCALE 1" = 300'

BINGHAM ROAD


NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION H-H




50 0 50
25
GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOF
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 36 OF 178



CROSS SECTION



SECTION I-I




50 0 50
25
GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore the roadway was designed using USGS topographic mapping to set the elevations and construction limits. The estimated accuracy of the mapping is +/- 10 feet.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 38 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION J-J




50 0 50
25
GRAPHIC SCALE 1" = 50' HORIZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 40 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION K-K



50 0 50
25
GRAPHIC SCALE 1" = 50' HORIZ.


NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 42 OF 178

PLAN VIEW

MATCHLINE SHEET 44

NOTE:
Pipes and culverts will be installed at all crossings
of Waters of the U.S., however appropriate pipe and
culvert sizes have not yet been determined.



PERENNIAL STREAM
RPW (SCDNR 236)
D63 (CONT) (THIS SHEET)
0.02 ACRES FILL
72 LINEAR FEET

BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
D67
0.48 ACRES FILL
0.14 ACRES TEMP.CLEAR

BAY CATFISH RD.

PROPOSED RIGHT OF WAY
PROPOSED RIGHT OF WAY


300 0 300
150
GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 43 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION I-I



50 0 50

25

GRAPHIC SCALE 1" = 50' HORZ.

NOTE:
Surveyed topographic data was not available; therefore
the roadway was designed using USGS topographic
mapping to set the elevations and construction limits.
The estimated accuracy of the mapping is +/- 10 feet.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 45 OF 178

PLAN VIEW

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
DI (ERN SECTION)
(SAC # 2007-1331-DJS)
NO IMPACT

2930

2940

2950

PROPOSED RIGHT OF WAY

PIPES TO MAINTAIN FLOW

PROPOSED RIGHT OF WAY


PROPOSED RIGHT OF WAY

10

RAY CATFISH RD


RAY CATFISH RD.

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.





LEGEND	
TNW - TRADITIONALLY NAVIGABLE WATER	
RPW - RELATIVELY PERMANENT WATER	
NRPW - NON-RELATIVELY PERMANENT WATER	
- Wetlands - - - DENOTES WETLAND LIMITS	
- - - - - DENOTES CONSTRUCTION LIMITS	
- P - - - DENOTES PROPERTY LINE	
[Hatched Box] - DENOTES FILL	
[Cross-hatched Box] - DENOTES TEMP. CLEAR	
[Dashed Box] - DENOTES PERM. CLEAR	
[Diagonal-hatched Box] - DENOTES EXCAVATION	

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 46 OF 178



PLAN & PROFILE VIEW



HYDROLOGY DATA

D.A. = 22.34 SQ. MI. 682+00
 $Q_{50} = 1799 \text{ CFS}$
 AREA FURNISHED UNDER EL. 102.89 = 290 S.F.
 $V_{50} = 7.90 \text{ FT/SEC.}$
 $Q_{100} = 2215 \text{ CFS}$
 AREA FURNISHED UNDER EL. 103.76 = 320 S.F.
 $V_{100} = 9.00 \text{ FT/SEC.}$
 $\text{BACKWATER}_{100} = 2.00'$

OVERTOPPING FLOOD

$Q > 3376 \text{ CFS (500-YR. DISCHARGE)}$
 PROBABILITY < 0.02


PROFILE

1 - 1 685+00


PIN 36358_RDOI
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 47A OF 178

PLAN & PROFILE VIEW

2962+00 2963+00 2964+00 2965+00



PLAN



HYDROLOGY DATA

D.A. = 22.34 SQ. MI.

$$Q_{50} = 1799 \text{ CFS}$$

AREA FURNISHED UNDER E.I. 102-89 = 290 S.E.

V_{so} = 7.90 FT/SEC.

© 2015 Cengage

AREA FURNISHED UNDER E.O. 14176 - 220 S.E.

AREA FURNISHED

$$V_{100} = 9.00 \text{ FT/SEC.}$$

卷之三

EVERYTHING ELSE

Digitized by srujanika@gmail.com

2962+00

PROFILE

2 - 2

2965+00

PIN 36358 RD01

PROPOSED INTERSTATE 73

MARLBORO DILLON MA

Horry Counties, SC

APPLICATION BY SCDOT


FEDERAL FUNDS T

DATE: 06/06/2016


SHEET 47B OF 78

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION M-M



GRAPHIC SCALE 1" = 100' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 48 OF 178

PLAN VIEW





CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION 0-0



GRAPHIC SCALE 1" = 100' HORIZ.



PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 50 OF 178

PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 52 OF 178

PLAN VIEW

3070

BOTTOMLAND HARDWOOD
NON-REGULATED ISOLATED WATER
D14
0.09 ACRES FILL
0.01 ACRES EXCAVATION
0.01 ACRES TEMP. CLEAR

3080

3090

GRIFFIN DRIVE

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY



300 0 300

150

GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER

— Wetlands — DENOTES WETLAND LIMITS

— — — CONSTRUCTION LIMITS

— P — PROPERTY LINE

[Hatched Box] - DENOTES FILL


[Cross-hatched Box] - DENOTES TEMP. CLEAR

[Dotted Box] - DENOTES PERM. CLEAR


[Diagonal-hatched Box] - DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 53 OF 178

CROSS SECTION




SECTION Q-Q




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 54 OF 178

PLAN VIEW



CROSS SECTION



I-73

SECTION R-R

— - - DENOTES EXISTING GROUND LINE
[diagonal hatching] - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 56 OF 178

PLAN VIEW

3140

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
D21 (DNR SN 16)
0.41 ACRES FILL

PROPOSED RIGHT OF WAY

WET MANAGED PINE STAND
NON-REGULATED ISOLATED WATERS
D20
NO IMPACT

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

CULVERT UNDER ROAD

PROPOSED RIGHT OF WAY

JURISDICTIONAL DITCHES
D22 (DNR SN 125)
0.27 ACRES FILL
(THIS SHEET)

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

CLEARCUT PINE WET FLATWOOD
WETLAND ADJACENT TO RPW
D23
0.02 ACRES FILL
0.01 ACRES TEMP.CLEAR

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

REVISED: 07/01/2016

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 57 OF 178

LEGEND	
TNW - TRADITIONALLY NAVIGABLE WATER	
RPW - RELATIVELY PERMANENT WATER	
NRPW - NON-RELATIVELY PERMANENT WATER	
Wetlands - - DENOTES WETLAND LIMITS	
— - - DENOTES CONSTRUCTION LIMITS	
— P — DENOTES PROPERTY LINE	
[cross-hatch] - DENOTES FILL	
[dotted] - DENOTES TEMP. CLEAR	
[dots] - DENOTES PERM. CLEAR	
[diagonal hatching] - DENOTES EXCAVATION	


300 0 300

GRAPHIC SCALE 1" = 300'



MATCHLINE SHEET 59

CROSS SECTION

NO CLEARING, WETLAND IS A POND, SEE SHT. 57



SECTION S-S




GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 58 OF 178

PLAN VIEW


MATCHLINE SHEET 57





PLAN VIEW



CROSS SECTION




SECTION T-T




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 61 OF 178



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



I-73

SECTION U-U

- - - DENOTES EXISTING GROUND LINE
- [Shaded Box] - DENOTES FILL
- [Hatched Box] - DENOTES EXCAVATION




GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 63 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION V-V




25 0 25
12.5

GRAPHIC SCALE 1" = 25' HORIZ.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 64 OF 178


PLAN VIEW

MATCHLINE SHEET 67



CROSS SECTION


NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION W-W

— - - DENOTES EXISTING GROUND LINE

[Hatched Box] - DENOTES FILL




GRAPHIC SCALE 1" = 62.5' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 66 OF 178

PLAN VIEW


MATCHLINE SHEET 65



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND Horry COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 67 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION Y-Y

— - - DENOTES EXISTING
GROUND LINE
■■■■■ - DENOTES FILL


25 0 25
12.5

GRAPHIC SCALE 1" - 25' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 68 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




I-73

SECTION Z-Z

GRAPHIC SCALE 1" - 50' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 69 OF 178

PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

173
SECTION AA-AA


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 71 OF 178

PLAN VIEW

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND


TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER
- DENOTES WETLAND LIMITS
- DENOTES CONSTRUCTION LIMITS
- P - DENOTES PROPERTY LINE
[Hatched Box] - DENOTES FILL
[Cross-hatched Box] - DENOTES TEMP. CLEAR
[Dotted Box] - DENOTES PERM. CLEAR
[Diagonal-hatched Box] - DENOTES EXCAVATION



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 72 OF 178

CROSS SECTION


NOTE:
WETLAND UNITS EXTEND
BEYOND CORRIDOR UNITS



SECTION BB-BB

— - - DENOTES EXISTING
GROUND LINE

[Shaded Box] - DENOTES FILL



GRAPHIC SCALE 1" = 62.5' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 73 OF 178

PLAN VIEW

PINE FLATWOODS/
DECIDUOUS SHRUB SWAMP
WETLAND ABUTTING RPW
MII
1.23 ACRES FILL
0.58 ACRES TEMP. CLEAR

JURISDICTIONAL DITCH/
INTERMITTENT STREAM
NRPW
MIO
0.009 ACRES FILL
71 LINEAR FEET

PROPOSED RIGHT OF

PROPOSED RIGHT OF WAY

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT
NON-JURISDICTIONAL POND/DITCH
NON-REGULATED ISOLATED WATER
M6
0.20 ACRES FILL
219.5 LINEAR FEET

Figure 10. A schematic diagram of the experimental setup.

JURISDICTIONAL DITCH /
INTERMITTENT STREAM
RPW

BOTTOMLAND HARDWOOD/JURISDICTIONAL DITCH
WET LAND ABUTTING NRPW
M16 (DNR SN 76)
0.30 ACRES FILL
0.04 ACRES TEMP. CLEAR

DECIDUOUS SHRUB SWAMP
WETLAND ABUTTING RPW
M15
0.02 ACRES FILL
0.02 ACRES TEMP. CLEAR

GILBERT ROAD
NOT

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER

Wetlands REUNION WEEKEND JUNE 2

PENOTES 20200701.LWF

11

 - DENOTES FILL

ANSWER


- DENOTES TEMP. CLEAR

卷之三

... DENOTES PERIODIC CLEAR

ENHANCED EVALUATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 74 OF 178




A horizontal scale bar representing 600 units. It features three major tick marks labeled "300" at both ends and "0" in the center. Below the scale, the number "150" is written.

GRAPHIC SCALE 1" = 300'

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




— — — DENOTES EXISTING GROUND LINE
■ ■ ■ - DENOTES FILL

50 0 50
75 25 25 75
GRAPHIC SCALE 1" = 625' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND Horry COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 75 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION DD-DD





50 0 50
75 25 25 75
GRAPHIC SCALE 1" = 62.5' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 76 OF 178



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION FF-FF

50 0 50

25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 78 OF 178

PLAN VIEW

300 0 300

GRAPHIC SCALE 1" = 300'

BOTTOMLAND HARDWOOD/
DECIDUOUS SHRUB SWAMP
WETLAND ABUTTING RPW
M23 (DNR SN 73)
0.55 ACRES FILL
0.03 ACRES EXCAVATION
0.52 ACRES TEMP. CLEAR

BOTTOMLAND HARDWOOD
WETLAND ADJACENT TO NRPW
M25 (DNR SN 72)
0.02 ACRES FILL
0.01 ACRES EXCAVATION
0.01 ACRES TEMP. CLEAR

PIPES TO MAINTAIN FLOW

3580

3590

SULLIVAN CHURCH RD

3600

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

BOTTOMLAND HARDWOOD/
DECIDUOUS SHRUB SWAMP
WETLAND ABUTTING RPW
M24 (DNR SN 73)
0.16 ACRES FILL
0.02 ACRES EXCAVATION
0.02 ACRES TEMP. CLEAR

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER

- Wetlands -- DENOTES WETLAND LIMITS

- - - DENOTES CONSTRUCTION LIMITS

- R - DENOTES PROPERTY LINE

- DENOTES FILL

- DENOTES TEMP. CLEAR


- DENOTES PERM. CLEAR

- DENOTES EXCAVATION


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 79 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



I-73


SECTION FF-FF

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 80 OF 178


PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

NO CLEARING, WETLAND IS A POND



SECTION GG-GG


— - - DENOTES EXISTING GROUND LINE
■■■■■ - DENOTES FILL
■■■■■ - DENOTES EXCAVATION

50 0 50
25


GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 82 OF 178

PLAN & PROFILE VIEW



PLAN



PROFILE

3 - 3

HYDROLOGY DATA

D.A. = 2.38 SQ. MI.
 Q_{50} = 435 CFS
 AREA FURNISHED UNDER EL. 97.41 = 234.0 S.F.
 V_{50} = 1.3 FT/SEC.
 Q_{100} = 539 CFS
 AREA FURNISHED UNDER EL. 97.70 = 257.0 S.F.
 V_{100} = 1.5 FT/SEC.
 $BACKWATER_{100}$ = 0.63'


OVERTOPPING FLOOD

$Q > 835$ CFS (500-YR. DISCHARGE)
 PROBABILITY < 0.02


PIN 36358_RDO
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 83A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION HH-HH




50 0 50
25


GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 84 OF 178

PLAN VIEW



CROSS SECTION



SECTION II-II

— - - DENOTES EXISTING GROUND LINE
■■■ - DENOTES EXCAVATION

50 0 50
 75 25 25 75
 GRAPHIC SCALE 1" = 62.5' HORZ.

PIN 36358_RD01
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 86 OF 178

PLAN VIEW

3800

TYROL RD.

BOTTOMLAND HARDWOOD
NON-REGULATED ISOLATED WATER
M40
0.77 ACRES FILL

BOTTOMLAND HARDWOOD
WETLAND ADJACENT TO NRPW
M43
0.32 ACRES TEMP. CLEAR

3810

3820

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

PROPOSED RIGHT OF WAY

PIPES TO MAINTAIN FLOW

PROPOSED RIGHT OF WAY

JURISDICTIONAL DITCH
M42 (DNR SN 55)
0.02 ACRES FILL

LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
- Wetlands -	- DENOTES WETLAND LIMITS
- - -	- DENOTES CONSTRUCTION LIMITS
- P -	- DENOTES PROPERTY LINE
[Hatched Box]	- DENOTES FILL
[Cross-hatched Box]	- DENOTES TEMP. CLEAR
[Dashed Box]	- DENOTES PERM. CLEAR
[Diagonal-hatched Box]	- DENOTES EXCAVATION

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


REVISED: 07/01/2016



GRAPHIC SCALE 1" = 300'

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOE
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 87 OF 178

CROSS SECTION



SECTION JJ-JJ

— - - DENOTES EXISTING GROUND LINE

[diagonal lines] - DENOTES FILL

[horizontal lines] - DENOTES EXCAVATION

50 0 50

25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 88 OF 178

PLAN VIEW

3830

3840

3850

3860

PROPOSED RIGHT OF WAY

— PIPES TO MAINTAIN FLOW

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

PROPOSED RIGHT OF WAY

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER

— Wetlands — - DENOTES WETLAND LIMITS

— — - - DENOTES CONSTRUCTION L

—P— - DENOTES PROF.

 - DENOTES FILL
 - DENOTES TEMP. CLEAR

ANSWER

- DENOTES EXCAVATION

[View all posts by admin](#) | [View all posts in category](#)

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.


**APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 89 OF 178**

*NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.*

A horizontal scale bar with numerical markings at 300, 0, and 300, and a central reference mark at 150.

GRAPHIC SCALE 1" = 300'

CROSS SECTION




— - - DENOTES EXISTING GROUND LINE
■■■■■ - DENOTES FILL

25 0 25
12.5

GRAPHIC SCALE 1" = 25' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 90 OF 178

PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




50 0 50

25

GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 92 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



S-84

SECTION NN-NN



25 0 25
12.5

GRAPHIC SCALE 1" = 25' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 94 OF 178

PLAN VIEW

INTERMITTENT STREAM/
JURISDICTIONAL DITCH
RPW
M58 (DNR SN 8)
NO IMPACT

3900

PROPOSED RIGHT OF WAY

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
—	- DENOTES WETLAND LIMITS
— — —	- DENOTES CONSTRUCTION LIMITS
— P —	- DENOTES PROPERTY LINE
[Hatched]	- DENOTES FILL
[Cross-hatched]	- DENOTES TEMP. CLEAR
[Dotted]	- DENOTES PERM. CLEAR
[Diagonal-hatched]	- DENOTES EXCAVATION

300 0 300
150

GRAPHIC SCALE 1" = 300'

3910

MADDENDOWN SWAMP


Wetland
Bottomland Hardwood
Wetland Abutting RPW
M56
1.84 ACRES FILL
0.51 ACRES TEMP. CLEAR
0.83 ACRES PERMANENT CLEAR

3920

YOUPOON CT.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 95 OF 178

PLAN & PROFILE VIEW



HYDROLOGY DATA

PLAN




PROFILE

4 - 4


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 95A OF 178

PLAN & PROFILE VIEW



HYDROLOGY DATA
 D.A. = 5.36 SQ. MI.
 $Q_{50} = 728 \text{ CFS}$
 AREA FURNISHED UNDER EL. 84.17 = 603 S.F.
 $V_{50} = 1.3 \text{ FT/SEC.}$
 $Q_{100} = 900 \text{ CFS}$
 AREA FURNISHED UNDER EL. 84.62 = 743 S.F.
 $V_{100} = 1.3 \text{ FT/SEC.}$
 $\text{BACKWATER}_{100} = .41'$
OVERTOPPING FLOOD
 $Q > 1388 \text{ CFS (500-YR. DISCHARGE)}$
 PROBABILITY < 0.02

PLAN




PROFILE

5 - 5


PIN 36358_RDOI
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCUDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 95B OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION 00-00



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 96 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION PP-PP




GRAPHIC SCALE 1" - 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 98 OF 178

PLAN VIEW

MATCHLINE SHEET 97

3970



MATCHLINE SHEET 101

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND


- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- — - DENOTES CONSTRUCTION LIMITS
- P — DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dotted Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 99 OF 178

GRAPHIC SCALE 1" - 300'

CROSS SECTION


NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION QQ-QQ

— — - DENOTES EXISTING GROUND LINE

[cross-hatch] - DENOTES FILL



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 100 OF 178

PLAN VIEW

300 0 300

150

GRAPHIC SCALE 1" = 300'

4010

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands -- DENOTES WETLAND LIMITS
- — — DENOTES CONSTRUCTION LIMITS
- P — DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Dotted Box] - DENOTES TEMP. CLEAR
- [Dashed Box] - DENOTES PERM. CLEAR
- [Cross-hatched Box] - DENOTES EXCAVATION

CLEARCUT BAY FOREST/
BAY FOREST
WETLAND ABUTTING RPW
M63
13.20 ACRES FILL
0.62 ACRES TEMP. CLEAR
(THIS SHEET)

3990


4000

MATCHLINE SHEET 103

3980

PROPOSED RIGHT OF WAY



MATCHLINE SHEET 99




PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 101 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION RR-RR




GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 102 OF 178

PLAN VIEW

MATCHLINE SHEET 101



CROSS SECTION



SECTION SS-SS

— - - DENOTES EXISTING
GROUND LINE
■■■■■ - DENOTES FILL

50 0 50

25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 104 OF 178

PLAN VIEW

4050

CSX RAILROAD

PIPS TO MAINTAIN FLOW

4060

MICK ARTHUR ROAD (S-203)

JURISDICTIONAL DITCH
M71 (DNR SN 45)
0.02 ACRES FILL

4070

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT


PROPOSED RIGHT OF WAY

4080

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND


- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - DENOTES CONSTRUCTION LIMITS
- P - - DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dashed Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION




GRAPHIC SCALE 1" = 300'

REVISED: 07/01/2016
PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 105 OF 178

PLAN VIEW



CROSS SECTION



SECTION TT-TT


— - - DENOTES EXISTING GROUND LINE
■■■■■ - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 107 OF 178

PLAN VIEW




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION UU-UU




50 0 50

GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 109 OF 178



PLAN & PROFILE VIEW



PLAN



4214+00

4217+00

4220+00

PROFILE


6 - 6

- ① 2'-0" THICK RIPRAP SLOPE PROTECTION PERPENDICULAR TO END BENT


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCODOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 110A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION VV-VV



50 0 50

25


GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET III OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

NO CLEARING LIMITS AREA IS
MAINTAINED FOR UTILITY LINE.



SECTION WW-WW

— - - DENOTES EXISTING
GROUND LINE

[diagonal hatching] - DENOTES FILL




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 112 OF 178

PLAN VIEW

4270



MATCHLINE SHEET 115



GRAPHIC SCALE 1" = 300'


NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 113 OF 178

PLAN & PROFILE VIEW


4255+00 4256+00 4257+00 4258+00 4259+00 4260+00 4261+00 4262+00 4263+00

EXISTING BRIDGE



PLAN

540'-0" TOTAL BRIDGE LENGTH



BENT NO.'s →

(1) (2) (3) (4) (5) (6) (7) (8) (9) (10)

4263+00

4255+00

4257+00

4259+00

PROFILE

7 - 7

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 113A OF 178

HYDROLOGY DATA

D.A. = 2,730 SQ. MI.

Q₅₀ = 7,306 CFS

AREA FURNISHED UNDER EL. 45.10 = 3809.47 SF

V₅₀ = 2.7 FT/SEC.

Q₁₀₀ = 8,171 CFS

AREA FURNISHED UNDER EL. 45.60 = 4077.42 SF

V₁₀₀ = 2.8 FT/SEC.

BACKWATER₁₀₀ = 0.3'

OVERTOPPING FLOOD

Q : N/A

PROBABILITY : N/A

PROPOSED FINISHED GRADE

PVI

50

APPROXIMATE EXISTING GROUND LINE


90

50

10

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION XX-XX

— - - DENOTES EXISTING
GROUND LINE
[diagonal hatching] - DENOTES FILL

50 0 50

25
GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 114 OF 178

PLAN VIEW

WOODED SWAMP/FRESHWATER MARSH
WETLAND ABUTTING TNW

MATCHLINE SHEET 117

HI
1.16 ACRES FILL (THIS SHEET)
0.12 ACRES TEMP. CLEAR (THIS SHEET)
0.56 ACRES PERMANENT CLEAR

A280

FLOW
PROPOSED RIGHT OF WAY
SC 917

EXISTING BRIDGE
Wetlands

A270

WOODED SWAMP
WETLAND ABUTTING TNW

M86 (CONT)
8.14 ACRES FILL
0.41 ACRES TEMP. CLEAR
0.64 ACRES PERMANENT CLEAR

Wetlands

LITTLE PEE DEE
RIVER

LITTLE PEE DEE RIVER
TNW
(DNR SN 394041)
779 LINEAR FEET
NO IMPACT

PROPOSED RELOCATION
SANDY BLUFF CT.

EXISTING SANDY BLUFF CT.

PIPE TO MAINTAIN FLOW

300 0 300

150

GRAPHIC SCALE 1" = 300'


NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND


- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands -- - DENOTES WETLAND LIMITS
- — - DENOTES CONSTRUCTION LIMITS
- P — DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dotted Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 115 OF 178

PLAN & PROFILE VIEW



MATCHLINE SHEET 115B



HYDROLOGY DATA

D.A. = 2,730 SQ. MI.

Q_{50} = 24,286 CFS

AREA FURNISHED UNDER EL. 45.1 = 7,560 S.F.

V_{50} = 5.0 FT/SEC.

Q_{100} = 26,416 CFS

AREA FURNISHED UNDER EL. 45.6 = 8,025 S.F.

V_{100} = 5.1 FT/SEC.

$BACKWATER_{100}$ = 0.2'

OVERTOPPING FLOOD

$Q > N/A$ CFS (500-YR. DISCHARGE)

PROBABILITY < N/A



PROFILE

8 - 8

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 115A OF 178

PLAN & PROFILE VIEW

MATCHLINE SHEET 115A




PROFILE

8 - 8


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCOTD
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 115B OF 178

CROSS SECTION



PIN 36358_RDO
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 116 OF 178

PLAN VIEW



GRAPHIC SCALE 1" = 300'

4320

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

PIPE TO MAINTAIN FLOW

MARSH LAKE
FLA

4310

FRESHWATER MARSH
NON-REGULATED ISOLATED WATER
H2
0.07 ACRES FILL

A500

PIPES TO MAINTAIN FLOW

BOTTOMLAND HARDWOOD
WETLAND ABUTTING NRPW
H9
0.0 ACRES FILL
0.02 ACRES TEMP. CLEAR

PINE WET FLATWOODS/
FRESHWATER MARSH
WETLAND ABUTTING TNW
H3
2.53 ACRES FILL
0.13 ACRES TEMP. CLEAR

WOODED SWAMP/FRESHWATER MARSH
WETLAND ABUTTING TNW
HI (CONTINUED)
2.48 ACRES FILL (THIS SHEET)
0.14 ACRES TEMP. CLEAR (THIS SHEET)

MATCHLINE SHEET 115

FRESHWATER MARSHES
NON-REGULATED ISOLATED WATERS
H10
0.62 ACRES FILL

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.




LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER

Wetlands & RENOVATING WETLAND LIVES

REVENUES CONSTRUCTION


—R DENOTES PROPERTY LINE




PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 117 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION ZZ-ZZ



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 118 OF 178

PLAN VIEW



X350

MATCHLINE SHEET 121

BOTTOMLAND HARDWOOD WETLAND ADJACENT TO RPW
H15
2.00 ACRES FILL
0.25 ACRES TEMP. CLEAR
(THIS SHEET)

CULVERTS TO MAINTAIN FLOW

SC 9ft

X340

PROPOSED RIGHT OF WAY

WOODED SWAMP/FRESHWATER MARSH WETLAND ABUTTING TNW
H14 (DNR SN II)
4.81 ACRES FILL
0.29 ACRES TEMP. CLEAR

NOTE:
Wetland boundaries beyond corridor limits have not been verified by the USACE.

WOODED SWAMP/FRESHWATER MARSH WETLAND ABUTTING TNW
H12 (DNR SN 10)
3.54 ACRES FILL
0.31 ACRES TEMP. CLEAR
1.03 ACRES PERMANENT CLEAR

FRESHWATER MARSH WETLAND ADJACENT TO RPW
H11
0.13 ACRES FILL

X330

SC 9ft

PROPOSED RIGHT OF WAY


BLACK CREEK

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
H13
0.34 ACRES FILL


LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
Wetlands	-- DENOTES WETLAND LIMITS
—	-- DENOTES CONSTRUCTION LIMITS
R	-- DENOTES PROPERTY LINE
[diagonal hatching]	- DENOTES FILL
[cross-hatching]	- DENOTES TEMP. CLEAR
[dotted pattern]	- DENOTES PERM. CLEAR
[horizontal hatching]	- DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND Horry COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 119 OF 178

PLAN & PROFILE VIEW



PLAN



BENT NO.'s →

(1)

(2)

(3)

(4)

4336+00

4339+00

PROFILE

9 - 9


(1) 2'-0" THICK RIPRAP SLOPE PROTECTION
PERPENDICULAR TO END BENT

4342+00

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 119A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



— - - - DENOTES EXISTING
GROUND LINE

[Hatched Box] - DENOTES FILL

50 0 50

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI

PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.

APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 120 OF 178


PLAN VIEW



300 0 300
150

GRAPHIC SCALE 1" = 300'

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.



BOTTOMLAND HARDWOOD
WETLAND ADJACENT TO RPW
H15 (CONT)
5.45 ACRES FILL
0.27 ACRES TEMP. CLEAR
(THIS SHEET)

4370

4380

4390

PROPOSED RIGHT OF WAY

DECIDUOUS SHRUB SWAMP
WETLAND ABUTTING NRPW
H16
0.0 ACRES FILL

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 121 OF 178

MATCHLINE SHEET 124

4360

SC 97

BBB


BBB

Wetlands


Wet

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION BBB-BBB




50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 122 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION CCC-CCC



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 123 OF 178

MATCHLINE SHEET 121



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION DDD-DDD

— — - DENOTES EXISTING
GROUND LINE
■■■■■ - DENOTES FILL



GRAPHIC SCALE 1" = 50' HORZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOIT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 125 OF 178

PLAN VIEW

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - DENOTES CONSTRUCTION LIMITS
- P - - DENOTES PROPERTY LINE
- [diagonal lines] - DENOTES FILL
- [solid black] - DENOTES TEMP. CLEAR
- [white with diagonal lines] - DENOTES PERM. CLEAR
- [diagonal lines with hatching] - DENOTES EXCAVATION

MATCHLINE SHEET 128

HANNAH BAY

FRESHWATER MARSH
NON-REGULATED ISOLATED WATER
H21
0.21 ACRES FILL

PINE WET FLATWOODS/
CLEARCUT PINE WET FLATWOODS
WETLAND ADJACENT TO NRPW
H20
1.59 ACRES FILL
0.36 ACRES TEMP. CLEAR

4420

4430

PIPES TO MAINTAIN FLOW

PROPOSED RIGHT OF WAY

300 0 300

GRAPHIC SCALE 1" = 300'

JURISDICTIONAL DITCHES
H23
0.05 ACRES FILL
(THIS SHEET)

PROPOSED RIGHT OF WAY


CULVERT UNDER ROAD
EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

REVISED: 07/01/2016



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 126 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION EEE-EFF



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 127 OF 178

PLAN VIEW

MATCHLINE SHEET 126



GRAPHIC SCALE 1" = 300'

PINE WET FLATWOODS/
DECIDUOUS SHRUB SWAMP
WETLAND ADJACENT TO NRPW
H27
4.23 ACRES FILL
0.35 ACRES TEMP. CLEAR

PINE WET FLATWOODS/
DECIDUOUS SHRUB SWAMP
NON-REGULATED ISOLATED WATER
H26
0.49 ACRES FILL

JURISDICTIONAL DITCHES
H23 (CONT)
0.002 ACRES FILL
(THIS SHEET)

PIPES TO MAINTAIN FLOW

PARTIALLY DITCHED
PINE WET FLATWOODS
WETLAND ABUTTING NRPW
H25
2.82 ACRES FILL
0.01 ACRES TEMP. CLEAR
0.55 ACRES EXCAVATION

BOTTOMLAND HARDWOOD/JURISDICTIONAL DITCH
WETLAND ADJACENT TO NRPW

H28
0.21 ACRES FILL
0.02 ACRES TEMP. CLEAR

4470

R

GGG

GGG

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
H29
0.20 ACRES FILL

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.


LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
- Wetlands	- DENOTES WETLAND LIMITS
- - -	- DENOTES CONSTRUCTION LIMITS
- P -	- DENOTES PROPERTY LINE
[diagonal hatching]	- DENOTES FILL
[cross-hatching]	- DENOTES TEMP. CLEAR
[dotted pattern]	- DENOTES PERM. CLEAR
[horizontal hatching]	- DENOTES EXCAVATION

REVISED: 07/01/2016

PIN 36358_RDO1
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 128 OF 178


CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION FFF-FFF

— - - DENOTES EXISTING GROUND LINE
[diagonal hatching] - DENOTES FILL




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 129 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION GGG-GGG

— — - DENOTES EXISTING
GROUND LINE

[cross-hatch] - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 130 OF 178

PLAN VIEW

4490

PINE WET FLATWOODS/
JURISDICTIONAL POND
WETLAND ADJACENT TO NRPW
H30
2.28 ACRES FILL
0.23 ACRES TEMP. CLEAR

4500

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

S. MICHLS HWY 15/23

PIPES TO MAINTAIN FLOW

300 0 300
150

GRAPHIC SCALE 1" = 300'

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER

RPW - RELATIVELY PERMANENT WATER

NRPW - NON-RELATIVELY PERMANENT WATER

- Wetlands - - DENOTES WETLAND LIMITS

- - - - - DENOTES CONSTRUCTION LIMITS

- P - - DENOTES PROPERTY LINE

[diagonal hatching] - DENOTES FILL

[cross-hatching] - DENOTES TEMP. CLEAR

[dotted pattern] - DENOTES PERM. CLEAR

[solid black] - DENOTES EXCAVATION


4510

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCOTD
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 131 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION HHH-HHH


— — - DENOTES EXISTING
GROUND LINE
■■■■■ - DENOTES FILL



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 132 OF 178

MATCHLINE SHEET 136



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION III-III

— — - DENOTES EXISTING
GROUND LINE


 - DENOTES FILL

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 134 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



— - - DENOTES EXISTING GROUND LINE
■ ■ ■ - DENOTES FILL
■ ■ ■ - DENOTES EXCAVATION

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 135 OF 178

PLAN VIEW

MATCHLINE SHEET 133

DITCHED
BOTTOMLAND HARDWOOD
H37 (CONTINUED)
0.40 ACRES FILL
1.05 ACRES TEMP.CLEAR
(THIS SHEET)

4550

4560

WOODED SWAMP
WETLAND ABUTTING RPW
H38 (DNR SN 3)
11.76 ACRES FILL
1.50 ACRES TEMP. CLEAR
0.50 ACRES PERM. CLEAR
(THIS SHEET)

4570

4580

LAKE SWAMP

PIPE TO MAINTAIN FLOW

PROPOSED RIGHT OF WAY

LAKE SWAMP

EXISTING BRIDGE

FLOW
LAKE SWAMP

S.NICHOLS HWY (S-23)

PROPOSED RIGHT OF WAY

Wetlands

MATCHLINE SHEET 138

300 0 300
150


GRAPHIC SCALE 1" = 300'

LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
Wetlands	-- DENOTES WETLAND LIMITS
— — —	- DENOTES CONSTRUCTION LIMITS
— P —	- DENOTES PROPERTY LINE
[Hatched]	- DENOTES FILL
[Cross-hatched]	- DENOTES TEMP. CLEAR
[Dotted]	- DENOTES PERM. CLEAR
[Diagonal hatched]	- DENOTES EXCAVATION

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

PIN 36358-RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOE
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 136 OF 178

PLAN & PROFILE VIEW




HYDROLOGY DATA

D.A. = 147.50 SQ. MI.
 Q_{50} = 4272 CFS
 AREA FURNISHED UNDER EL. 43.82 = 1261 S.F.
 V_{50} = 3.4 FT/SEC.
 Q_{100} = 5133 CFS
 AREA FURNISHED UNDER EL. 44.81 = 1380 F.
 V_{100} = 3.7 FT/SEC.
 $BACKWATER_{100}$ = 0.84'

OVERTOPPING FLOOD

$Q > 7711$ CFS (500-YR. DISCHARGE)
 PROBABILITY < 0.02



4575+00 4576+00 4577+00 4578+00 4579+00


PROFILE

10 - 10

PIN 36358_RDOI
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 136A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION KKK-KKK

— - - DENOTES EXISTING GROUND LINE
[diagonal hatching] - DENOTES FILL



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 137 OF 178

PLAN VIEW

MATCHLINE SHEET 136

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
H39
0.35 ACRES FILL

4600

4610


LAKE SWAMP

WOODED SWAMP
WETLAND ABUTTING RPW
H38 (CONT) (DNR SN 3)
4.12 ACRES FILL
0.21 ACRES TEMP. CLEAR
0.45 ACRES PERMANENT CLEAR
(THIS SHEET)

4590

PROPOSED RIGHT OF WAY

SWAMP RD.




PROPOSED RIGHT OF WAY

S. NICHOLS HNY. (S-23)

EXISTING BRIDGE

LAKE SWAMP
FLOW →



GRAPHIC SCALE 1" = 300'

MATCHLINE SHEET 140



NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

- TW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRWP - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - DENOTES CONSTRUCTION LIMITS
- P — DENOTES PROPERTY LINE
- [Cross-hatched box] - DENOTES FILL
- [Solid box] - DENOTES TEMP. CLEAR
- [Dotted box] - DENOTES PERM. CLEAR
- [Diagonal-hatched box] - DENOTES EXCAVATION

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCODT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 138 OF 178

PLAN & PROFILE VIEW



4591+00

4586+00 4587+00 4588+00 4589+00 4590+00


PROFILE

11 - 11

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 138A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION LLI-LII


— — — DENOTES EXISTING GROUND LINE
[diagonal hatching] - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 139 OF 178


PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

CLEARING LIMITS EXTEND
BEYOND LIMITS OF CORRIDOR




— - - DENOTES EXISTING GROUND LINE
■■■■■ - DENOTES FILL
■■■■■ - DENOTES EXCAVATION

50 0 50
25


GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 141 OF 178




CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION NNN-NNN



25 0 25


12.5

GRAPHIC SCALE 1" = 25' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 143 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




SECTION 000-000



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 144 OF 178

CROSS SECTION



SECTION PPP-PPP

— - - DENOTES EXISTING GROUND LINE
[diagonal hatching] - DENOTES FILL


25 0 25
12.5

GRAPHIC SCALE 1" = 25' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 145 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION QQQ-QQQ


— - - DENOTES EXISTING GROUND LINE
[Hatched Box] - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 146 OF 178

PLAN VIEW



CROSS SECTION


NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION RRR-RRR

— — - DENOTES EXISTING
GROUND LINE

[Hatched Box] - DENOTES FILL




GRAPHIC SCALE 1" = 50' HORZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 148 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION SSS-SSS




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI

PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.


APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 149 OF 178

PLAN VIEW





CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION TTT-TTT



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SC DOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 151 OF 178

PLAN VIEW

4750

PARTIALLY CLEARCUT
REPLANTED PINE WET FLATWOOD
WETLAND ABUTTING RPW
H54
0.06 ACRES FILL
0.02 ACRES TEMP. CLEAR

4760

PINE WET FLATWOOD
WETLAND ABUTTING RPW
H57
0.86 ACRES FILL
0.03 ACRES TEMP. CLEAR

INTERMITTENT STREAM
RPW
H59 (DNR SN 29)
0.03 ACRES FILL
340 LINEAR FEET

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

PROPOSED RIGHT OF WAY

BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW
H56
0.04 ACRES FILL
0.77 ACRES TEMP. CLEAR

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

PARTIALLY CLEARCUT
REPLANTED PINE WET FLATWOOD
WETLAND ABUTTING RPW
H55 (DNR SN 30)
5.59 ACRES FILL
1.25 ACRES TEMP. CLEAR

METHODIST REHOBETH RD.


300 0 300
150
GRAPHIC SCALE 1" = 300'

LEGEND	
TNW	- TRADITIONALLY NAVIGABLE WATER
RPW	- RELATIVELY PERMANENT WATER
NRPW	- NON-RELATIVELY PERMANENT WATER
Wetlands	-- DENOTES WETLAND LIMITS
— — —	- DENOTES CONSTRUCTION LIMITS
— P —	- DENOTES PROPERTY LINE
[Hatched]	- DENOTES FILL
[Cross-hatched]	- DENOTES TEMP. CLEAR
[Dotted]	- DENOTES PERM. CLEAR
[Diagonal hatching]	- DENOTES EXCAVATION


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 152 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION UUU-UUU




GRAPHIC SCALE 1" - 50' HORZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 153 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS

CLEARING LIMITS EXTEND
BEYOND CORRIDOR



SECTION VVV-VVV

— - - DENOTES EXISTING
GROUND LINE
[cross-hatch] - DENOTES FILL

50 0 50
25

GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 154 OF 178

PLAN VIEW

4790

4800

48/0

JURISDICTIONAL POND
RPW
H60
NO IMPACT

PINE WET FLATWOOD
WETLAND ADJACENT TO RPW
H63
1/2 ACRES FILL
0.28 ACRES TEMP. CLEAR
(THIS SHEET) /

PIPE TO MAINTAIN FLOW

BOTTOMLAND HARDWOOD
WETLAND ADJACENT RPW
H62
0.01 ACRES TEMP.CLEAR

PROPOSED RIGHT OF WAY

JOINER SWAMP

*PERENNIAL STREAM
RPW
H64
NO IMPACT*

BOTTOMLAND HARDWOOD
WETLAND ABUTTING RPW

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER

—Wetlands— : DENOTES WETLAND LIMITS

— — - DENOTES CONSTRUCTION LIMITS

R - DENOTES PROP
 - DENOTES FILL

- DENOTES TEMP. CLEAR

- DENOTES PERM. CLEARANCE

- DENOTES EXCAVATION

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

GRAPHIC SCALE 1" = 300'

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 155 OF 178

PLAN & PROFILE VIEW

4795+00


4796+00

4797+00


4798+00

4799+00

4800+00



PLAN




PROFILE

12 - 12

PIN 36358_RDOI
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 155A OF 178

PLAN & PROFILE VIEW



① PERPENDICULAR TO ABUTMENT

4799+00 4800+00

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 155B OF 178

4795+00

4796+00

4797+00

4798+00

PROFILE
13 - 13

PLAN & PROFILE VIEW

4794+00


4795+00

4796+00


4797+00

4798+00

4799+00



PLAN



① PERPENDICULAR TO ABUTMENT

4794+00

4795+00

4796+00

4797+00

4798+00

4799+00

PROFILE
14 - 14

PIN 36358_RD01

PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCUDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 155C OF 178

HYDROLOGY DATA

D.A. = 2.67 SQ. MI.

Q₅₀ = 468 CFS

AREA FURNISHED UNDER EL. 80.02 = 212 S.F.

V₅₀ = 2.8 FT/SEC.

Q₁₀₀ = 579 CFS

AREA FURNISHED UNDER EL. 80.64 = 243 S.F.

V₁₀₀ = 3.20 FT/SEC.

BACKWATER₀₀ = -1.93'

OVERTOPPING FLOOD

Q > 896 CFS (500-YR. DISCHARGE)

100


PROBABILITY < 0.02

75

50


CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION WWW-WWW

— - - DENOTES EXISTING GROUND LINE
[cross-hatch] - DENOTES FILL




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 156 OF 178


PLAN VIEW

PINE WET FLATWOOD
WETLAND ADJACENT TO RPW
H63 (CONTINUED)
0.32 ACRES FILL (THIS SHEET)
0.03 ACRES TEMP. CLEAR (THIS SHEET)


NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.



PLAN & PROFILE VIEW



PLAN




4826+00 4827+00 4828+00 4829+00

PROFILE
15 - 15


PIN 36358_RDOI
 PROPOSED INTERSTATE 73
 MARLBORO, DILLON, MARION AND
 Horry COUNTIES, S.C.
 APPLICATION BY SCDDOT
 FEDERAL FUNDS TO BE USED
 DATE: 06/06/2016
 SHEET 157A OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION XXX-XXX



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 158 OF 178

PLAN VIEW

PERENNIAL STREAM
H75 (DNR SN27)
NO IMPACT

4860

PROPOSED RIGHT OF WAY

SWAN
LOSING

550

PINE WET FLATWOOD
NON-REGULATED ISOLATED WATER
H78
0.11 ACRES FILL
0.04 ACRES TEMP. CLEAR

4880

PINE WET FLATWOOD
WETLAND ADJACENT TO RPW
H77
0.02 ACRES FILL
0.03 ACRES TEMP. CLEAR

4870

PARTIALLY CLEARCUT & DITCHED
PINE WET FLATWOOD
H79 (DNR SN 25)
1.85 ACRES FILL
0.02 ACRES TEMP. CLEAR
(THIS SHEET)

10

**PIPES TO
MAINTAIN FLOW**

PROPOSED RIGHT OF WAY

DITCHED PINE WET FLATWOOD
WETLAND ABUTTING RPW
H76
3.12 ACRES FILL
0.23 ACRES TEMP. CLEAR

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER

RPW - RELATIVELY PERMANENT WATER

NRPW - NON-RELATIVELY PERMANENT WATER

-Wetlands- - DENOTES WETLAND LIMITS

— — - DENOTES CONSTRUCTION LINE

P - DENOTES PROPERTY LINE

 - DENOTES FILL

- DENOTES TEMP. CLEAR

—
—

- DENOTES PERM. CLEAR


1

- DENOTES EXCAVATION


NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 159 OF 178

PLAN & PROFILE VIEW



PLAN



BENT NO.'s → ① ②

4858+00 4859+00 4860+00 4861+00 4862+00


PROFILE
16 - 16

① WATER EL. 89.1
4863+00

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 159A OF 178

CROSS SECTION

NOTE:
**WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS**




SECTION YYY-YYY

— — - DENOTES EXISTING GROUND LINE


 - DENOTES FILL

GRAPHIC SCALE 1" = 50' HORIZ.



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 160 OF 178



CROSS SECTION



SECTION ZZZ-ZZZ



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 162 OF 178

PLAN VIEW

MATCHLINE SHEET 161

PARTIALLY CLEARCUT & DITCHED
PINE WET FLATWOOD
WETLAND ABUTTING RPW
H79 (CONTINUED) (DNR SN 25)
4.68 ACRES FILL
0.77 ACRES TEMP. CLEAR
(THIS SHEET)

4930

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
CULVERT

PERENNIAL STREAM
H81
0.02 ACRES FILL
239 LINEAR FEET

300 0 300
150

GRAPHIC SCALE 1" = 300'

MOSE SWAMP

4940

4950


PIPE TO MAINTAIN FLOW

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

PARTIALLY DITCHED PINE WET FLATWOOD
NON-REGULATED ISOLATED WATER
H84
0.02 ACRES FILL
0.03 ACRES TEMP. CLEAR

NON-JURISDICTIONAL POND
NON-REGULATED ISOLATED WATER
H86
0.50 ACRES FILL




NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.



PIN 36358_RDO1
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 163 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A1-A1




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 164 OF 178


CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A2-A2


- — - DENOTES EXISTING GROUND LINE
- [diagonal hatching] - DENOTES FILL
- [cross-hatching] - DENOTES EXCAVATION



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 165 OF 178

PLAN VIEW



CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS




— - - DENOTES EXISTING GROUND LINE
[cross-hatch] - DENOTES FILL

50 0 50
25


GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 167 OF 178




CROSS SECTION

NO CLEARING LIMITS
WETLAND IS A MARSH




SECTION A4-A4




GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358-RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 169 OF 178





CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A5-A5



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 171 OF 178

PLAN VIEW

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND


- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - - DENOTES WETLAND LIMITS
- - - - - DENOTES CONSTRUCTION LIMITS
- P — - DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dotted Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION





PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 172 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A6-A6



GRAPHIC SCALE 1" = 50' HORIZ.

PIN 36358_RD01
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 173 OF 178

MATCHLINE SHEET 176

PLAN VIEW

5/60

5/70

5/90

PROPOSED RIGHT OF WAY

PROPOSED RIGHT OF WAY

PIPS TO MAINTAIN FLOW

PARTIALLY DITCHED
PINE WET FLATWOOD
WETLAND ABUTTING NRPW
HI09
3.25 ACRES FILL
0.41 ACRES TEMP. CLEAR

EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT

JURISDICTIONAL DITCHES
HI10
0.14 ACRES FILL

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

TNW - TRADITIONALLY NAVIGABLE WATER
RPW - RELATIVELY PERMANENT WATER
NRPW - NON-RELATIVELY PERMANENT WATER

- Wetlands - - DENOTES WETLAND LIMITS

- - - DENOTES CONSTRUCTION LIMITS

- P - - DENOTES PROPERTY LINE

[diagonal hatching] - DENOTES FILL

[cross-hatching] - DENOTES TEMP. CLEAR

[dotted pattern] - DENOTES PERM. CLEAR

[solid black] - DENOTES EXCAVATION

300 0 300


150
GRAPHIC SCALE 1" = 300'

REVISED: 07/01/2016

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 174 OF 178

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 175 OF 178

PLAN VIEW

JURISDICTIONAL DITCHES
HII8
0.14 ACRES FILL

**EXISTING CHANNEL
TO BE RELOCATED
AND TIED TO
PIPE/CULVERT**

PARTIALLY DITCHED &
CLEARCUT
PINE WET FLATWOOD
WETLAND ABUTTING RPW
HIII (DNR SN 22)
5.63 ACRES FILL
1.15 ACRES TEMP. CLEAR
0.37 ACRES EXCAVATION

PIPES TO MAINTAIN FL

TNW - TRADITIONALLY NAVIGABLE WATER
 RPW - RELATIVELY PERMANENT WATER
 NRPW - NON-RELATIVELY PERMANENT WATER
 — Wetlands -- - DENOTES WETLAND LIMITS
 — — - DENOTES CONSTRUCTION LIMITS
 — P — - DENOTES PROPERTY LINE
 - DENOTES FILL
 - DENOTES TEMP. CLEAR
 - DENOTES PERM. CLEAR
 - DENOTES EXCAVATION

PROPOSED RIGHT OF WAY
PINE WET FLATWOOD
WETLAND ABUTTING NRPW
HII2
0.60 ACRES FILL
0.04 ACRES TEMP. CLEAR

PINE WET FLATWOOD
WETLAND ABUTTING RPW
HII3
0.45 ACRES FILL
0.03 ACRES TEMP. CLEAR

MATCHLINE SHEET 17

PIN 36358 RDO

*PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.*

APPLICATION BY SCDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016

SHEET 176 OF 178

REVISED: 07/01/2016

PINE WET FLATWOOD
WETLAND ABUTTING NRPW
HII?
1.36 ACRES TEMP.CLEAR

PINE WET FLATWOOD
WETLAND ABUTTING NRPW
H16
0.44 ACRES TEMP.CLEAR


PINE WET FLATWOOD
WETLAND ABUTTING RPW
THIIS
0.28 ACRES TEMP. CLEAR

GRAPHIC SCALE 1" = 300'



NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

CROSS SECTION

NOTE:
WETLAND LIMITS EXTEND
BEYOND CORRIDOR LIMITS



SECTION A8-A8



GRAPHIC SCALE 1" = 50' HORIZ.


PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 177 OF 178

PLAN VIEW

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - DENOTES CONSTRUCTION LIMITS
- P - - DENOTES PROPERTY LINE
- [Hatched Box] - DENOTES FILL
- [Cross-hatched Box] - DENOTES TEMP. CLEAR
- [Dotted Box] - DENOTES PERM. CLEAR
- [Diagonal-hatched Box] - DENOTES EXCAVATION



PLAN VIEW

MATCHLINE SHEET 178

NOTE:
Wetland boundaries beyond corridor limits
have not been verified by the USACE.

LEGEND

- TNW - TRADITIONALLY NAVIGABLE WATER
- RPW - RELATIVELY PERMANENT WATER
- NRPW - NON-RELATIVELY PERMANENT WATER
- Wetlands - - DENOTES WETLAND LIMITS
- - - - - DENOTES CONSTRUCTION LIMITS
- P - - DENOTES PROPERTY LINE
- [Cross-hatch] - DENOTES FILL
- [Solid dark gray] - DENOTES TEMP. CLEAR
- [Dotted pattern] - DENOTES PERM. CLEAR
- [Diagonal hatching] - DENOTES EXCAVATION

PARTIALLY DITCHED PINE WET FLATWOOD
WETLAND ABUTTING RPW

H23
0.9 ACRES FILL
0.54 ACRES TEMP. CLEAR

300 0 300
150
GRAPHIC SCALE 1" = 300'

PIN 36358_RDOI
PROPOSED INTERSTATE 73
MARLBORO, DILLON, MARION AND
HORRY COUNTIES, S.C.
APPLICATION BY SCDDOT
FEDERAL FUNDS TO BE USED
DATE: 06/06/2016
SHEET 178A OF 178